

Response to Comments for the 322 Landfill Well Placement/Development Plan

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

02/13/2024

Jared Morrison Director Environmental Services Evergy, Inc. Date



February 13, 2024 File No. 0129778

U.S. Environmental Protection Agency – Region 7 11201 Renner Boulevard Lenexa, Kansas 66219

Subject: Response to Comments for the 322 Landfill Well Placement / Development Plan dated March 6, 2023 322 Landfill, Tecumseh Energy Center, Tecumseh, Kansas

The Tecumseh Energy Center (TEC) 322 Landfill Well Placement/Development Plan (Well Development Plan), dated March 6, 2023, was prepared pursuant to Paragraph 10.d. of the Consent Agreement and Final Order (CAFO) between the U.S. Environmental Protection Agency (USEPA) and Evergy Kansas Central, Inc. (Evergy) In the Matter of Evergy Kansas Central, Inc.: Docket No. RCRA-07-2023-0001 dated November 7, 2022. Paragraph 10.f. of the CAFO requires that Evergy provide USEPA a plan for the installation of additional wells at the 322 Landfill. Evergy provided the required plan on March 6, 2023.

This letter was prepared in response to the USEPA's November 16, 2023 email from Ms. Cynthia Sans (Email) containing an attachment with USEPA comments regarding the March 6, 2023 Well Development Plan for the 322 Landfill. This letter presents each individual comment from the Email in italics followed by the specific Evergy response to the comment.

Evergy Comment Responses

USEPA Comment #1: Section 2.1, Monitoring Well Locations, Page 2

Recommend 24 hours after well completion prior to development rather than 12 hours.

Response to Comment #1:

The Well Development Plan has been revised to provide 24 hours before monitoring well development. These revisions are included in Section 2.1.1.4 (Monitoring Well Development) of the revised Well Development Plan.

USEPA Comment #2: Section 2.1, Monitoring Well Locations, Page 2

A Kansas licensed driller should be utilized for well construction and development and well installation should be consistent with Kansas Department of Health and Environment (KDHE) regulations.

U.S. Environmental Protection Agency February 13, 2024 Page 2

Response to Comment #2:

The Well Development Plan has been revised to state that monitoring wells will be installed and developed in accordance with Kansas Administrative Regulations (K.A.R.) Article 30. This revision is included in Section 2.1.1 (Well Drilling and Installation) of the revised Well Development Plan.

USEPA Comment #3: Section 2.1, Monitoring Well Locations, Page 2

A Kansas licensed surveyor should be utilized to survey all completed well locations.

Response to Comment #3:

The Well Development Plan has been revised to provide details for surveying of the new monitoring wells. These revisions are included in Section 2.1.3 (Survey) of the revised Well Development Plan.

USEPA Comment # 4: Section 2.1, Monitoring Well Locations, Page 2

The precision of water level measurements (usually 0.01 feet) should be included.

Response to Comment #4:

The Sampling and Analysis Plan (SAP) was revised in June 2023 to include water level measurement procedures for the TEC specifying that the distance from the water surface to the referenced measuring point will be recorded to the nearest 0.01 foot. These revisions are included in Paragraph 3 of Section 4.4.2 (Water Level Measurements) of the revised SAP.

USEPA Comment #5: Section 2.1, Monitoring Well Locations, Page 2

Please clarify if any aquifer testing such as slug testing will be performed on the newly installed monitoring wells.

Response to Comment #5:

The Well Development Plan has been revised to provide details for aquifer testing of the new monitoring wells. These revisions are included in Section 2.2 (Aquifer Testing) of the revised Well Development Plan.

USEPA Comment #6: Section 2.2, Baseline Sampling, Page 3

A statistical analysis of groundwater data must be conducted consistent with §257.93 for all samples collected.

Response to Comment #6:

The Well Development Plan has been revised to provide clarification that statistical analyses will be performed according to the methods specified in the TEC Statistical Data Analysis Plan consistent with the provisions of Title 40 Code of Federal Regulations (40 CFR) § 257.93. These revisions are included in Section 3.1 (Assessment Monitoring) of the revised Well Development Plan.

USEPA Comment #7: Section 3.1, Assessment Monitoring, Page 4

Only monitoring wells with statistically significant increases as described in §257.94 need to advance to assessment monitoring as described in §257.95.

U.S. Environmental Protection Agency February 13, 2024 Page 3

Response to Comment #7:

The Well Development Plan has been revised to clarify that the entire groundwater network system will transition into assessment monitoring following a statistically significant increase as described in 40 CFR § 257.94. Evergy confirmed the intent of this comment with USEPA Region 7 staff via phone conference on January 29, 2024.

USEPA Comment #8: Figures

The second figure with the proposed new monitoring well locations appears to be mislabeled as Figure 1 and should be Figure 2.

Response to Comment #8:

The Well Development Plan has been revised to correct the figure number for the proposed new monitoring well locations figure. These revisions are included in Figure 2 of the revised Well Development Plan.

USEPA Comment 9: Figures

Given the distance between MW-4 and proposed monitoring well MW-11, an additional upgradient monitoring well location is recommended between these two locations which would also be more directly upgradient in the prevailing uppermost aquifer flow direction.

Response to Comment #9:

The Well Development Plan has been revised to include an additional proposed upgradient monitoring well in the southwest region of the 322 Landfill. The approximate area of proposed monitoring well MW-9 has also been revised to address access concerns for the well placement. These revisions are included in Figure 2 of the revised Well Development Plan.

As outlined in Paragraph 4 in Section 2.1 (Monitoring Well Locations) of the Well Development Plan, one upgradient monitoring well was installed in the area of proposed monitoring well MW-11 as part of the original 322 Landfill groundwater monitoring system but was found to be dry and not in communication with the uppermost aquifer. If these conditions are found to extend along the western edge of the landfill, the additional upgradient monitoring well may not contain sufficient groundwater to support groundwater sampling.

USEPA Comment #10: General Comment

The standard operating procedures for monitoring well drilling, development, management of investigative-derived waste including development and purge water, drill cuttings, etc. should be included or referenced as to location of the supporting documents.

Response to Comment #10:

The Well Development Plan has been revised to include the Standard Operating Procedures for monitoring well drilling, completion, installation, and development. These revisions are included in Section 2.1.1 (Monitoring Well Drilling and Installation) of the revised Well Development Plan. The Well Development Plan has been revised to provide a discussion of handling development and purge water.

U.S. Environmental Protection Agency February 13, 2024 Page 4

These revisions are included in Section 2.1.2 (Development and Purge Water Management) of the revised Well Development Plan.

USEPA Comment #11: General Comment

The Sampling and Analysis Plan should be referenced as to location of the supporting document or included.

Response to Comment #11:

The Well Development Plan has been revised to reference the SAP for the TEC. This change is included in Paragraph 1 of Section 2.3 (Baseline Sampling) of the revised Well Development Plan.

USEPA Comment #12: General Comment

An updated schedule should be included when revised and available.

Response to Comment #12:

Upon approval of the Well Development Plan for the 322 Landfill by USEPA, Evergy will provide an updated schedule to USEPA when revised and available.


Please contact Jared Morrison (jared.morrison@evergy.com) with any questions that you may have regarding the information contained in this letter.



322 LANDFILL WELL PLACEMENT/DEVELOPMENT PLAN TECUMSEH ENERGY CENTER TECUMSEH, KANSAS

by Haley & Aldrich, Inc. Phoenix, Arizona

for Evergy Kansas Central, Inc.





File No. 0129778-052 March 2023

Rev 1: February 2024



Table of Contents

List	of	Tables
List	of	Figures
List	of	Appendices

Table	of Co	ntents	Page
List of	f Table f Figur f Appe		ii ii ii
1.	Intro	duction	1
	1.1 1.2	BACKGROUND 1.1.1 Monitoring Network PURPOSE AND SCOPE	1 1 1
2.	Grou	ndwater Monitoring Well Installation	2
	2.1 2.2	MONITORING WELL LOCATIONS 2.1.1 Monitoring Well Drilling and Installation 2.1.2 Survey BASELINE SAMPLING	2 2 4 4
3.	Asses	ssment Monitoring Groundwater Sampling Program	5
	3.1 3.2	ASSESSMENT MONITORING SEMI-ANNUAL ASSESSMENT MONITORING SAMPLING	5 5
4.	Repo	rting	6
TABLI	ES		1
FIGU	RES		2

List of Tables

Table No.	Title
1	Monitoring Well Construction Information
2	Proposed Schedule for Consent Agreement Paragraph 10.f.
3	Proposed Schedule for Reporting Updates/Modifications

List of Figures

Figure No.	Title
1	322 Landfill Monitoring Well Location Map
2	Proposed Groundwater Monitoring Wells
3	Proposed Monitoring Well Design

List of Appendices

Appendix	Title
А	Standard Operating Procedures



1. Introduction

This document is the 322 Landfill Well Placement/Development Plan (Plan) prepared pursuant to Paragraph 10.f. of the Consent Agreement and Final Order (CAFO) between the U.S. Environmental Protection Agency (USEPA) and Evergy Kansas Central, Inc. (Evergy) In the Matter of Evergy Kansas Central, Inc.: Docket No. RCRA-07-2023-0001 dated November 7, 2022. Paragraph 10.f. of the CAFO requires that Evergy provide USEPA a plan for the installation of additional wells at the 322 Landfill.

1.1 BACKGROUND

Evergy Tecumseh Energy Center (TEC) is a closed coal fired power generation facility. Evergy operated a permitted solid waste disposal area referred to as the 322 Landfill. This landfill was permitted through the Bureau of Waste Management of the Kansas Department of Health and Environment (KDHE) under Permit No.322. Prior to, and during, plant decommissioning, the landfill received coal combustion residuals (CCR) and other permitted industrial waste streams. The 322 Landfill was closed in accordance with the CCR Rule and KDHE regulatory requirements. CCR Rule Closure of the unit was certified in accordance with Title 40 Code of Federal Regulations (40 CFR) § 257.102 on April 30, 2021. The unit is currently being managed in accordance with the post-closure care requirements.

Pursuant to Paragraph 10.f. of the CAFO, this Plan has been prepared for the installation of additional monitoring wells at the 322 Landfill. The items requested by USEPA in Paragraphs 10.f.i. through 10.f.v. of the CAFO are provided in the following sections.

1.1.1 Monitoring Network

Consistent with 40 CFR §§ 257.90 through 257.95, Evergy installed and certified a groundwater monitoring network for the 322 Landfill at TEC and collected eight rounds of groundwater samples for the analysis of Appendix III and Appendix IV baseline constituents. The groundwater monitoring network at the 322 Landfill includes one upgradient monitoring well (MW-4) and three downgradient monitoring wells (MW-1, MW-5, and MW-6); and one cross gradient well (MW-2) is used to monitor groundwater elevations for the purpose of establishing groundwater flow direction at each sampling event.

Monitoring well MW-4 was sited at a location considered to be representative of background groundwater conditions. Groundwater in the uppermost aquifer beneath the 322 Landfill consistently flows in a northeast direction. The downgradient monitoring wells were sited based on site-specific conditions at locations considered sufficient to detect groundwater constituents in the uppermost aquifer passing the waste boundary of the unit. The locations of the monitoring wells are shown on Figure 1, and well construction details are provided in Table 1.

1.2 PURPOSE AND SCOPE

This Plan addresses requirements set forth in Paragraph 10.f. of the CAFO and is consistent with requirements outlined in 40 CFR §§ 257.90(b)(1) and 257.91 for groundwater monitoring and system, and applicable requirements outlined in 40 CFR § 257.95(d). The specific requirements for this Plan listed in the CAFO are provided in Sections 2 through 4 of this Plan and are in bold italic font, followed by a narrative describing how each requirement has been met.



2. Groundwater Monitoring Well Installation

2.1 MONITORING WELL LOCATIONS

Paragraph 10.f.i. of the CAFO requires:

"A discussion of how the proposed wells will comply with 40 CFR §§ 257.90(b)(1) and 257.91."

In accordance with CAFO Paragraph 10.f.i., the installation of three (3) new monitoring wells at potential upgradient locations and four (4) new monitoring wells at downgradient or cross gradient locations at the TEC 322 Landfill is proposed to monitor groundwater quality passing the waste boundary of the 322 Landfill (Figure 2) pursuant to 40 CFR § 257.90(b)(1)(i) and the performance standard of 40 CFR § 257.91(a).

Pursuant to 40 CFR § 257.91(b), the number, spacing, and depths of proposed monitoring wells were determined based upon site-specific technical information obtained during drilling, installation, and testing of the original monitoring wells at the 322 Landfill, including stratigraphy, lithology, hydraulic conductivity, porosity, and site-specific data developed during previous characterization activities. The proposed wells include wells in known upgradient and downgradient locations, and additional wells that will further support characterization of the groundwater flow field. Several of the proposed wells may be cross gradient and may be monitored for piezometric observation only.

As directed in 40 CFR § 257.91(c), following installation of the proposed monitoring wells to the current monitoring system, the 322 Landfill monitoring system will now include as many as three (3) upgradient monitoring wells and at least five (5) downgradient monitoring wells, which exceeds the minimum well requirements identified under the CCR Rule. Downgradient monitoring wells will be at a horizontal spacing of approximately 350 to 400 feet similar to the current spacing of downgradient monitoring wells, will serve to demonstrate that the groundwater flow direction is consistently toward the northeast.

During previous drilling programs, shallow bedrock was observed, and dry formation conditions were encountered southwest of the 322 Landfill. One (1) additional upgradient monitoring well was installed in this area as part of the 322 Landfill groundwater monitoring system but was found to be dry and not in communication with the uppermost aquifer. If these conditions are found to extend along the western edge of the landfill, the proposed upgradient monitoring wells may not contain sufficient groundwater to collect groundwater samples.

The proposed schedule for installation of the new 322 Landfill monitoring wells is provided in Table 2.

2.1.1 Monitoring Well Drilling and Installation

Monitoring wells will be drilled and installed by a KDHE-licensed water well driller in accordance with Kansas Administrative Regulations (K.A.R.) Article 30.¹ Procedures for monitoring well drilling, completion, installation, and development are summarized below and will be completed in accordance with Article 30 and the standard operating procedures (SOP) provided in Appendix A.

¹ Kansas Department of Health and Environment, 2013. Kansas Administrative Regulations, Article 30, Water Well Contractor's License; Water Well Construction. June.



Prior to any subsurface work, federal and state laws require excavators to notify appropriate utility companies before digging. Kansas 811 will be contacted at least 72 hours in advance of any subsurface work to mark public utilities. Evergy will clear site utilities by reviewing facility as-built drawings and potential drilling locations for the presence of underground utility hazards (utility lines, subsurface structures, etc.). Each proposed monitoring well location will be cleared by hand auguring the top 5 feet below ground surface (bgs).

2.1.1.1 Monitoring Well Drilling

Based on existing groundwater elevation data, the groundwater flow direction is consistently toward the northeast, and the water bearing geologic formation nearest the natural ground surface at the 322 Landfill is composed of poorly sorted glacial till material that includes clay, sand, and gravel. The proposed monitoring wells will be installed to a depth of approximately 15 feet bgs and will be screened within the glacial till material directly above the shale confining unit that underlies the 322 Landfill (Figure 3). A lithologic log will be created for each boring, which will note depth of groundwater, characterize soil samples in accordance with the Unified Soil Classification System, and describe each bedrock core, if applicable. Split spoon soil samples will be collected every 5 feet, to the top of bedrock, to support continued lithologic logging.

2.1.1.2 Monitoring Well Installation

The proposed monitoring wells will be installed to a depth of approximately 10 to 15 feet bgs and will be screened within the glacial till material directly above the underlying shale. The proposed monitoring wells will be designed and installed in accordance with 40 CFR § 257.91(e), and K.A.R. 28-30-6. The planned well design is provided in Figure 3.

2.1.1.3 Monitoring Well Completion

Monitoring wells will be completed with 2-inch inside diameter flush threaded, 2-inch polyvinyl chloride (PVC) plug, well screen, and riser. The well screen will be up to 10 feet long and have 0.020-inch slots. The annular space between the borehole walls and the PVC materials will be filled with appropriately sized sand pack (No. 8-12 silica sand) to approximately 1 foot above the well screen. A bentonite seal of fine chips or pellets will be placed above the filter pack to ground surface. The top of the riser will be secured with a locking watertight cap. Each well will be completed with an above ground protective casing that will be locked once installation is complete. Monitoring well construction may be adjusted based on field observations. The planned well design is provided in Figure 3.

2.1.1.4 Monitoring Well Development

The newly installed monitoring wells will be allowed to set for a minimum of 24 hours prior to well development. The wells will be developed by swabbing, bailing, airlifting, and/or pumping methods in accordance with the SOP in Appendix A. Monitoring well development will be complete once the monitoring well is visibly clear and sediment free, turbidity is reduced to less than 10 Nephelometric Turbidity Units or has stabilized, and when pH, temperature, and conductivity have stabilized. Water level elevations will be measured with a decontaminated water level indicator throughout the well development.



2.1.2 Development and Purge Water Management

Development and purge water will be discharged to the ground at the site following drilling activities. The drilling subcontractor will be responsible for ensuring that no development or purge water will enter any on-site surface water pathways.

2.1.3 Survey

Following monitoring well drilling, installation, and development, a surveyor licensed in the state of Kansas will be contracted to establish final well locations and the vertical elevation (surface and casing) at each monitoring well.

2.2 AQUIFER TESTING

Slug testing will be completed at each newly installed monitoring well to characterize hydraulic properties of the uppermost aquifer. Each well will be allowed to set for a minimum of 48 hours following monitoring well development prior to slug testing. The slug tests will be performed in accordance with the SOP provided in Appendix A. Data obtained during testing will be evaluated using commercially available software to estimate hydraulic conductivity.

2.3 BASELINE SAMPLING

Paragraph 10.f.ii. of the CAFO requires:

"A proposed sampling schedule to meet the requirements of 40 CFR § 257.90(b)(1)(iii)."

A detection monitoring program will be initiated at the newly installed monitoring wells in accordance with 40 CFR § 257.90(b)(1)(iii) within 30 days of monitoring well development. The program will include a minimum of eight independent baseline groundwater samples collected from each new monitoring well and analyzed for the constituents listed in Appendix III and Appendix IV. The samples will be collected bi-monthly from the newly installed monitoring wells over a period of 16 months to ensure collection of data describing seasonal variability. Groundwater samples will be collected in accordance with the site-specific Sampling and Analysis Plan.²

All samples will be analyzed by a laboratory certified by the State of Kansas. Data validation and usability assessment will be performed in accordance with guidance and requirements established in the documents titled USEPA National Functional Guidelines for Inorganic Data Review (USEPA, 2020)³ and the Evaluation of Radiochemical Data Usability (Paar, 1997).⁴

The baseline sampling schedule for the new 322 Landfill monitoring wells is provided in Table 2.



² Haley & Aldrich, Inc., 2023. Groundwater Sampling and Analysis Plan, Tecumseh Energy Center, Tecumseh, Kansas. June 6.

³ U.S. Environmental Protection Agency, 2020. National Functional Guidelines for Inorganic Superfund Methods Data Review. EPA-540-R-2017-001. January.

⁴ Paar, J.G., 19978. Evaluation of Radiochemical Data Usability. April.

3. Assessment Monitoring Groundwater Sampling Program

3.1 ASSESSMENT MONITORING

Paragraph 10.f.iii. of the of the CAFO requires:

"A proposed schedule for incorporating the new wells into the assessment monitoring sampling program when viable."

The current assessment monitoring program includes sampling and analysis of Appendix III and Appendix IV constituents followed by statistical analysis in accordance with the sampling and analysis program (40 CFR § 257.90(b)(1)(ii) and (iv)) and the TEC Statistical Data Analysis Plan (40 CFR § 257.93). The annual assessment monitoring sampling event consists of all Appendix IV constituents pursuant to 40 CFR § 257.95(b). Upon completion of eight baseline sampling events at the newly installed 322 Landfill monitoring wells, the new monitoring wells will be sampled along with existing wells pursuant to the detection monitoring requirements of 40 CFR § 257.94. Following a statistically significant increase at any new or existing well, the new wells will transition into the assessment monitoring program together with MW-1, MW-4, MW-5, and MW-6 and be certified as part of the network in accordance with 40 CFR § 257.91(f).

The schedule for incorporation of the new wells into the assessment monitoring program at 322 Landfill is provided in Table 2.

3.2 SEMI-ANNUAL ASSESSMENT MONITORING SAMPLING

Paragraph 10.f.iv. of the CAFO requires:

"A proposed sampling schedule for semi-annual assessment monitoring for any Appendix III and Appendix IV constituents identified in the annual assessment monitoring event pursuant to 40 CFR § 257.95(d)."

In accordance with 40 CFR § 257.95(d)(1), assessment monitoring sampling will be completed at monitoring wells MW-1, MW-4, MW-5, and MW-6 on a semiannual basis beginning within 90 days of obtaining validated results from the annual assessment monitoring sampling event. Upon completion of eight baseline sampling events at the new monitoring wells, the wells will be incorporated into the assessment monitoring sampling schedule is provided in Table 2.



4. Reporting

Paragraph 10.f.v. of the CAFO requires:

"Identification of any potential updates and/or modifications to reports/notifications in Respondent's operating record and on Respondent's publicly available CCR compliance webpage and a schedule for making the updates and/or modifications."

In accordance with CAFO Paragraph 10.f.v., the following reports/notifications will be updated or modified to reflect the additional groundwater monitoring wells. The schedule for document updates is presented in Table 3:

- Groundwater System Certification 40 CFR § 257.91(f)
- Sampling and Analysis Plan 40 CFR § 257.90(b)(1)(ii) and 40 CFR § 257.93(a)



TABLES

TABLE 1MONITORING WELL CONSTRUCTION INFORMATIONEVERGY KANSAS CENTRAL, INC.TECUMSEH ENERGY CENTERTECUMSEH, KANSAS

Location	Well Identification	Well Installation Date	Casing Diameter (inches)	Blank Casing Type	Screened Casing Type	Slot Size (inch)	Top of Screen (feet bgs)	Bottom of Screen (feet bgs)	Well Depth (feet bgs)	Depth to Water ^a (feet btoc)	Water Level Elevation (feet amsl)	Water Column Depth (feet)	Northing ^b	Easting ^b	Ground Surface Elevation (feet amsl) ^c	Top of Casing Elevation (feet amsl)
								322 Land	fill							
	MW-1	6/7/1978	4	Schd 40 PVC	Schd 40 PVC	0.500	5.5	25.5	25.5	6.08	898.57	19.42	270840.4168	2004708.9116	902.65 ^c	904.65
Downgradiant	MW-2	7/8/2009	2	Schd 40 PVC	Schd 40 PVC	0.010	11.5	16.5	16.5	13.31	917.06	3.19	270802.1534	2004122.3714	928.37 ^c	930.37
Downgradient	MW-5	4/8/2016	2	Schd 40 PVC	Schd 40 PVC	0.020	6	16	16	8.26	907.92	7.74	270381.5513	2004921.3410	913.3	916.18
	MW-6	4/8/2016	2	Schd 40 PVC	Schd 40 PVC	0.020	8.7	18.7	18.7	9.63	901.65	9.07	270804.2617	2004929.8163	908.04	911.28
Upgradient	MW-4	4/13/2012	2	Schd 40 PVC	Schd 40 PVC	0.020	7	12	12	6.32	930.16	5.68	268353.7298	2004187.4333	934.48 ^c	936.48

Notes:

Monitoring Well Used for Piezometric Observation Only

^{*a*} Depth to water from groundwater elevation survey on September 9, 2022.

^b Data Source: Westar Energy Tecumseh Energy Center, August 2016.

^c Surface elevation estimated based on 2-foot casing stick up

amsl - above mean sea level

bgs - below ground surface

btoc - below top of casing

Schd 40 PVC - Schedule 40 polyvinyl chloride



TABLE 2PROPOSED SCHEDULE FOR CONSENT AGREEMENT PARAGRAPH 10.f.EVERGY KANSAS CENTRAL, INC.TECUMSEH ENERGY CENTERTECUMSEH, KANSAS

Schedule Item ¹	CAFO Item	CCR Rule Regulation	Estimated Start Date
Install new wells	Paragraph 10.f.i.	40 CFR § 257.90(b)(1)(i) 40 CFR § 257.91	Within 180 days of USEPA approval of this Plan ²
Initiate baseline sampling of new wells	Paragraph 10.f.ii.	40 CFR § 257.90(b)(1)(iii)	Within 30 days of monitoring well development
Incorporation of new wells into network	Paragraph 10.f.iii.	40 CFR § 257.90(b)(1)(iv)	Within 30 days of obtaining validated results from eight independent baseline sampling events
Semi-annual assessment monitoring sampling	Paragraph 10.f.iv.	40 (.FR § 257,95(d)(1)	Within 90 days of obtaining validated results from the annual assessment monitoring sampling event

Notes:

1. Proposed schedule address the requirements in Paragraph 10.f. of a consent agreement between the U.S. Environmental Protection Agency and Evergy dated November 7, 2022

2. 322 Landfill Well Placement / Development Plan (Plan)

CAFO = Consent Agreement and Final Order

CCR = Coal Combustion Residual

CFR = Code of Federal Regulation

SSL = statistically significant level

USEPA = U.S. Environmental Protection Agency



TABLE 3PROPOSED SCHEDULE FOR REPORTING UPDATES / MODIFICATIONSEVERGY KANSAS CENTRAL, INC.TECUMSEH ENERGY CENTERTECUMSEH, KANSAS

Report Item ¹	CCR Rule Regulation	Estimated Completion Date
Groundwater System Certification	40 CFR § 257.91(f)	Within 60 days of incorporating new monitoring wells into the monitoring well network
Sampling and Analysis Plan	40 CFR § 257.90(b)(1)(ii) 40 CFR § 257.93(a)	Within 60 days of incorporating new monitoring wells into the monitoring well network

Notes:

1. Proposed schedule address the requirements in Paragraph 10.f.v. of a consent agreement between the U.S. Environmental Protection Agency (EPA) and Evergy dated November 7, 2022

CCR = Coal Combustion Residual

CFR = Code of Federal Regulation



FIGURES



LEGEND



MONITORING WELL

PIEZOMETER OBSERVATION ONLY

322 LANDFILL BOUNDARY

NOTES

1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.

2. AERIAL IMAGERY SOURCE: ESRI, NOVEMBER 7, 2019



600

300 SCALE IN FEET


EVERGY KANSAS CENTRAL, INC. TECUMSEH ENERGY CENTER TECUMSEH, KANSAS

322 LANDFILL MONITORING WELL LOCATION MAP

Severgy FEBRUARY 2024

FIGURE 1





NOTES

- 1. ALL LOCATIONS AND DIMENSIONS ARE APPROXIMATE.
- 2. AERIAL IMAGERY SOURCE: ESRI, NOVEMBER 7, 2019



600


300 SCALE IN FEET

EVERGY KANSAS CENTRAL, INC. TECUMSEH ENERGY CENTER TECUMSEH, KANSAS

PROPOSED GROUNDWATER MONITORING WELLS

Severgy FEBRUARY 2024

FIGURE 2



APPENDIX A Standard Operating Procedures

OPERATING PROCEDURE: OP2000

MONITORING FIELD EXPLORATIONS

PREPARATION AND APPROVALS

VERSION	AUTHORED/DATE	REVIEWED / DATE	REVIEWED / DATE	REVIEWED / DATE	APPROVED / DATE
Ver. 0.0	CSO/ 12-02	JAM/ 01-03		STP/6-1-03	SRK/7-1-03
	7				
<					

Total Pages: 56

© Haley & Aldrich, Inc., 2003



TABLE OF CONTENTS

		\wedge	Page
1.	PURP	OSE	1
2.	EQUI	PMENT & MATERIALS	1
	2.1	Standard Required Equipment	1
	2.2	Required Environmental Equipment	2
	2.3	Additional Equipment, Specialized Instrumentation, Materials & Company Vehicles	3
	2.4	Billing Equipment & Materials	4
3.	PROC	EDURE	4
	3.1	Preliminary Preparations (())	4
		3.1.1 Project Briefing	4
		3.1.2 Health & Safety	5
	3.2	Duties and Responsibilities	5 5 5
		3.2.1 General	
		3.2.2 Supervision of Subsurface Exploration Programs	6
		3.2.3 Verification of Subsurface Exploration Techniques and Services	6
		3.2.4 Right of Access	6
	\wedge	3.2.5 Layout and Utility Clearance	6
	$\langle \leq \rangle$	3.2.6 Site Safety and Subcontractor Briefing	7
	()	3.2.7 Exploration Monitoring	7
	\sim		
	$\langle \langle \rangle$		
APPE	NDIX A	– References	A-1
APPE	NDIX B	B – Related Haley & Aldrich Procedures	B-1
		2 – Forms and Examples	C-1
) – Checklists	D-1

Monitoring Field Explorations (OP2000)

OPERATING PROCEDURE: OP2000

MONITORING FIELD EXPLORATIONS

1. PURPOSE

Exploratory test borings, probes and test pits represent important sources of subsurface information relating to geologic conditions and site suitability fundamental to environmental site assessment and geotechnical engineering design recommendations. The following procedure is an outline of the field staff responsibilities while monitoring subsurface exploration methods utilized by Haley & Aldrich Inc. (H&A) to obtain the best possible data for geologic characterization, laboratory testing and subsequent engineering evaluations and environmental assessment.

2. EQUIPMENT & MATERIALS

2.1 Standard Required Equipment

Required

- 1. Proposal (signed by Client)
- 2. Site Plan
- 3. Contract with Subcontractor (pay items)
- 4. Exploration Criteria/Specifications
- 5. Field Book
- 6. Clipboard
- 7. Logs & Forms
- 8. Office Supplies (pencils & markers)
- 9. Engineer's Scale
- 10. 6 ft. Ruler
- 11. 100 ft. Measuring Tape
- 12. Hand Lens, magnifying
- 13. Pocket Knife
- 14. Hard Hat
- 15. Safety Glasses
- 16. Sound Dampeners
- 17. Steel Toe Boots
- 18. Protective Gloves
- 19. Rain Gear

Additional as Required

- 20. First Aid Kit
- 21. Cellular Phone
- 22. Health & Safety Plan
- 23. Respirator & Tyvek Suit
- 24. Laptop Computer
- 25. Camera & Film
- 26. Field Procedures
- 27. Maps and References
- 28. Sample Bags & Jars with Labels
- 29. Survey Stakes/Paint/Flagging
- 30. Shovel
- 31. Geologist's Pick
- 32. Flashlight
- 33. Roadway Box Key/Socket Wrench
- 34. Water Level Indicator
- 35. Hand Level
- 36. Brunton Compass
- 37. Pocket Penetrometer
- 38. Torvane

2.2 Required Environmental Equipment

Most environmental fieldwork will have extensive equipment requirements and supplies specifically related to the project needs. The following list is a representative list of equipment classed as type-specific groups. A comprehensive list of equipment and materials must be developed for each project in coordination with the Project Manager (PM) and Health & Safety (H&S) Coordinator prior to the start of the field program.

- 1. Personal Protection Equipment (PPE)
 - Air Purifying Respirator & Cartridges (Type GMC-Type H)
 - Latex/Nitrile Inner Gloves/Boot Covers
 - Tyvek/Saranex Coveralls/Sleeves/Apron
- 2. Decontamination Equipment and Supplies
 - Decontamination Kit
 - 5 gallon bucket
 - 5 gallon water jug
 - alconox detergent
 - brushes & paper towels
 - methanol/hexane/deionized water
 - Decontamination Tub
 - Absorption Pads
 - Polyethylene Sheeting
 - Polyethylene Trash Bags
- 3. Air Quality/Headspace Monitoring Equipment
 - Photo-Ionization Detector (PID)
 - Flame Ionization Detector (FID)
 - Organic Vapor Analyzer (OVA)
 - Combustible Gas Meter-LEL/O2
 - Dust Monitor

- Multigas Meter-HCn/Methane/H2S
- Gas Pointer
- Draeger Tube Sampling Kit
- Radiation Survey Meter
- 4. Soil Sampling Equipment and Supplies
 - Hand Auger
 - Soil Core Sampler
 - Shovel/Trowel/Remote Sampler
 - Stainless Steel Bowl
 - Aluminum Foil
 - Tongue Depressors
 - Sample Bags/Laboratory Glassware & Labels
 - Cooler & Ice Blocks

Monitoring Field Explorations (OP2000)

- 5. Water Sampling Equipment and Supplies
 - Water Level Indicator
 - Oil/Water Interface Probe
 - Centrifugal Pump-Volume
 - Submersible Pump-Low Flow
 - Peristaltic Pump & Silicone Tubing
 - Purge Pump & DC Supply
 - Waterra® Tubing/Foot Valves/Filters
 - Stainless Steel/Teflon Bailers & Rope
 - Remote Sampler
 - Water Testing Equipment
 - Flow Cell (pH, temperature, conductivity, DO, turbidity, ORP and salinity)
 - Dissolved Oxygen (DO) Meter
 - Oxidation-Reduction Potential (ORP) Meter
 - Turbidity Meter
 - Downhole Temperature/Resistivity/Conductivity/Salinity Meter
 - pH/ Turbidity/DO/ Temperature/Resistivity/Conductivity/Salinity Meter
 - Laboratory Glassware & Labels
 - Cooler & Ice Blocks

2.3 Additional Equipment, Specialized Instrumentation, Materials & Company Vehicles

Company-wide, Haley & Aldrich maintains an array of equipment, vehicles and specialized instrumentation for a broad variety of uses in addition to the selected equipment listed above. Additional equipment, vehicles and materials may be rented or purchased as needed with the approval of the project manager. Project equipment needs should be addressed proactively so that interoffice allocation can take place. It is recommended that the field staff familiarize themselves with the use, function and availability of all types of equipment standard to the industry. The following list is representative of the additional equipment currently available but is not intended to be a comprehensive list.

1. Survey Instrumentation

- Theodolite/Transit/ Level & Rod
- Global Positioning System (GPS)
- 2. Subsurface Locating Equipment
 - Ground Penetrating Radar (GPR)
 - Metal Detector
 - Magnetometer
- 3. Air-Soil-Water Quality/Analytical Equipment
 - Gas Chromatograph (GC)
 - TPH Analyzer
 - Infrared Oil Analyzer
 - Radiation Survey Meter
 - Oxidation-Reduction Potential Meter (ORP)

© Haley & Aldrich, Inc. Version Date: December 2002

Monitoring Field Explorations (OP2000)

- 4. Geotechnical Equipment & Instrumentation
 - Vane Shear Test Equipment
 - Vibrating Wire Piezometer Equipment
 - Pressuremeter Testing Equipment
 - Seismograph Equipment
 - Inclinometer Equipment
 - Nuclear Moisture-Density Gauge
 - Sound Level Meter
- 5. Hydrogeologic Equipment & Instrumentation
 - Datalogger/Levelogger Hardware & Software
 - Stream Flow Gauge & Equipment
- 6. Photographic Equipment
 - Video Camera
 - Digital Camera
 - 35mm Camera
- 7. Communication Equipment
 - Cellular Telephone
 - Satellite Telephone
 - Two-Way Radio
- 8. Computer Hardware & Software

2.4 Billing Equipment & Materials

Equipment and materials are billed to the project as used on a daily or per item basis. Completion of equipment usage and billing forms and submission of original receipts for items purchased or rented is required in order to charge the project for reimbursement.

3. **PROCEDURE**

3.1 Preliminary Preparations

3.1.1 Project Briefing

Prior to the beginning of an exploration program all field staff should attend a project briefing with the project manager and office staff involved in the proposed project. At this time a file folder for the field activities should be created for the purpose of containing all relevant project information including: copies of the original proposal, site and utility plans, contract documents and drawings, applicable regulations, exploration and sampling criteria, site contacts, phone numbers of team members, health

4 of 14 Version No.: 0.0 and safety (H&S) plans, log and report forms and any other related documents or references. The field folder should be organized and maintained such that all documents likely to be useful for the completion of field activities by others are readily available in the event of personnel changes.

During the project briefing each team member should become thoroughly familiar with the overall scope of the project in addition to the task items and individual requirements of the work plan. Development of an outline of the specific activities envisioned and a review of the details concerning each task may facilitate the formulation of alternate approaches to field methods as well as the creation of action, materials and equipment lists.

Field staff should review all existing applicable information that relates to site geology and possess detailed familiarity and understanding of the contract specifications in order that knowledgeable field decisions can be made. Field staff should be experienced in all of the various field exploration procedures, instrumentation installation and sampling techniques required for the project. Requests for training, guidance or assistance should be made by the field staff as needed. Haley & Aldrich, Inc. fosters a supportive environment where all staff are encouraged to share knowledge and experiences with each other.

3.1.2 Health & Safety

Safety in the workplace is a prime concern of Haley & Aldrich, Inc. on all projects. It is essential that field personnel understand and comply with all regulations governing worker safety in the field including applicable OSHA guidelines. Certain projects will require the field staff to attend a Health & Safety briefing due to specific occupational safety concerns. The nature of these concerns will be addressed by a site specific Health & Safety Plan. It is the responsibility of the project manager to notify the field staff of the existence of the Health & Safety Plan, however all field staff are encouraged to inquire with the Project Manager and with the Health & Safety Coordinator directly to avoid any possible oversight. Safety awareness and safe work practices are the responsibility of the field staff at all times and on all projects whether or not site or task specific guidelines are in existence. In the event of an accident, exposure or if unexpected contamination is encountered, the Project Manager and the Health & Safety Coordinator must be contacted immediately. Standard H&A safety recommendations for subsurface explorations are provided OP1001 Excavation and Trenching Safety and OP1002 Drilling Safety.

3.2 Duties and Responsibilities

3.2.1 General

The principal reason for providing Haley & Aldrich field representation is to assure that the field data being collected is accurate and of the type necessary to properly evaluate the site geologic conditions for use in the subsequent engineering analyses and environmental assessment.

3.2.2 Supervision of Subsurface Exploration Programs

Each subsurface exploration program carried out under H&A supervision is designed to accommodate the specific requirements of a given project. Subsurface exploration programs routinely include the excavation of test pits and the drilling of test borings with associated instrumentation installation, special testing and sampling requirements. Modifications to the fieldwork criteria, sampling and testing are often made during the execution of the subsurface exploration program as the accumulated geologic data and test results are interpreted. For this reason it is essential that all records are current and complete and that uncertainties are identified for resolution. Field staff are responsible for maintaining communication with the project manager and logistical coordination of the field effort within the workscope and budgetary limits.

3.2.3 Verification of Subsurface Exploration Techniques and Services

It is the role of H&A field staff to verify that instrumentation installation, subsurface sampling and testing methods are in conformance with applicable approved standards and specifications and to document conditions and results. Performance of sampling and testing is commonly conducted with subcontractor support and equipment. It is the responsibility of the H&A field staff to verify that proper equipment and techniques are employed and to obtain measurements and make observations independently. H&A field staff are responsible for complete field logging of groundwater, soil and bedrock conditions, the maintenance of accurate test records and field exploration location sketches, and ensuring proper instrumentation installation, sample preservation and handling. In addition, payment for services rendered on behalf of the client is commonly handled with H&A providing a daily field report (DFR) including an accurate breakdown of the work activities and itemized costs on a daily basis. Subcontractor pay items and method of payment are defined in their contract.

3.2.4 Right of Access

Prior to site entry, Haley & Aldrich staff members must ensure that permission has been gained from the property owner to access the property.

3.2.5 Layout and Utility Clearance

Prior to the start of any subsurface exploration all proposed locations must have utility clearance from all appropriate agencies and utility owners. Utility owners typically do not enter private properties. If there are particular concerns regarding utilities on private property, arrangements can be made with a private utility locating service. Prior to contacting any utility agency or service all proposed exploration locations must first be clearly marked in the field either with white paint or staked and white flagged. Additional colors can be used to highlight the location if the ground is snow covered. Alternate locations should be laid out in areas of suspected utilities. H&A requires the subsurface exploration subcontractor to obtain the utility clearance within the terms of the contract or services agreement. H&A field staff should verify with the driller/test pit contractor that the utilities have been cleared and obtain the clearance number prior to the start of subsurface explorations. Pre-excavation

may be necessary in areas of closely spaced utilities either by hand, vacuum, or other means. Additional guidance is provided in OP1003 Utility Clearance.

3.2.6 Site Safety and Subcontractor Briefing

At the start of fieldwork, H&A field staff should coordinate a site briefing to review the schedule and workscope with all subcontractors involved with the project. This briefing should include a review of the equipment and material needs, exploration criteria and priority, testing and sampling specifics, pay items, site conditions, environmental concerns, known or suspected contamination, H&S information, decontamination requirements, site restoration and waste disposal issues, a site walkover and utility check. While it is the subcontractor's responsibility to obtain the utility clearance, the field representative should pay attention to the utility plans as well as surface manifestations of utilities involving manholes or catch basin grates, and gate or roadway boxes. Distance to overhead utilities must be considered as well. Observations of potential conflicts with utilities should be addressed with the subcontractor for their consideration.

3.2.7 Exploration Monitoring

3.2.7.1 General

Haley & Aldrich field staff should become familiar with the technical details and suitability of all exploration equipment and methods. Test borings are the most common method employed by H&A to obtain high quality data on subsurface conditions. Unsampled probes can be used in a limited capacity to document overburden thickness. Specialty equipment is routinely used in sampled probes for environmental sampling. Test pits are preferred for surficial geological mapping and to document fill or overburden thickness. In addition to these typical exploration methods a variety of special testing techniques and instrumentation installations may supplement the subsurface exploration program. Specific H&A procedures must be consulted for details relating to special testing, sampling and instrumentation installation.

3.2.7.2 Exploration Equipment and Use

Exploration equipment selection is based upon a detailed understanding of the capabilities of the equipment with regard to the anticipated site geological conditions. In addition, the particular project needs may necessitate or preclude certain techniques and equipment. During the initial site walkover or layout, equipment access is considered and the type of exploration method is determined. Relatively small drill rigs are routinely used for overburden sampling, bedrock coring and groundwater monitoring well installations on a variety of projects. Larger pneumatic-percussive well rigs are used for drilling aquifer test and production wells. Excavation equipment may be preferred for initial surficial geologic mapping and to provide access prior to drilling. Various probe equipment may be considered for preliminary estimation of overburden thickness. Access to a water supply must be arranged for cased test borings and rock coring. Shallow water conditions and potentially liquefaction-susceptible soils preclude the use of augers. Bedrock monitoring wells must be cored in sufficient diameter to

allow sand pack and seals. Enclosed areas may necessitate alternate fuels or low overhead equipment. Ecologically sensitive areas may require non-petroleum-based hydraulics or lightweight equipment. Many factors affect the equipment selection resulting in some trade-off in performance, cost and reliability of data.

3.2.7.3 Test Boring Techniques

- *A*. *Cased Borings* - Cased borings are the primary method of obtaining high quality overburden samples and for penetration to bedrock prior to rock coring. The drill casing (pipe) is typically advanced in 5 ft. increments either by driving or spinning and then is washed out with an axially discharging tricone rollerbit pumping water or drill slurry from the recirculation tub. Upon flushing, the rollerbit is removed and a splitspoon sampler is fixed to the drill string (rods), lowered to the bottom of the borehole and driven into the undisturbed soils below the bottom of the casing. The procedure is repeated until the termination depth criterion is reached or bedrock is encountered. Common casing inside diameter (I.D.) ranges from 3 inch to 6 inch depending upon conditions and criteria. Rollerbits are sized to fit inside the casing with approximately 1/16 to 1/8 in. clearance. Typically boreholes are started with 5 or 6 in. I.D. casing fitted with a hard-shoe or drive-shoe in the lead (bottom) section. The casing is driven and splitspoon sampling is conducted at 5 ft. intervals (standard sampling) until an obstruction is encountered or the casing is seated into material such as clay that will maintain itself uncased. In the event of an obstruction the rollerbit or a buttonbit may be used to advance through the obstruction. In some cases the obstruction may break or a boulder-buster may be successfully employed and the casing is advanced. In other cases the next smaller diameter casing will be telescoped down the borehole and advanced through the hole in the obstruction created by the buttonbit. In the event that material such as clay that will maintain itself uncased is encountered, the open hole is extended as deep as possible. The borehole may be maintained by a bentonite or polymer slurry (mud rotary drilling). Casing fitted with a spin-shoe (econoshoe) is advanced by drilling in a similar manner to rollerbit advancement. Slurry or water is pumped down the casing to cool the bit and flush away the drill solids. Prior to splitspoon sampling the rollerbit must be lowered down the borehole and the spun casing must be drilled out in the same fashion as with driven casing. Spun or driven casing must be seated into the top of the bedrock in order to achieve an effective seal prior to rock coring.
- B. *Mud Rotary Drilling* Mud rotary drilling typically is conducted in deeper overburden borings and on projects where there are special concerns for soil sample integrity or particularly soft soils. Various products are used to make drill mud depending upon conditions and project requirements. Some mud is bentonite-silica based (heavy mud), some are compatible with saline conditions for ocean drilling, and some polymers are biodegradable for use in boreholes intended for environmental groundwater monitoring well installation. In all cases, mud drilling requires that a positive head be maintained in the casing at all times to stabilize the borehole. The practice is to fit a bypass line to

© Haley & Aldrich, Inc. Version Date: December 2002 8 of 14 Version No.: 0.0 the recirculation circuit that can be easily used to fill the casing as the rollerbit is being withdrawn. Use of a mud balance is required under certain circumstances to ensure sample integrity at the bottom of the borehole. The specific gravity to maintain in the drill mud will be specified on these projects.

- С. Auger Borings - Hollow stem augers (HSA) are an effective and fast method for drilling shallow borings in softer soils above the water table without introducing water or drill slurry. Hollow stem augers are preferred for environmental studies where continuous soil sampling and minimization of potential cross contamination due to the use of drilling fluids is desired. Hollow stem augers and solid stem augers are also used as shallow probes. Auger flights are typically 5 ft. in length and are commonly 3.5 to 4.25 in. I.D. The lead section is fitted with a cutter head upon which are fixed several hardened, replaceable teeth. Using a center plug fixed to the bottom of the rods, hollow stem augers are typically advanced by drilling to the desired depth whereupon the center plug is replaced by the splitspoon and driven below the bottom of the lead section. Disturbance below the bottom of the augers due to the cutter head is typically substantial and heave is common at the bottom of the borehole due to the piston like effect of the center plug during removal. As such, augers are not favored for test borings on many geotechnical projects where high quality samples and penetration resistance data are required.
- Splitspoon Sampling and the Standard Penetration Test (SPT) The typical method for D. obtaining representative samples and a measure of the penetrative resistance of soils in test borings is by means of the Standard Penetration Test (SPT). This is accomplished utilizing a hollow tube splitspoon sampler assembly attached to the drill rods and driven into the soils at the bottom of the borehole at regular intervals. Splitspoon samplers are manufactured in various sizes with the most commonly used being 1 3/8 in. I.D. (2 in. O.D.) and having an interior sample chamber length of 24 in. (approximately 36 in. overall length). Once lowered to the sampling depth, the sampler is typically driven 24 in. into the soils with a 140 lb. hammer freely-falling over a 30 in. drop and the number of blows (SPT blowcount) required for each 6 in. of penetration is recorded. The penetrative resistance in blows per foot obtained from the summation of the blowcounts from 6 in. to 18 in. is referred to as the "N-value". Terminology for density of granular soils and consistency of cohesive soils has been correlated to N-values. When performed properly the SPT provides useful data for determination of the geotechnical behavior of soils and engineering design in addition to representative remolded soil samples for geological interpretation.
- *E. Bedrock Coring* Bedrock coring is conducted in cased borings to obtain accurate detail of the bedrock properties and high quality samples for laboratory testing. A wide variety of rock core equipment is available and rock coring techniques vary greatly depending upon the driller, rock type, equipment and many other factors. Observations related to drilling activities are a primary focus during rock coring including bit weight, feed restriction, head speed, engine speed and gear, pump volume, water loss

and fluid return, core rate, drilling halts, jamming, rapid advances, equipment defects, bit type, bit wear, core barrel type, core barrel adjustment. For all projects it is essential that accurate measurements be made when determining the depth of the bedrock surface from drill action or SPT and that detailed observations are recorded concerning the effects noted and the procedures executed upon encountering bedrock. Coring should begin at the minimum depth below the bedrock surface required to seat the casing in order to document the bedrock condition in the uppermost zone where typically fracturing and weathering transitions are greatest. Core hole depth must be verified following each run to account for lost core. When necessary, logging should be broken down into a two step process beginning with sample preservation, labeling and recording of a simple description including recovery and RQD measurements followed by detailed logging of individual features and properties as time and conditions permit.

F. Observation Well Installation - Groundwater observation or monitoring wells are commonly installed in completed test borings as a means obtaining accurate stabilized groundwater readings essential to engineering design, and hydrogeologic modeling. In addition, permanent observation or monitoring well installations provide for continual long-term sampling for environmental analyses. A wide variety of material types and sizes are employed depending upon the intended use. Typical observation or monitoring wells installations consist of 2 in. I.D. PVC pipe with a machine slotted screen section backfilled with filter sand and sealed with bentonite within the desired stratum or zone. Solid riser sections above the sealed zone may be grouted or backfilled with a variety of materials depending upon the project needs and finished at the ground surface with either a flush-mount roadway box or with a protective casing such as a guard pipe and padlock for undeveloped sites. Careful attention to the placement of screens, backfill and seals is required and accurate depth measurements must be recorded during installation. Initial well development may occur immediately upon completion in order set the sand pack and remove the effects of drill fluids from the formation waters.

3.2.7.4 Probes

A. Unsampled Probes - The term probe has historically referred to the advancement of a solid drill bit or rod by various means without sampling in order to estimate potential soft sediment thickness and refusal or obstruction depths. Small diameter rods advanced by hand have been useful in determining minimum peat and organic thickness in wetlands. Mechanical advancement of solid stem augers with conventional drilling equipment and pneumatic-percussive air track drilling are routinely used to supplement or replace test borings in areas of known shallow bedrock. Direct-push methods include simple rod assemblies to sophisticated electro-piezocone mechanisms. The principle advantage to conducting probes is that a great deal of data points can be rapidly obtained to create detailed contours of the desired surface or stratum. Implicit in the conduct of non-instrumented unsampled probes is that variations in drill action

© Haley & Aldrich, Inc. Version Date: December 2002 or rod advance is used to estimate strata changes. Acoustic listening devices placed within a saturated bedrock well near an air track rig will enhance the listener's ability to hear the pneumatic-percussive bit encounter bedrock. Primary among the disadvantages to conducting probes is the uncertainty resulting from relying strictly upon drill action without a hard data sample. Close proximity probes in zones of shallow refusal and repeated probes adjacent to those terminated on suspected obstructions help boost confidence and define aberrations. Secondary among the disadvantages to conducting probes is the inaccuracy inherent in the measurement of an often rapidly moving reference point as the drill advances through obstructions or variable zones into progressively more competent bedrock. Solid stem augers with conventional drilling equipment are slow to progress through dense soils and may be defeated by boulders but can be advanced below the water table without problems. Pneumatic-percussive air track drilling will rapidly advance through dense soils, boulders and bedrock but is inhibited below the groundwater table by borehole collapse and particularly when the air evacuation is suspended as rods are added to the drill string. Depending upon site conditions and termination depth, dozens of probes may be conducted in a single day. As such, horizontal and vertical control should be established at each probe location separate from the probe effort in order to obtain the most use from the rig time and to maximize the accuracy of the data.

B. Sampled Probes - Small diameter hand augers, soil plugs and manual soil cores are routinely used for surface soil sampling for rudimentary site reconnaissance, environmental sampling and hydric soils mapping. Direct-push and percussive or vibration driven soil core equipment preferred for shallow environmental sampling ranges in size from small diameter hand held units to vehicle mounted machinery capable of obtaining soil cores within polycarbonate liners 3.6 in. I.D. by 8 ft. length. As with any uncased borehole, additional soil cores may be obtained until the termination depth criterion is reached or sample integrity is compromised due to borehole collapse. Care must be exercised in establishing collapsed or resampled zones when documenting direct-push samples or soil cores.

3.2.7.5 Test Pits

Test pits are an extremely economical and effective way to rapidly characterize shallow subsurface conditions. Test pits are particularly useful for surficial geologic mapping, determining fill thickness and content, contouring shallow bedrock conditions and in determining oversized (cobble and boulder) percentages. Small backhoes with an approximately ¼ cubic yard bucket capacity are capable of excavating test pits up to 12 ft. depth in most materials and can be used with minimal site damage. Larger excavators with an approximately ¾ cubic yard bucket capacity are capable of excavating test pits up to 16 to 20 ft. depth and can be used to construct access for drill rigs on difficult sites. Given sufficient area, excavators can safely enter the excavation and extend the test pit indefinitely. During test pit excavation careful consideration must be given to potential bearing surface disturbance within proposed structures. In addition, care must be taken to minimize other site impacts

© Haley & Aldrich, Inc. Version Date: December 2002 11 of 14 Version No.: 0.0 requiring costly restoration including damage to trees, pavement, curbing, landscaping and utilities.

3.2.7.6 Environmental Sampling & Monitoring

Environmental sampling combined with discrete field screening of soil and groundwater for contaminants is routinely conducted during the performance of subsurface explorations. In addition, continuous monitoring of air quality within the work zone or at the project site may be required to address H&S concerns. Potential contaminants and sources may be identified in the initial stage of project planning and prior arrangements made for PPE, monitoring, sampling and laboratory analysis.

To minimize the risk of cross-contamination typical environmental sampling programs work from known or suspected clean areas toward areas of known or suspected contamination. Contamination encountered unexpectedly may present serious exposure risks to field personnel without proper PPE and monitoring instrumentation, particularly if the contamination is gross or unidentified. In the event unexpected contamination is encountered, all fieldwork should be suspended and the area evacuated immediately until the Project Manager and the Health & Safety Coordinator can be contacted so that H&S and sampling guidelines can be developed.

- A. Decontamination Procedures & Waste Management Standard equipment decontamination practices may include the establishment of a decontamination area such that decontamination fluids are collected and properly stored for disposal. Typically a location within the site is chosen away from sensitive or occupied zones and a decontamination pad is created within a bermed area using polyethylene sheeting. A high-pressure steam cleaner is used to wash all equipment prior to each exploration and wastewater is pumped into adjacent drums. Splitspoons and hand sampling tools are scrubbed between samples at the exploration location using a detergent (water and alconox) solution rinsed with control (tap) water followed by a solvent (methanol) rinse, wiped with a paper towel and rinsed with deionized water before being allowed to air dry. Hexane may be needed for removal of heavy petroleum, grease and coal tar. Decontamination waste, sample residue and drill cuttings are typically drummed, labeled and staged onsite for proper disposal.
- B. Environmental Soil Sampling Environmental soil samples obtained for chemical analyses are collected in surface samples and by using many of the techniques employed in typical subsurface explorations with special attention given to decontamination procedures. Preservation, handling and glassware for environmental soil samples varies considerably depending upon several factors including the type and degree of contamination, the analytical method to be conducted, the analytical laboratory being used and the governing regulations. In addition, the depth and location of samples may be strictly controlled under agency guidelines. Documentation of volatile organic compounds (VOC) in the soil through headspace screening is required in order to provide real-time guidance in the field to direct the sampling.

© Haley & Aldrich, Inc. Version Date: December 2002 Clean 8 oz. jars are partially filled with newly obtained soils and covered with aluminum foil and allowed to stabilized prior to screening with a photoionization detector (PID). The presence of metals in soils is not associated with odors, while coal tar, fuels and solvents are often easily distinguished. Particular attention is given to discoloration or odors noted, however it is company policy to avoid fumes and odors at all times. Soils collected from a discrete zone should be homogenized and a representative portion placed into laboratory glassware and labeled. Analytical samples are kept in a cooler with ice blocks and a Chain of Custody form is maintained until transfer to the analytical laboratory.

С. Environmental Water Sampling - Groundwater monitoring (observation) wells must undergo an initial well development following installation and prior to sampling. This is intended optimize well function and to produce formation-derived groundwater samples and valid analytical testing results. Groundwater sampling from existing monitoring wells for chemical analyses involves initially gauging the static groundwater level and the well depth in order to determine the well volume. Waterra® footvalves and tubing, bailers, submersible pumps or peristaltic pumps may be used to purge a minimum of three well volumes in order to minimize well effects. Turbidity, conductivity, resistivity, salinity, dissolved oxygen, oxidation-reduction potential, temperature and pH are recorded periodically after purging and groundwater parameters must be stable prior to sampling. Low-flow groundwater sampling is required for certain analyses to be valid. In such cases, variable speed submersible pumps are used at extremely slow rates to minimize drawdown and turbidity. Sampling of surface waters or open-body water at depth may be done with remote or variable depth, bottle-type samplers. Preservation, handling and glassware for environmental water samples varies considerably depending upon several factors including the type and degree of contamination, the analytical method to be conducted, the analytical laboratory being used and the governing regulations.

4.2.7 7 Special Testing, Sampling and Instrumentation

H&A utilizes a wide variety of well established and state-of-the-art soil, rock and groundwater testing procedures and instrumentation to supplement many subsurface exploration programs. Among the methods and techniques routinely used are fixed-piston tube sampling, vane shear testing, pressuremeter testing, permeability testing, water pressure (packer) testing in rock, inclinometer installation, multiposition borehole extensometers (MPBX) installation and aquifer (pump) testing. Prior to attempting an unfamiliar technique H&A field staff must review all related procedures and consult experienced personnel. Outside support or training that may be necessary to perform new procedures shall be sought with project manager approval. Notes and references obtained should be retained for potential development into new operating procedure.

APPENDIX A REFERENCES

A.1 References

- STM Standards "
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D420-98, "Standard Guide to Site Characterization for Engineering Design and Construction Purposes."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D653-01, "Standard Terminology Relating to Soil, Rock and Contained Fluids."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D1452-80, "Standard Practice for Soil Investigation and Sampling by Auger Borings."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6151-97, "Standard Practice for Using Hollow-Stem Augers for Geotechnical Exploration and Soil Sampling,"
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D1586-99, "Standard Test Method for Penetration Test and Split-Barrel Sampling of Soils."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D3550-01, "Standard Test Method for Thick Wall, Ring-Lined, Split Barrel Drive Sampling of Soils."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D1587-00, "Standard Practice for Thin-Walled Tube Sampling of Soils."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D2113-99, "Standard Practice for Rock Core Drilling and Sampling of Rock for Site Investigation."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D2488-93, "Standard Practice for Description and Identification of Soils (Visual-Manual Procedure)."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D4220-95, "Standard Practices for Preserving and Transporting Soil Samples."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5079-90, "Standard Practices for Preserving and Transporting Rock Core Samples."

© Haley & Aldrich, Inc. Version Date: December 2002

- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5092-90, "Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5434-97, "Standard Guide for Field Logging of Subsurface Explorations of Soil and Rock."
- American Society of Civil Engineers, 1976," Subsurface Investigations for Design and Construction of Foundations of Buildings", Manual and Report on Engineering Practice, No. 56, 61 p.
- Hvorslev, M.J., 1949, "Subsurface Exploration and Sampling of Soils for Civil Engineering Purposes", U.S. Army Engineer Waterways Experiment Station, Vicksburg, MI, 521 p.
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.11.04, E1527-00, "Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.11.04, E1528-00, "Standard Practice for Environmental Site Assessments: Transaction Screen Process."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.11.04, E1903-97, "Standard Practice for Environmental Site Assessments: Phase II Environmental Site Assessment Process."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5730-98, "Standard Guide for Site Characteristics for Environmental Purposes with Emphasis on Soil, Rock, the Vadose Zone and Ground Water."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5088-90, "Standard Practice for Decontamination of Field Equipment Used at Nonradioactive Waste Sites."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6286-98, "Standard Guide for Selection of Drilling Methods for Environmental Site Characterization."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6169-98, "Standard Guide for Selection of Soil and Rock Sampling Devices for Environmental Investigations."

- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D5781-95, "Standard Guide for the Use of Dual-Wall Reverse Circulation Drilling for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D5782-95, "Standard Guide for the Use of Direct Air-Rotary Drilling for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D5783-95, "Standard Guide for the Use of Direct Rotary Drilling with Water-Based Drilling Fluid for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D5784-95, "Standard Guide for the Use of Hollow-Stem Augers for Geoenvironmental Exploration and Installation of Subsurface Water-Quality Monitoring Devices."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6001-96, "Standard Guide Direct Push Water Sampling for Geoenvironmental Investigations."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D4700-91, "Standard Guide for Soil Sampling from the Vadose Zone."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.11.04, D4547-98, "Standard Guide for Sampling Waste and Soils for Volatile Organics."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D5903-96, "Standard Guide for Planning and Preparing for a Ground-Water Sampling Event."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6089-97, "Standard Guide for Documenting a Ground-Water Sampling Event."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D4750-87, "Standard Test Method for Determining Subsurface Liquid Levels in a Borehole or Monitoring Well (Observation Well)."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.11.04, D4448-01, "Standard Guide for Sampling Groundwater Monitoring Wells."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6452-99, "Standard Guide for Purging Methods for Wells Used for Ground-Water Quality Investigations."

 American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.09, D6517-00, "Standard Guide for Field Preservation of Ground-Water Samples."

© Haley & Aldrich, Inc. Version Date: December 2002

Monitoring Field Explorations (OP2000)

APPENDIX B RELATED HALEY & ALDRICH PROCEDURES

- OP1001 Excavation and Trenching Safety
- OP1002 Drilling Safety
- OP1003 Utility Clearance
- OP2001 Identification & Description of Soils in the Field Using Visual-Manual Methods
- OP2002 Identification & Description of Rock in the Field Using Visual-Manual Methods
- OP2003 Surficial Geologic Mapping
- OP2005 Test Borings, Sampling, Standard Penetration Testing (STP) and Borehole Abandonment
- OP2017 Rock Coring
- OP2020 Groundwater Monitoring (Observation) Well Installation, Development and Abandonment
- OP2026 Exploratory Test Pits
- OP2028 Exploratory Probes
- OP2030 Direct Push Borings (Percussion-Vibration Driven Probes)

Monitoring Field Explorations (OP2000)

APPENDIX C FORMS AND EXAMPLES

C.1 Forms

All Haley & Aldrich field forms are maintained on the server at K:\techproc\sop\Forms. The following is a list of selected current forms available for use in routine field exploration programs.

Site Investigations

■ Form 2024 Site Investigation Form

Test Borings

- Form 2004 Subcontractor Quantities For Test Borings
- Form 2029 Sampling Labels Geotechnical
- Form 2003 Test Boring Daily Field Report
- Form 2001 Test Boring Reports
- Form 2002 Core Boring Reports
- Form 2028 Geotechnical Sample Receiving Form

Observation (Monitoring) Wells

- Form 2007 Observation Well Installation Form
- Form 2013 Well Decommissioning Report
- Form 3006 Monitoring Well Development Report
- Form 2021 Groundwater Monitoring Report

Test Pits

- Form 2006 Test Pit Logs
- Form 2028 Geotechnical Sample Receiving Form

Test Probes

- Form 2022 Test Probe Report
- Form 2023 Test Probe Summary
- Form 2025 Vibracore Report

Monitoring Field Explorations (OP2000)

Environmental Sampling

- Form 1010 Headspace Screening Report
- Form 3001 Sampling Labels Environmental
- Form 3002 Chain of Custody Electronic
- Form 3003 Chain of Custody Field
- Form 3004 Sampling Record
- Form 3005 Groundwater Sampling Record

C.2 Examples

The following examples of selected completed forms are intended to provide guidance in the standard documentation conventions practiced by H&A.



SITE INVESTIGATION FORM

							Page	1 of 2
PROJECT LOCATION						A FILE NO. OJECT MGR.		
CLIENT CONTRACTOR						ELD REP		
SITE ACCESS	□ Gravel	□ Trails	□ None	□ Water	□ Inside	□ Other		
ENTRANCE	□ Gate/Keys		Comm	ients:				
EXPLORATION Truck Rig Backhoe Chainsaw	EQUIPMENT ATV Rig Bobcat Haybales	□ Exc	avator	TripodSm Excavator4WD Vehicle	□ Geoprobe □ Barge	□ Other □ Other □ Other		
WATER SUPPLY □ Hydrant	Y AVAILABLE □ Tap	□ Riv	er/Lake	E None	LECTRIC AVAI	LABLE:		
TOPOGRAPHY Low Lying	□ Level	□ Slop	oing	□ Cliffs	□ Mountains	□ Other		
PHYSIOGRAPH Bedrock Wetlands Developed	Y □ Till Upla □ Tidal Ma □ Filled La	rsh 🛛 🗆 Esti		 Flood Plain Lakes/Ponds Landscaped 	□ Coastal Plain □ Outwash Plai			
DRAINAGE	□ Streams	□ Rills	□ Canals	s 🛛 Ditches	Culverts	□ Other		
ESTIMATED GR	OUNDSURFAC	CE ELEVATIO	DN:		ft			
ESTIMATED GR	OUNDWATER	DEPTH/ELE	VATION:		ft			
WOODED □ Heavily	□ Partially	□ Sparsely	Comm	nents:				
VEGETATION	Grass	□ None	Comm	nents:				
BEDROCK OUT LOCATION: TYPE:	CROPS			L	A EXPOSURES DCATION <u>:</u> YPE:			
EXISTING STRU	UCTURES							
□ Buildings	□ Warehou	se □ Slat	DS	□ Bridges	□ Foundations	□ Other		
UNDERGROUNI □ Yes	D STORAGE TA	ANKS						
VISIBLE EVIDE	NCE OF CONT.		history	□ Unauthorized d	umping	□ Other		
TVDE.	ILITIES			L0		TILITIES		
COMMENTS:								

Form 2024 (Pg 2 of 2)

Page 2 of 2

PROJECT

LOCATION

CLIENT

H&A FILE NO. PROJECT MGR.

FIELD REP

North Arrow										
North Arrow				SITE S	SKETC	CH				
0	VERALL DES	SCRIPTIO	N AND R	REMARK	S:			LE	EGEND	

HALEY & ALDRICH

Scale: 0



SUBCONTRACTOR QUANTITIES FOR TEST BORINGS

Form #2005

		Γ		Form #200		
roject		File No.				
ocation		Date				
ontractor	r Project Manager					
No.	Description Unit					
I	MOBILIZATION/DEMOBILIZATION					
	Mob/Demob of Truck rig w/ OSHA-trained crew within 100 miles of contract	tor vard*	ea			
2	Mob/Demob of Skid rig with OSHA-trained crew within 100 miles of contrac	•	ea			
3	Mob/Demob of Bomb/ATV rig with OSHA-trained crew within 100 miles of	contractor yard*	ea			
	Mob/Demob of Geoprobe rig w/ OSHA-trained crew within 100 miles of cont	tractor yard*	ea			
П	DRILLING - FOOTAGE RATE					
5	3-in. dia. cased overburden drilling (0-100 ft.) with no sampling		lf			
6	cased overburden drilling (0-100 ft.) with standard 5-ft. interval s	lf				
7 8	cased overburden drilling (0-100 ft.) continuous sampling 4-in. dia. cased overburden drilling (0-100 ft.) with no sampling		lf lf			
8	4-in. dia. cased overburden drilling (0-100 ft.) with no sampling cased overburden drilling (0-100 ft.) with standard 5-ft. interval s	ampling	ll			
10	cased overburden drilling (0-100 ft.) with standard 5-ft. Interval s	sampning	lf			
-	4-1/4 in. dia. hollow stem auger overburden drilling (0-100 ft.) with no sampli	ng	lf			
12	hollow stem auger overburden drilling (0-100 ft.) w/ standard 5-f		lf			
13	hollow stem auger overburden drilling (0-100 ft.) continuous san	· · ·	lf			
14	NX rock core via double-tube core barrel (includes bit wear)		lf			
15	HX rock core via double-tube core barrel (includes bit wear)		lf			
	Extra split spoon samples (for footage rates only)		ea			
	3-in. undisturbed tube samples		ea			
	Standby Time for rig and crew/Decon of equipment		hr			
	DRILLING - DAY RATE					
	Truck mounted drill rig with OSHA-trained crew		day			
20 21	Truck mounted drill rig with OSHA-trained crew (overtime rate) Skid rig with OSHA-trained crew		hr day			
	Skid rig with OSHA-trained crew (overtime rate)		hr			
22	Bomb/ATV drill rig with OSHA-trained crew		day			
	Bomb/ATV drill rig with OSHA-trained crew (overtime rate)		hr			
	Geoprobe rig with OSHA-trained crew		day			
	Geoprobe rig with OSHA-trained crew (overtime rate)	hr				
27	NX rock core via double-tube core barrel (includes bit wear for day rates)		lf			
28	HX rock core via double-tube core barrel (includes bit wear for day rates)		lf			
	Geoprobe push samples liners (4' section)		ea			
	OBSERVATION WELL INSTALLATION			1		
	1-in. dia. piezometer (Sch 40 PVC) installed		lf If			
31 32	2-in. dia. well (Sch 40 PVC) installed (slotted and screened) 4-in. dia. well (Sch 40 PVC) installed (slotted and screened)		lf lf			
32	Standard 4-in. dia. roadway box		ea			
34	Standard 8-in. dia. roadway box		ea			
35	5 ft. protective guard pipe with padlock (4-in. diameter)		ea			
	ADDITIONAL ITEMS					
36	Utility Clearance		ea			
37	Permits - Determined on a job to job basis		ls			
38	State Police Detail		hr			
39	Laborer		hr			
40	Chain Saw		day			
41	Steam Cleaner with Generator		day			
		Upgrade Crew Personnel Protection to Level "C" hr				
43	ea ea					
44 45	Borehole Grouting (4-in. diameter)					
45	Sand bag Concrete bag					
40	Cold Patch bag					
48						
49						
VI	COMMENTS		•			
illor St.	atuma		D /			
iller Sign	ature		Date			
.1	gnature		Date			

HALEY & Haley & Al 465 Medfor Boston, MA Tel: 617-88	d St., Suite 2200 . 02129				
Boring ID:	File Number:				
Sample Interval:	Project:				
Depth:	PM:				
Recovery:	Blow Counts:				
Collected By:	/ / /				
Comments:					

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	1 1 1
Comments:	

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	1 1 1
Comments:	-

Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	/ / /
Comments:	

ALDRICH 4 B	laley & Aldrich, Inc. 65 Medford St., Suite 2200 Soston, MA 02129 'el: 617-886-7400
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	/ / /
Comments:	

ALDRICH 465 Me Boston	& Aldrich, Inc. edford St., Suite 2200 , MA 02129 7-886-7400
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	1 1 1
Comments:	

ALDRICH 465 Med Boston, N	Aldrich, Inc. ford St., Suite 2200 MA 02129 886-7400
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	1 1 1
Comments:	

HALEY & Haley & Al 465 Medfor Boston, MA Tel: 617-88	d St., Suite 2200 . 02129
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	1 1 1
Comments:	

ALDRICH Boston,	č Aldrich, Inc. dford St., Suite 2200 MA 02129 7-886-7400
Boring ID:	File Number:
Sample Interval:	Project:
Depth:	PM:
Recovery:	Blow Counts:
Collected By:	/ / /
Comments:	

HALEY & ALDRICH Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400								
Boring ID:	File Number:							
Sample Interval:	Project:							
Depth:	PM:							
Recovery:	Blow Counts:							
Collected By:	/ / /							
Comments:								

HA ALI	LEY DRI	Y&z ICH		TE	EST I	BOR	IN	G DA	ILY	REPOR	RT	Pa	ge 1 of 2
PROJE LOCA CLIEN	TION T												
CONT DRILL TYPE	ER									DATE DFR NUMB NUMBER O			
						S	UBCON	NTRACTOR	S TIME O	N SITE			
	Ri	ig Type		Ar	rived	Lef	t Site	Lunch	n/Other	Downtime	Standby Time	e Total	Billable Hours
						H	ALEY	& ALDRICH	'S TIME O	N SITE			
Fie	eld Re	epresent	tive(s)	Ar	rived	Lef	t Site	Lunch	/Other	Paperwork	Travel Time	Total	Billable Hours
							WOR	K PRODUCI	TION TO D	ATE			
Borin; No.		Гуре of Drilling	Ove Burd (lf)	len Rock Core (lf)	Obstr. Drilling	Total Footage (lf)	Tub Samp	Snlif	Misc. (Wells etc.)		Materials Encou (Type and Depth		
	_												
	_												
	_												
	_												
	_												
	_												
	_												
ą	7		نہ	I				S OF TOTAL	L PRODUC				
Unsampled	Continuos	lard	Inside Dia.	-	1	Boring	Footag al to	es	%	Additional pay		Today	Total to Date
Jnsa	Conti	Standard	nsid	Item	Today		al to ate	Estimate	% Complete	e Observation Wel Roadway Boxes			
_	0	9 2	I	H.S.A.						Guard Pipes (ea)	(ea)		
				Casing						Steamer and Gen	erator (day)		
				Casing						Grout (lf)			
				Casing						Undisturbed Tub	e Samples (ea)		
				Uncased						Extra Split Spoor	ns (ea)*		
				Rock Core						55 Gallon Drums	s (ea)		
				Geoprobe						Police Details (http://www.commons.com/org/10.1001)			
										Stand by Time (h	nr)		
No. of l	Borin	ıgs Com	pleted		Re	maining		Ri	g-Days to D	ate	Remai	ning	1
								SYMB					
B 2-1/2	2 inch	Standard	1	A 4 inch	Hollow Ster	n Auger	Z Pro	bes of Sound	ings	Γ 2 inch Shelby Tube	e Y Pre	essure Test	
N 3 inc				W Water	-			ck Core		V Vane Shear Test	S Ob	servation Wel	1
H 4 ind			es are fo	X Contir r footage contract	nuous Sampli ts only	ng	U 3 in	ich Piston Tube		P Permeability Test			
LAUAS	pin spe	con sample	es are 10	comge contract	omy.								




TEST BORING DAILY REPORT

REMARKS

HALE ALDRI	r& ICH				TI	EST	BORING RE	PORT					Page	BOR	ING N		
PROJECT LOCATIO CLIENT CONTRAC DRILLER	N								H&A FILE NO. PROJECT MGR. FIELD REP. DATE STARTED DATE FINISHED							•	
Elevation		ft	Datum		Boring	Location											
Item		Casing	Sampl	ler Core Ba	arrel Rig Ma				Hammer Type	Dril	ling	Mud		Cas	ing Ad	vanc	e
Туре					🗌 Tru	ck 🗌] Tripod	Cat-Head	Safety		Ben	itonite	; 1		Method		
Inside Dian				_				Winch				ymer					
Hammer W Hammer Fa					Tra □ Ski		Air Track	Roller Bit Cutting Head	Automatic Drilling Notes:		Non	ie					
		Sample							-	Gr	avel	S	and		Fie	ld Te	st
Depth (ft.)	Sampler Blows per 6 in.	No. &	Sample Depth (ft.)	Well Diagram	Stratum Change (ft.)	USCS Symbol	(density/consistency, colo	nual Identification & D , GROUP NAME & SYMBO ure, optional descriptions, ge	L, maximum particle size*,	% Coarse	% Fine	% Coarse	% Medium % Fine	% Fines	Dilatancy Toughness	Plasticity	Strenath
_ 0 _																	
		Water Le					Sample ID	Well Diagram			Su	mma	ry				
Date Field	Time	Elapsed Time (hr.) Dilatancy: Toughness	Bottom of Casing R - Ra : L - Low	M - Mediu	Water w N - None um H - Higi	T U S G e	Open End Rod Thin Wall Tube Undisturbed Sample Split Spoon Sample Geoprobe Plasticity: Dry Strength: N -	None L - Low M - N		- ft.) s - Hiç		jh					-

										I		B	ORI	NG	NO.		
HALE	Y &				Ŧ	ГОТ						-	••••				
ALDK	ICH					E21	BORING REPORT										
											Pag	е			of		
		Sample						Gra	vel	S	Sand				eld 1	Tes	t
	Sampler	No 9	Sample	Well	Stratum	USCS	Visual-Manual Identification & Description				_				ŝ		
Depth (ft.)	Blows per 6	Recovery	Depth (ft.)		Change	Symbol	(density/consistency, color, GROUP NAME & SYMBOL, maximum particle size*, structure, odor, moisture, optional descriptions, geologic interpretation)	arse	a	% Coarse	diun	α	es	ncy	nes	Plasticity	ft
	in.	(in.)			(ft.)	-,	structure, odor, moisture, optional descriptions, geologic interpretation)	ö	Fin	õ	Me	Ĕ	Ĕ	latai	hgu	astic	renç
								%	%	%	%	%	%	Ō	ř	Ē	St
L _																	
L _																	
								⊢									
								⊢									
								\vdash									
								\vdash				_			+		
								$ \rightarrow $				_			_	_	
								\square				_			_	-	
								\square							+	-	
												_				_	
																_	
								1									
												_					
												_			-	-	
																_	
								1									
								 _ 									
								<u> </u>									
								$ \rightarrow $				_			_	_	
								\vdash							-	\rightarrow	
								\square							+	-	
⊢ −								$ \dashv$							+		
								$ \uparrow \uparrow$							_	\neg	
								Ш									
								\vdash							_		
								\vdash									
⊢ –								\vdash							_	-	
								\vdash							-	\rightarrow	
								\vdash				_			+	\rightarrow	
								\square							+	-	
								\dashv							-		
															+		
																	_
L _																	



HAL ALD	EY & RICH				C	ORE	B	ORIN	G RE	PO	RT			BORING NO.
														Page 1 of
PROJE												H&A FIL		
LOCATI												PROJEC		
CLIENT												FIELD R		
CONTR												DATE S		
DRILLE	R											DATE FI		
Elevatio	า	ft	Datum		В	oring Lo	catio	n						
ltem		Casing		ler Core		g Make a								Drill Mud
Туре						Tr	uck		Tripo	d		Cat-Head	Hammer Type	Bentonite
	ameter (in								Geop			Winch	Safety	Polymer
	Weight (Ib						ack		🗌 Air Tr	ack		Roller Bit	Doughnut	
Hammer	T					Sł	kid					Cutting Head	Casing	Driven Spun
Depth	Drilling			overy	Weath-	We	11	Stratum					fination and Domark	_
(ft)	Rate	Core No.		QD (%)	ering	Diag	ram	Change (ft)				VISUAI CIASSI	fication and Remarks	5
	(min/ft)	Depth (ft)	(in)	(70)				(11)						
1							ļ.							
1														
┝ -											_			
							1							
							ļ							
F -														
							1							
							1							
┣ -														
1														
1							-							
							1							
							1							
<u> </u>														
							1							
	•	Water L	evel Data	•			_	Sample ID	•		Well	Diagram	Su	mmary
			De	pth in fee	et to:	_					Rise	r Pipe		
	Time	Elapsed	Bottom of		Water	0		en End Rod			Scre		Overburden (Linear f	τ.)
TITE		Time (hr.)	Casing	of Hole	water	T U		n Wall Tube disturbed Sa		 م_م		⁻ Sand nas	Rock Cored (Linear f Number of Samples	
Date						Š	Spl	it Spoon Sa	imple		Grou	it		
						G	Ge	oprobe		۲V	Cond		BORING NO.	
ут. г											Bent	onite Seal		

HAL	EY & RICH				<u> </u>							BOF	RING NO.
					CO	R	: E	SOI	KIN	G REPORT		Page	of
Depth (ft)		Core No. Depth (ft)	Reco R(overy QD	Weath- ering	۱ Dia	Nell agrar		ratum hange (ft)	Visual	Classification and Remarks		
	(min/ft)		(in)	(%)					(11)				
								_					
L _													
L _													
202													
VFrm 3													
ms/fina													
T-\forms\fin													
										FILE NO.	BORING NO.		

H A	IALEY LDRI	(& . CH		C		EOTECI				
				S	AMPLE	RECEI	VIN	G RF		Page of
	OJECT CATION	T						<u> </u>	H&A FILE NO. PROJECT MGR.	
	IENT								PROJECT ENGR.	
	LIVERE	D BY							DATE	
-						TYPE OF	SAM	PLE		
-	SOIL:					1112 01		CORE:		
	Jar Sa	mples				box(es)	Boy	xes:	box(es)	
		turbed Tube itside Diam			□ 2-in.	tube(s)	Oth	ier:	sample(s)	
	*** Bag Sa *** 5-gal.	amples Bucket San	nples			bag(s) bucket(s)	ОТНЕ	R:		
	HAZARD	OUS MAT	TERIAI		CONTAMIN	ANTS (please list m	ajor cont	aminants)		
					onstruction proje	ct, fill out Section A	- 1	If Con	-Mon project, fill out Section B	•
A:	-	Explora			ple No.(s)	Depth			Remarks	
	No.	No	•	Fr	om - To	From - T	0	{if n	nultiple types of samples, list type, (e.g., j	ars, tube, bag, rock)}
B:	Explor. No.	Sample No.		Depth nge (ft)		Description geologic unit)			Sample Source ite, Contractor Pit, etc.)	Proposed Use (see below)
							_			
			For "Pi	oposed Use"	try to use the term from	n the specifications (e.g.,	structural f	ill, common fill,	, dense graded, State Highway Spec. No.,	etc.)
Not	tes:									
	*** AN	V BAC/DUC	VET CA			STING ASSIGNED APT	ED 2 WIFT	KS OF BECEL	VING WILL BE AUTOMATICALLY D	ISBOSED OF
									VING WILL BE AUTOMATICALLY D O RETAIN THE SAMPLE.	ISFUSED OF
	be comple	<mark>eted by lab</mark> ved by:	perso	nnel:		Boxes La	abeled?	🗌 Yes	🗆 No	
	- -	-								
		OCATION		/	Stc	rage Room / Shelf L	ocation:			
] Humic	d Room			Otl	ner:				

Н А	HALEY ALDRI	(& CH			_	EOTECI		_				
				S	AMPLE	L RECEI	VIN	IG RE	EPORT		Page	1 of 1
PR	OJECT		MAX	(IM OF	FICE PARK				H&A FILE NO.	11111-03	0	
LC	CATION	[BOS	TON, N	NASSACHUSET	ITS			PROJECT MGR.	S. KRAE	MER	
CL	JENT		BOS	TON A	RCHITECTS, I	NC.			PROJECT ENGR.	M. LALL	.У	
DE	LIVERE	D BY	JOE	SAND					DATE	03/14/0)2	
						TYPE OF	SAM	PLE				
	SOIL:						ROCI	K CORE:				
	Jar Sa	mples				2 box(es)	Bo	xes:	2 box	x(es)		
	Undis	turbed Tube	e Samples	5:			Ot	her:	sar	nple(s)		
		itside Diam			□ 2-in.	2 tube(s)				1 -(-)		
	*** Bag S					3 bag(s)	отн	7 D.				
		Bucket Sar	nples			bucket(s)	UIII	<u></u>				
	_		-									
	_	DOUS MAT		?	CONTAMIN	ANTS (please list ma	ajor con	taminants)				
╞	L Ye		✓ No	w/nro co	notruction nunti	at fill out Sastia- A		If Car	Mon project fill and	Soution D		
A:	Box	Explor			nstruction proje	ct, fill out Section A Depth	-		1-Mon project, fill out Rem	Section B.	•	
А.	No.	No			om - To	From - To		(;e.	multiple types of samples, list		ara tuba baa	r roals))
	1	B-0			01 - 519	-	,	jars	inutiple types of samples, its	t type, (e.g., j	ais, tube, bag	ς, 10ck);
	1	B-0			01 - 504	-		jars				
	2	B-0			05 - 514			jars				
	-	B-0			U1	58.0 - 60.0)	tube R=24				
	-	B-0			U1	68.0 - 70.		tube R=22				
	1	B-0		C	01 - CO3	-		rock core				
	-	TP-C			B01	5.0 - 9.0		ziplock bag	n			
			-					2.p.000.00	5			
B:	Explor.	Sample	Dep	oth	Sample	Description		S	Sample Source		Pro	posed Use
	No.	No.	Rang	e (ft)	(USCS or	geologic unit)		(on-s	site, Contractor Pit, etc.)		(s	ee below)
	TP-04	B01	8.5 -	10.7	Glacial Till		on-sit	te			Common	Fill
	-	S12	n/	'a	Brown silty sar	nd	Joe's	Borrow Pit	t, Stoughton, MA		Structu	ral Fill
1												
ĺ												
ĺ												
L			For "Propo	osed Use"	try to use the term from	m the specifications (e.g., s	structural	fill, common fill	, dense graded, State Highwa	iy Spec. No.,	etc.)	
No	tes:											
L												
L												
									VING WILL BE AUTOMA O RETAIN THE SAMPLE.	TICALLY D	ISPOSED OI	F
Те		eted by lab										
	-		personn			Boxes La	balada	🗌 Yes	🗌 No			
Sal	nple receiv	veu by.				Boxes La	beled?	res				
ST	ORAGE L	OCATION	l:									
ſ	Geote	chnical Lab	oratory			orage Room / Shelf L	ocation					
	Humic	d Room			🗌 Ot	her:						

HALEY &	(OBSE	RVATION WELL	Well No.
ALDRICH	IN	STA	LLATION REPORT	Boring No.
PROJECT			H&A FILE NO.	
LOCATION			PROJECT MGR.	
CLIENT CONTRACTOR			FIELD REP DATE INSTALLED	
DRILLER			WATER LEVEL	
Ground El.	ft L	ocation	Guard I	Pipe
El. Datum			Roadwa	y Box
SOIL/ROCK	BOREHOLE		Type of protective cover/lock	
CONDITIONS	BACKFILL	_		
			Height/Depth of top of guard pipe/roadway box above/below ground surface	ft
			Height/Depth of top of riser pipe above/below ground surface	ft
			Length	ft
			Inside Diameter	in
			Depth of bottom of guard pipe/roadway box	ft
			Type of Seals Top of Seal (ft	<u>) Thickness (ft)</u>
			Concrete	<u> </u>
			Bentonite Seal	
		L1		
			Type of riser pipe:	in
			Inside diameter of riser pipe Type of backfill around riser	III
			<── Diameter of borehole	in
			Depth to top of well screen	ft
			• Type of screen	
			Screen gauge or size of openings	in
		L2	Diameter of screen	in
			Type of backfill around screen	
			Depth of bottom of well screen	ft
		L3	Bottom of Silt trap	ft
			Depth of bottom of borehole	ît
	Exploration)			
(Numbers refer to depth	from ground surface in feet)		(Not to Scale)	
Riser Pa	$\frac{\text{ft}}{\text{y Length (L1)}} +$	Length of	$\frac{\text{ft}}{\text{screen (L2)}} + \frac{\text{ft}}{\text{Length of silt trap (L3)}} = \frac{\text{Pay I}}{\text{Pay I}}$	ft
COMMENTS:		~		

ALEY &	MONITORIN	Well No.				
	DEVELOPMEN	T REPORT	Page 1 of 1			
DJECT CATION ENT NTRACTOR EVATION SUBTRAHEN	D	FIELD REP.				
	f Water Lost During Drilling:		gallons			
Depth to Water Befo	re Development:		feet			
_	n Before Development:					
Turubitiy of Water I Comments:	Before Development:		NTU			
Volume of Water Re	moved:		gallons			
Method of Removal Comments:	(bailing, pumping):					
_	n After Development:		feet			
Depth to Water Afte	r Development:		feet			
Turubitiy of Water A Comments:	After Development:		NTU			

HALEY &	
ALDRICH	

GROUNDWATER MONITORING REPORT

OW/PZ NUMBER

of

Page

H&A FILE NO.
PROJECT MGR.
FIELD REP.
DATE

PROJECT LOCATION CLIENT

CONTRACTOR

	N SUBTRAH		Douth of W-4.		-	
Date	Time	Elapsed Time (days)	Depth of Water from Ground Surface	Elevation of Water	Remarks	Read By
		Time (uays)	Ground Surface			
		1 1				

НАТТ	$\nabla \mathcal{R}_{\tau}$																				Tes	t Pi	t No				
HALH ALDF	RICH					Т	ES	ΤF	PIT	LC)G																
																					Pag	je		1	of		
PROJEC	т													Н&	A FILE	NO.	_										
LOCATIC	N													PR	OJECT	r MGR											
CLIENT														FIE	LD RE	P	_										
CONTRA	CTOR													DA	TE		_										
EQUIPME	ENT													WE	ATHE	R											
Ground E				ft. Location									G	Groundwater depths/entry rates (in./min.):													
El. Datun	n																										
		Stratum						Vis	sual lo	lentifi	cation	I						Gra	vel	:	Sand	ł		1	Field	Tes	t
Depth (ft.)	Sample ID	Change Depth (ft.)	USCS Symbol				OUP NA , struct	ure, c	odor, n	noistu								% Coarse	% Fine	% Coarse	% Medium	% Fine	% Fines	Dilatancy	Toughness	Plasticity	Strength
																						-					
																						-					
F -																											
┣ -																											
Obstruct	ions:	-	Remarks:																l Te		•						
													Dilatan							S - S							
													Toughn Plastici			N -	L - Nonplas			- Mec					gh		
										_			Dry Str			N - None										igh	
at depth measur	ו ו	water in c		ft.	-	1:	neter (2 to 24	1	Num	Boul ber	=	Арр	orox.	vol. (cu. ft.)	P	it Dept	h			Dim	ens	ions	s (ft.)) <u>:</u>		
measur	cu aitei	NOTE:		hrs. elapsed	ed on		over 24		nethoo	ds of t	= he US	CS s	ysten	n as r	oractic	-	it Leng Haley				Inc.						

HALE ALDF	EY & NCH			E	ENVIRONMENTAL TEST PIT LOG				Tes		No.				
PROJEC LOCATIC CLIENT CONTRA EQUIPME	ON CTOR				H&A FILE NO. PROJECT MGR. FIELD REP DATE WEATHER				Paç	le			of		
Ground E	EI			ft.	Location Groundwater depths/e	ntry r	ates	s (in	./mir	ı.):					
El. Datun	n	I	T			-		1							
Depth (ft.)	Sample ID	PID Reading (ppm.)	Stratum Change Depth (ft.)	USCS Symbol	Visual Identification (Color, GROUP NAME & SYMBOL, % oversized, maximum particle size, structure, odor, moisture, optional descriptions, geologic interpretation)	% Coarse	vel %	% Coarse	% Medium		% Fines		Toughness Dasticity	Strength Strength	,
						<u> </u>	6	6	6	6	6				-
															-
															-
															-
															-
														+	
															-
															-
															-
— —													_	+	-
l												1	+	\mp	-
												1	+	\mp	-
												1	+	\mp	-
												+	+	\mp	
												+		\mp	-
						+						1	+	\mp	-

	-																	
Ob	structio	ons:	•	Remarks:							Field	Test	ts					
S										Dilatancy:	R - Rap	oid S	- Slow	/ N- N	lone			
3709.xls										Toughness:	L - Low	M - N	/lediun	n H-	High			
37										Plasticity: N	 Nonplastic 	L - Lov	w M.	- Mediu	ım H	l - High		
E				Bucket De	contamination	Method:				Dry Strength: N - N	one L-Low	M - N	Aediun	n H-	High	V - Ve	ery Hig	gh
ц								Bould	ers:									
nal		<u>Sta</u>	Inding wate	er in comple	eted pit:		Diameter (in.)	Number		Approx. vol. (cu. ft.)		<u>Test</u>	t Pit I	Dime	nsior	<u>ns (ft.</u>	<u>):</u>	
s/fi	at depth				ft.		12 to 24		=		Pit Depth							
\forms\final\F 	neasure	d after			hrs.	elapsed	over 24		=		Pit Length	XW	idth		_			
Ĭ			Ν	IOTE: Soil i	dentifications I	based on vi	isual/manual metho	ds of the US	CS sy	stem as practiced by Ha	ley & Aldri	ch, Ir	ıc.					

HALEY & ALDRICH

TEST PROBE REPORT

						Page	1 of	
PROJECT				H&A FILE NO.				
LOCATION	N			PROJECT MGR.				
CLIENT				FIELD REP				
CONTRAC	TOP			DATE				
EQUIPMEN				DRILLER				
				DRILLER				
Rig Type:		TOP OF ROCK BASED ON:			Datum			
Diameter of		□ Rate of Penetration	Acoustic Device		Ground E			
Drill Bit type	e:	Driller's Opinion	Other		Water El.			
Drill Bit O.D	D.:	DEPTH TO TOP OF SOUND	ROCK		Location:	_		
Scale								
In		Cutting	Description and Rema	rks				
Feet		_	-					
L _								
┣ -								
L _								
┣ ─								
L _								
⊢ –								

HALH ALDF PROJECT LOCATIO CLIENT CONTRA EQUIPM	Page of						
Probe Ty						DRILLER	
Probe No.	Location	Ground Surface Elevation	Depth to Water (ft)	pth bed To (ft)	Soil S	trata Description	Remarks

HALEY & ALDRICH		VIBRAC	ORE REF	PORT			obe No. ge 1	-6 1
PROJECT LOCATION CLIENT CONTRACTOR EQUIPMENT				H&A FILE NC PROJECT MC GEOLOGIST DATE CHECKED BY	GR	Pa	ge 1	of 1
Depth (ft)	Sketch	,	Visual Description				overy	
0					Section	Tube Length	Sample Length	Total Weight
1					Top: Bottom:			
					Notes:			
2	-				manual m	ethods of	ased on vis the USCS ey & Aldric	system
3	-							
4	-				Remarks:			
5	-							
6	-							
7	-							
8								
9	-							
10	_							

HALEY	
ALDRIG	CH

HEADSPACE SCREENING REPORT

Page		

PROJECT								H&A FILE NO.	•					
LOCATION								PROJECT MG	R					
CLIENT								- FIELD REP						
INSTRUME	NT							DATE SAMPLI	ED					
DATE CAL	BRATED	(1)		LAMP (e	eV)			DATE SCREEN	NED					
AMBIENT	FEMPER A	ATURE			ATED BY			- SCREENING L						
						Back-					Cant	. :		
Exploration	Sample Number	Depth (ft)	S	ample Description	Sample Reading (ppm) ⁽²⁾	Ground Reading (ppm) ⁽²⁾	5	Remarks	GC ⁽³⁾	Drill Jar	Cont	ainers		
													├──	
 Instrumen ppm repre Sample as 	sents conce	entration of	f detect	able volatile gaseous con	mpounds in	parts per	million of a	air.		<u> </u>		<u> </u>	<u></u>	
Sampleo	d and relin	quished b	y:	Received b	y:		Relinq	uished by:		Rece	ived b	y:		
Sign:				Sign:		Sign:			Sign:					
Print:				Print:		Print	:		Print:	ıt:				
Firm:				Firm:		Firm	:		Firm:					
Date:	Tiı	ne:		Date: Ti	me:	Date:	:	Time:	Date:		Ti	me:		

Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400					
Sample ID:	File Number:				
Depth:	Project:				
Date:	Analysis:				
Time:	Preservative:				
Collected By: Laboratory:					
Comments:					

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400					
Sample ID:		File Number:				
Depth:		Project:				
Date:		Analysis:				
Time:		Preservative:				
Collected By:		Laboratory:				
Comments:						

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400					
Sample ID:		File Number:				
Depth:		Project:				
Date:		Analysis:				
Time:		Preservative:				
Collected By:		Laboratory:				
Comments:		-				

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400					
Sample ID:		File Number:				
Depth:		Project:				
Date:		Analysis:				
Time:		Preservative:				
Collected By:		Laboratory:				
Comments:		•				

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400				
Sample ID:		File Number:			
Depth:		Project:			
Date:		Analysis:			
Time:		Preservative:			
Collected By:		Laboratory:			
Comments:					

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400				
Sample ID:		File Number:			
Depth:		Project:			
Date:		Analysis:			
Time:		Preservative:			
Collected By:		Laboratory:			
Comments:					

HALEY & ALDRICH Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400					
Sample ID: File Number:					
Depth:	Project:				
Date:	Analysis:				
Time:	Preservative:				
Collected By: Laboratory:					
Comments:					

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400				
Sample ID:		File Number:			
Depth:		Project:			
Date:		Analysis:			
Time:		Preservative:			
Collected By:		Laboratory:			
Comments:					

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400				
Sample ID:		File Number:			
Depth:		Project:			
Date:		Analysis:			
Time:		Preservative:			
Collected By:		Laboratory:			
Comments:					

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400					
Sample ID:		File Number:				
Depth:		Project:				
Date:		Analysis:				
Time:		Preservative:				
Collected By:		Laboratory:				
Comments:						



CHAIN OF CUSTODY RECORD

(617) 886-7400 Phone (617) 886-7700 Fax

		5001, 10121 0									Page of
H&A FILE NO.				LABORATO	DRY				DELIVERY DATE		
PROJECT NAME			ADDRESS					TURNAROUND TIMI			
H&A CONT	ACT					PROJECT M	IANAGER				DELIVERY DATE
Sample No.	Date	Time	Depth	Туре	Container Size	No. of Containers		Analysis Requested		Preservatives	Comments - (special instructions, precautions, additional method numbers, etc.)
Sampled and l	Relinquishe	ed by			Received	by			Р	RESERVATION KEY	Sampling Comments
Sign					Sign				А	Sample chilled	
Print					Print				В	Sample filtered	
Firm					Firm				С	NaOH	
Date		Tir	ne		Date		Time		D	HNO ₃	
Relinquished	by				Received	by			Е	H_2SO_4	
Sign					Sign				F	HCL	
Print					Print				G	Methanol	
Firm					Firm				н	Sodium Bisulfate	
Date		Tir	ne		Date		Time		I		
Relinquished	bv				Received	bv			E	vidence samples were ta	amperd with? YES NO
Sign	v				Sign	0				YES, please explain in	
Print					Print					· • •	
Firm					Firm						
Date		Tir	ne		Date		Time				

WHITE - Laboratory

ALDRICH Boston, M	LEY & DRICH Boston, MA 02129 Tel: 617-886-7400								
Sample ID:	File Number:								
Depth:	Project:								
Date:	Analysis:								
Time:	Preservative:								
Collected By:	Laboratory:								
Comments:									

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400							
Sample ID:		File Number:						
Depth:		Project:						
Date:		Analysis:						
Time:		Preservative:						
Collected By:		Laboratory:						
Comments:								

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400							
Sample ID:		File Number:						
Depth:		Project:						
Date:		Analysis:						
Time:		Preservative:						
Collected By:		Laboratory:						
Comments:								

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400							
Sample ID:		File Number:						
Depth:		Project:						
Date:		Analysis:						
Time:		Preservative:						
Collected By:		Laboratory:						
Comments:								

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400							
Sample ID:		File Number:						
Depth:		Project:						
Date:		Analysis:						
Time:		Preservative:						
Collected By:		Laboratory:						
Comments:								

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400								
Sample ID:		File Number:							
Depth:		Project:							
Date:		Analysis:							
Time:		Preservative:							
Collected By:		Laboratory:							
Comments:									

ALDRICH Boston, MA	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400								
Sample ID:	File Number:								
Depth:	Project:								
Date:	Analysis:								
Time:	Preservative:								
Collected By: Laboratory:									
Comments:									

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400								
Sample ID:		File Number:							
Depth:		Project:							
Date:		Analysis:							
Time:		Preservative:							
Collected By:		Laboratory:							
Comments:									

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400							
Sample ID:		File Number:						
Depth:		Project:						
Date:		Analysis:						
Time:		Preservative:						
Collected By:		Laboratory:						
Comments:								

HALEY & ALDRICH	Haley & Aldrich, Inc. 465 Medford St., Suite 2200 Boston, MA 02129 Tel: 617-886-7400							
Sample ID:		File Number:						
Depth:		Project:						
Date:		Analysis:						
Time:		Preservative:						
Collected By:		Laboratory:						
Comments:								

HAL	EΥ	&
ALD	RIC	Ή

Haley & Aldrich, Inc. 465 Medford St.,

Suite 2200,

CHAIN OF CUSTODY RECORD

Phone(617) 886-7400Fax(617) 886-7600

Boston, N	IA 02129-14	400															Page of
H&A FILE NO.							ORATC	DRY								DELIV	/ERY DATE
PROJECT NAME															AROUND TIME		
H&A CONTACT						CON	ГАСТ									PROJ	ECT MANAGER
							1		1	An	alysis R	equeste	ed	r	1		
Sample No. Date Time Depth	Туре	VOA	ABNs PAH only	Metals RCRA (8) PP(13)	Pesticides PCBs	VPH Full Suite C-ranges only	EPH Full Suite C-ranges only	TPH (specify)	TCLP (specify)	Reactivity Ignitability Corrosivity			Number of Containers	Comments (special instructions, precautions, additional method numbers, etc.)			
					1												
	_																
Sampled and Relinquished by	R	eceived by									LIQI	JID					Sampling Comments
Sign		gn														VOA Vial	
Print		int														Amber Glass	
Firm		rm														Plastic Bottle	
Date Time		ate	Time													Preservative	
Relinquished by	R	eceived by														Volume	
Sign	Si	gn									SOL	ID					
Print	Pr	int														VOA Vial	
Firm	Fi	rm														Amber Glass	
Date Time	Da	ate	Time													Clear Glass	
Relinquished by	R	eceived by			┨											Preservative	Evidence samples were tampered with? YES NO
Sign	Si	gn			L											Volume	If YES, please explain in section below.
Print	Pr	int			<u> </u>					PRES		TION K					Į
Firm	Fi	rm				nple chi			NaOH			$\mathrm{H}_2\mathrm{SO}_4$			Methanol		ļ
Date Time	Da	ate	Time		B Sai	nple filt	ered	D	HNO_3		F	HCL		н	Sodium Bisul	fate	

WHITE - Laboratory

PINK - Haley & Aldrich Laboratory

GOLDENROD - Haley & Aldrich Contact

WATER AND WASTEWATER METHOD	S		Solid	Liquid	
Analysis Description	Method No.	Preservative	Sample Volume/O		Holding Time
Alkalinity	310	Cool 4° C	N/A	250 mL HDPE	14 days
Amenable Cyanide	Std. Mth. 412 F.	pH>12 NaOH, Cool 4°C	N/A	1 L HDPE	14 days
Ammonia	350	pH<2 H2SO4, Cool 4° C	N/A	1 L HDPE	28 days
Base/Neutral & Acid Extractables	625	Cool 4° C	N/A	1 L Amber	7 days Ext/40 days Analyze
Biochemical Oxygen Demand (BOD)	405.1	Cool 4° C pH<2 H2SO4 Cool 4° C	N/A	2 L HDPE	48 hours
Chlorida	410	pH<2 H2SO4, Cool 4° C	N/A	125 mL HDPE	28 days
Chloride Chromium Hexavalent	300.0, 325 3500D 218 4/5	None Required	N/A N/A	125 mL HDPE	28 days 24 hours
Chromium, Hexavalent	3500D, 218.4/5	None Required	N/A	1 L HDPE	24 hours
Fluoride	300.0, 340	None Required	N/A	500 mL HDPE	28 days 6 Months
Hardness, Total (as CaCO3)	130	pH<2 H2SO4, Cool 4" C	N/A	250 mL HDPE	6 Months
Nitrate	300.0, 352.1	Cool 4° C	N/A	250 mL HDPE	48 Hours
Nitrite	300.0, 354.1	Cool 4° C Filter Cool 4° C	N/A	125 mL HDPE	48 Hours
Orthophosphate	300.0, 365	Filter, Cool 4°C	N/A	125 mL HDPE	48 Hours
PCBs	608	Cool 4° C	N/A	1 L Amber	7 days Ext/40 days Analyze
Pesticides	608	Cool 4° C	N/A	1 L Amber	7 days Ext/40 days Analyze
Physiologically Available Cyanid	MADEP draft	pH>12 NaOH, 4° C	N/A	1 L HDPE	14 days
Priority Pollutant Metals (13 Metals	200.7/AA, 200 Series	pH<2 HNO3, 4° C	N/A	1 L HDPE	28 days (Hg), 6 mos. (others)
Purgeable Halocarbons & Aromatics	601/602	pH 2 HCl, Cool 4° C	N/A	40 mL Glass Vial	14 days
RCRA Metals (8 Metals)	200.7/AA, 200 Series	pH<2 HNO3, 4° C	N/A	1 L HDPE	28 days (Hg), 6 mos. (others)
Sulfate	300.0, 375	Cool 4° C	N/A	250 mL HDPE	28 days
Sulfide	376	pH>9 NaOH, Zn Acetate, Cool 4 C	N/A	1 L HDPE	7 days
Sulfite	377.1	None Required	N/A	125 mL HDPE	Analyze Immediately
Total Cyanide	335	pH>12 NaOH, Cool 4° C	N/A	1 L HDPE	14 days
Total Dissolved Solids (TDS)	209	Cool 4° C	N/A	250 mL HDPE	7 days
Total Organic Carbon (TOC)	415	pH<2 HCl or H2SO4, Cool 4° C, Dark	N/A N/A	40 mL Amber	28 days
Total Organic Halogen (TOX)	506	pH<2 HNO3, 4° C	N/A N/A	1 L Amber	check with lab
Total Phenolics	420.1	pH<2 H2SO4, Cool 4° C	N/A N/A	1 L Amber	28 days
Total Phosphorus	365	pH<2 H2SO4, Cool 4 C	N/A N/A	1 L Amber 125 mL HDPE	28 days 28 days
Total Phosphorus Total Solids (TS)	365 160.3	pH<2 H2SO4, Cool 4oC Cool 4 [°] C	N/A N/A	125 mL HDPE 250 mL HDPE	28 days 7 days
		Cool 4 C Cool 4 C			•
Total Suspended Solids (TSS) Volatile Organics	160.2		N/A N/A	250 mL HDPE 40 mL Glass Vial	7 days
Volatile Organics Work and Dissociable Cuanida	624 Std Mth 412 H	pH 2 HCl, Cool 4" C pH>12 NaOH, Cool 4" C	N/A	40 mL Glass Vial	14 days
Weak and Dissociable Cyanide	Std. Mth. 412 H.	pH>12 NaOH, Cool 4° C	N/A	1 L HDPE	14 days
DRINKING WATER ANALYSIS					
Volatile Organics	502.2 or 524.2	pH 2 HCI, Cool 4° C	N/A	40 mL Glass Vial	14 days
MICROBIOLOGY				_	
Fecal Coliform	STDMTH	Cool 4o C	N/A	sterile, 125 mL	6 hours
Standard Plate Count	STDMTH	Cool 4o C	N/A	sterile, 125 mL	6 hours
Total Coliform	STDMTH	Cool 4o C	N/A	sterile, 125 mL	6 hours
Yeast and Mold	STDMTH	Cool 4o C	N/A	sterile, 125 mL	6 hours
SOIL/SEDIMENTS/WATER		Solids (S) / Liquids (L)	Solid	Liquid	
Analysis Description	Method No.	Preservative	Solid Sample Volume/O		Holding Time
Acid Extractables/Base/Neutral Extractables	8270	S/L: Cool 4° C	8 oz. CWM	1 L Amber	7 days Ext/40 days Analyze
Acid Extractables/Base/Neutral Extractables Amenable Cyanide	8270	S: 4° C / L: pH>12 NaOH, 4° C	4 oz. CWM	1 L Amber 1 L HDPE	/ days Ext/40 days Analyze 14 days
	- 3060A/7196	S. 4 C / L. ph>12 NaOn, 4 C S/L: Cool 4 C	4 oz. CWM 8 oz. CWM	1 L HDPE 1 L HDPE	14 days 24 hours
Citeria de la contenita de la	3060.477190	5/L. C0014 C	8 OZ. U W IVI		
Chromium, Hexavalent		e. Cast #C/1: pH<2 HCL 4°C	· · · · · · · · · · · · · · · · · · ·	the state of the s	- · · · · · · · · · · · · · · · · · · ·
Extractable Hydrocarbons	8015B	S: Cool 4° C / L: pH<2 HCl, 4° C S/L: Cool 4° C	8 oz. CWM 8 oz. CWM	1 L Amber	7 days Ext/40 days Analyze
Extractable Hydrocarbons Herbicides	8015B 8150	S/L: Cool 4' C	8 oz. CWM	1 L Amber	7 days Ext/40 days Analyze
Extractable Hydrocarbons Herbicides Non-Halogenated Organics	8015B 8150 8015B	S/L: Cool 4° C S: Cool 4° C / L: pH<2 HCI, 4° C	8 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial	7 days Ext/40 days Analyze 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level)	8015B 8150 8015B 8310 or GC/MS SIM	S/L: Cool 4° C S: Cool 4° C / L: pH<2 HCI, 4° C S/L: Cool 4° C	8 oz. CWM 4 oz. CWM 8 oz. AWM	1 L Amber 40 mL Glass Vial 1 L Amber	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze
Extractable Hydrocarbons Herbicides Non-Halogenated Organies PAH (low level) Paint Filter Liquids Test	8015B 8150 8015B 8310 or GC/MS SIM 9095	S/L: Cool 4° C S: Cool 4° C / L: pH<2 HCl, 4° C S/L: Cool 4° C S: Cool 4° C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082	S/L: Cool 4" C S: Cool 4" C / L: pH<2 HCl, 4" C S/L: Cool 4" C S: Cool 4" C S/L: Cool 4" C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081	S/L: Cool 4" C S: Cool 4" C / L: pH<2 HCl, 4" C S/L: Cool 4" C S: Cool 4" C S/L: Cool 4" C S/L: Cool 4" C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft	S/L: Cool 4 [°] C S: Cool 4 [°] C / L: pH<2 HCl, 4 [°] C S/L: Cool 4 [°] C S: 4 [°] C / L: pH>12 NaOH, 4 [°] C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals)	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000	S/L: Cool 4 [°] C S: Cool 4 [°] C / L: pH<2 HCl, 4 [°] C S/L: Cool 4 [°] C S/L: Cool 4 [°] C S/L: Cool 4 [°] C S/L: Cool 4 [°] C S: 4 [°] C / L: pH>12 NaOH, 4 [°] C S: 4 [°] C / L: pH<2 HNO3, 4 [°] C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyzz ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others)
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals)	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCI, 4 ⁺ C S/L: Cool 4 ⁺ C S'L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH<2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH<2 HNO3, 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM	l L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber	7 days Ext/40 days Analyzı 14 days 7 days Ext/40 days Analyzı Analyze ASAP 7 days Ext/40 days Analyzı 7 days Ext/40 days Analyzı 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others)
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals)	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S ⁺ A ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH<2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>21 NaOH, 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM	l L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyzz ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others)
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: Cool 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM	l L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbon: Volatile Organics	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S ⁺ A ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH<2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>21 NaOH, 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM	l L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L HDPE	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B	$\begin{split} S/L: & \text{Cool } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ S/L: & \text{Cool } 4^*C \\ S.4^*C / L: & \text{pH}{<}2 \text{ NAOH, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ NaOH, } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{cool } 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ S: & \text{methanol/NaHSQ}_4, 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ \end{split}$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM	l L Amber 40 mL Glass Vial I L Amber I L Amber I L Amber I L Amber I L HDPE I L Amber I L Amber I L HDPE 40 mL Glass Vial	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbon: Volatile Organics	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>2 NaOH, 4 ⁺ C S: Cool 4 ⁺ C / L: pH>2 NaOH, 4 ⁺ C S: cool 4 ⁺ C / L: pH>2 HCl, 4 ⁺ C S: methanol/NaHSO ₄ , 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S: Cool 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM	l L Amber 40 mL Glass Vial I L Amber I L Amber I L Amber I L Amber I L HDPE I L Amber I L Amber I L HDPE 40 mL Glass Vial	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbon: Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021	$\begin{split} S/L: & \text{Cool } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ S/L: & \text{Cool } 4^*C \\ S.4^*C / L: & \text{pH}{<}2 \text{ NAOH, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ NaOH, } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{cool } 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ S: & \text{methanol/NaHSQ}_4, 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ \end{split}$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial	7 days Ext/40 days Analyzı 14 days 7 days Ext/40 days Analyzı Analyzı ASAP 7 days Ext/40 days Analyzı 7 days Ext/40 days Analyzı 14 days 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Tesl PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only. Ignitability/Flashpoin	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>2 NaOH, 4 ⁺ C S: Cool 4 ⁺ C / L: pH>2 NaOH, 4 ⁺ C S: cool 4 ⁺ C / L: pH>2 HCl, 4 ⁺ C S: methanol/NaHSO ₄ , 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S: Cool 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyze ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCEA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-)	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C / L: pH<2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>2 HNO3, 4 ⁺ C S: 4 ⁺ C / L: pH>12 NaOH, 4 ⁺ C S: Cool 4 ⁺ C / L: pH>2 HOI, 4 ⁺ C S: methanol/NaHSO ₄ , 4 ⁺ C / L: pH<2 HCl, 4 ^e C S: Cool 4 ⁺ C	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L Amber 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyze ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury)	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311	$\begin{split} S/L: & \text{Cool } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ S/L: & \text{Cool } 4^*C \\ S. & 4^*C / L: & \text{pH}{<}2 \text{ INO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ INO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ INO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ INO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ INO3, } 4^*C \\ S: & \text{Cool } 5^*C \\ S: & Co$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyze ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days 14 days 14 days 16 days 17 dayze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbon: Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311	$\begin{split} S/L: & \text{Cool 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH<2} \text{ HCI, 4}^*C \\ S/L: & \text{Cool 4}^*C \\ S.4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & \text{Cool 4}^*C \\ S: & \text{cool 4}^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & \text{cool 4}^*C \\ S:$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days 14 days 14 days 16 days 17 days 17 days 18 days 19 days 19 days 19 days 19 days 10 days 10 days 10 days 10 days 10 days 10 days 11 days 11 days 12 days 12 days 14 days 17 days 18 days 19 days 19 days 10 days 10 days 10 days 10 days 10 days 10 days 10 days 10 days 11 days 11 days 12 days 12 days 14 days 12 days 14 days 1
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 8015B 8260B, 8021 SW846-7.2 SW846-7.3 1311 1311	$\begin{split} S/L: & \operatorname{Cool} 4^*C \\ S: & \operatorname{Cool} 4^*C / L: & \operatorname{pH<2} HCI, & 4^*C \\ S/L: & \operatorname{Cool} 4^*C \\ S'.4^*C / L: & \operatorname{pH>12} NaOH, & 4^*C \\ S: & 4^*C / L: & \operatorname{pH>2} HNO3, & 4^*C \\ S: & 4^*C / L: & \operatorname{pH>2} HNO3, & 4^*C \\ S: & 4^*C / L: & \operatorname{pH>2} NaOH, & 4^*C \\ S: & Cool & C \\ S: & Cool & C \\ C \\ S: & \operatorname{cool} 4^*C / L: & \operatorname{pH>2} HCI, & 4^*C \\ S: & \operatorname{cool} 4^*C / L: & \operatorname{pH>2} HCI, & 4^*C \\ S: & \operatorname{cool} 4^*$	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 14 days 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCEA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury, TCLP Pesticides/Herbicides TCLP Volatiles	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311	$\begin{split} S/L: & \text{Cool 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH<2} \text{ HCI, 4}^*C \\ S/L: & \text{Cool 4}^*C \\ S.4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & \text{Cool 4}^*C \\ S: & \text{cool 4}^*C / L: & \text{pH>2} \text{ NAOH, 4}^*C \\ S: & \text{cool 4}^*C \\ S:$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 14
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (PI only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Volatiles HYDROCARBON OIL & GREASE ANALYSIS	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311	$\begin{split} S/L: & \text{Cool } 4^*C \\ S: & \text{Cool } 4^*C / L: & \text{pH}{<}2 \text{ HCI, } 4^*C \\ S/L: & \text{Cool } 4^*C \\ S'. & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HNO3, } 4^*C \\ S: & 4^*C / L: & \text{pH}{<}2 \text{ HO3, } 4^*C \\ S: & \text{Cool } 4^*C \\ S: & Cool $	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Analyze
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Tesl PCBs Pesticides Physiologically Available Cyanid Prority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbon: Volatile Hydrocarbon: TotLP (RCRA 8) Metals (check for mercury) TCLP Vesticides/Herbicides TCLP Volatiles TCLP Volatiles HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.3 1311 1311 1311 1311 1311 MADEP REV. 0	$\begin{split} S/L: & \text{Cool 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH<2} \text{ HCI, 4}^*C \\ S/L: & \text{Cool 4}^*C \\ S.4 ^*C / L: & \text{pH>2} \text{ NAO3, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NAO3, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NaOH, 4}^*C \\ S: & 4 ^*C / L: & \text{pH>2} \text{ NaOH, 4}^*C \\ S: & \text{Cool 4}^*C \\ S: & Cool $	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 8 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days 14 days 14 days 16 days 17 days ASAP Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 da
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Tesl PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only. [gnitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Volatiles HVDROCARBON OIL & GREASE ANALYSIS MADEF EPH Method MADEF EPH Method (C-Ranges only)	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0	$\begin{split} S/L: & \operatorname{Cool} 4^*C \\ S: & \operatorname{Cool} 4^*C / L: & \operatorname{pH<2} HCI, 4^*C \\ S/L: & \operatorname{Cool} 4^*C \\ S.4^*C / L: & \operatorname{pH<2} HNO3, 4^*C \\ S: 4^*C / L: & \operatorname{pH<2} HNO3, 4^*C \\ S: 4^*C / L: & \operatorname{pH<2} HNO3, 4^*C \\ S: & \operatorname{Cool} 4^*C \\ S: & \operatorname{Cool} 4^*C \\ S: & \operatorname{Cool} 4^*C / L: & \operatorname{pH<2} HCI, 4^*C \\ S: & \operatorname{Cool} $	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 15 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 15 days Ext/12 days Ext 14 days Ext/14 days Ext 14 days Ext/14 days Ext 14 days Ext/14 days Ext 14 days Ext/14 days Ext
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Tesl PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Semivolatiles TCLP Semivolatiles TCLP Volatiles HVDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method (C-Ranges only) MADEP VPH Method	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} S/L: & \text{Cool 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH}{-2} \text{ HCI, 4}^*C \\ S/L: & \text{Cool 4}^*C \\ S. & \text{4}^*C / L: & \text{pH}{-2} \text{ INO3, 4}^*C \\ S: & \text{4}^*C / L: & \text{pH}{-2} \text{ HNO3, 4}^*C \\ S: & \text{4}^*C / L: & \text{pH}{-2} \text{ HNO3, 4}^*C \\ S: & \text{4}^*C / L: & \text{pH}{-2} \text{ HO3, 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH}{-2} \text{ HCI, 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH}{-2} \text{ HCI, 4}^*C \\ S: & \text{Cool 4}^*C \\ S: & Coo$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab ch	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Ext 5:7 days Ext / L:14 days Ext S: 28 days / L: 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (PH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Volatiles HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP VPH Method MADEP VPH Method MADEP VPH Method	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab check with lab check with lab check with lab ch	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 18 days 14 days 14 days 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Ext S:7 days Ext / L:14 days Ext S: 28 days / L: 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Hydrocarbons Volatile Hydrocarbons Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Volatiles TCLP Volatiles HVDROCARBON OIL & GREASE ANALYSIS MADEF EPH Method MADEP VPH Method (C-Ranges only) MADEP VPH Method (C-Ranges only) MADEP EPH Method - with selected PAHs	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} S/L: & \text{Cool 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH}{-2} \text{ HCI, 4}^*C \\ S/L: & \text{Cool 4}^*C \\ S. & \text{4}^*C / L: & \text{pH}{-2} \text{ INO3, 4}^*C \\ S: & \text{4}^*C / L: & \text{pH}{-2} \text{ HNO3, 4}^*C \\ S: & \text{4}^*C / L: & \text{pH}{-2} \text{ HNO3, 4}^*C \\ S: & \text{4}^*C / L: & \text{pH}{-2} \text{ HO3, 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH}{-2} \text{ HCI, 4}^*C \\ S: & \text{Cool 4}^*C / L: & \text{pH}{-2} \text{ HCI, 4}^*C \\ S: & \text{Cool 4}^*C \\ S: & Coo$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab ch	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Ext 5:7 days Ext / L:14 days Ext S: 28 days / L: 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Semivolatiles TCLP Volatiles HVDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method MADEP CPH Method (C-Ranges only) MADEP CPH Method – with selected PAHs (including acenaphthene, naphthalene,	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Ne$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab check with lab check with lab check with lab ch	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 13 days Ext/12 tays Ext 14 days Ext/14 days Ext 15 7 days Ext / L:14 days Ext 5: 28 days / L: 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Semivolatiles TCLP Semivolatiles TCLP Semivolatiles TCLP PetPH Method (C-Ranges only) MADEP PEPH Method (C-Ranges only) MADEP PEPH Method - with selected PAHs (including acenaphthene, naphthalene, 2-methylnaphthalene, and phenanthrene	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Ne$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab check with lab check with lab check with lab ch	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 13 days Ext/12 tays Ext 14 days Ext/14 days Ext 15 2 8 days / L: 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Hydrocarbons Volatile Hydrocarbons Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only, Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Volatiles HVDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP VPH Method – with selected PAHs (including acenaphthene, naphthalene,	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ HC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: pH>2 \ NC1, 4^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Nethanol, 4^*C / L: 2^*C \\ &S: 6^*C \ Ne$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab check with lab check with lab check with lab ch	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 13 days Ext/12 tays Ext 14 days Ext/14 days Ext 15 7 days Ext / L:14 days Ext 15 28 days / L: 14 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-S2-) TCLP Pesticides/Herbicides TCLP Pesticides/Herbicides TCLP Pesticides/Herbicides TCLP Volatile HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP EPH Method – with selected PAHs (including acenaphthene, naphthalene, 2-methylnaphthalene, and phenanthrene Petroleum Identificatior Quantitative (include Chromatograms	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>12 \ NaOH, 4^*C \\ &S, 4^*C / L: pH>2 \ NaOH, 4^*C \\ &S, 4^*C / L: pH>2 \ NaOH, 4^*C \\ &S: 4^*C / L: pH>2 \ NaOH, 4^*C \\ &S: Cool 4^*C \\ &S: C$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (othen) 28 days (Hg), 6 mos. (othen) 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Analyze 15 days Ext/14 days Ext 5: 7 days Ext / L:14 days Ext 5: 7 days Ext / L:14 days Ext 5: 7 days Ext / L:14 days Ext
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (PH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Volatiles HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP VPH Method MADEP VPH Method (C-Ranges only) MADEP VPH Method MADEP EPH Method - with selected PAHs (including acenaphthene, and phenanthrene Petroleum Identificatior	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311 1311 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: Cool 4^*C \\ &S: \operatorname{Cool} 4^$	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 13 days Ext/12.14 days Ext 15: 28 days / L: 14 days 15: 7 days Ext / L:14 days Ext
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbon: Volatile Hydrocarbon: Volatile Hydrocarbon: Volatile Hydrocarbon: Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Ventices HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP VPH Method (C-Ranges only) MADEP VPH Method (-with selected PAHs (including acenaphthene, naphthalene, 2-methylnaphthalene, and phenanthrene Petroleum Identificatior Quantitative (include Chromatograms Total Petroleum Hydrocarbons (Infrared	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>12 \ NaOH, 4^*C \\ &S, 4^*C / L: pH>2 \ NaOH, 4^*C \\ &S, 4^*C / L: pH>2 \ NaOH, 4^*C \\ &S: 4^*C / L: pH>2 \ NaOH, 4^*C \\ &S: Cool 4^*C \\ &S: C$	8 oz. CWM 4 oz. CWM 8 oz. AWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Analyze 15 7 days Ext / L:14 days Ext S: 7 days Ext / L:14 days Ext S: 7 days Ext / L:14 days Ext
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Volatile HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP EPH Method – with selected PAHs (including acenaphthene, naphthalene, 2-methylnaphthalene, and phenanthrene Petroleum Identificatior Quantitative (include Chromatograms Total Petroleum Hydrocarbons (Infrared	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: Cool 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ methanol, 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ methanol, 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl \\ &S: \ cool 4^*C / L: $	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Analyze 15 7 days Ext / L:14 days Ext S: 7 days (L: 28 days S: 7 days / L: 28 days S: 7 days / L: 28 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only, Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Semivolatiles TCLP Volatiles HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP VPH Method MADEP EPH Method – with selected PAHs (including acenaphthene, naphthalene, 2-methylnaphthalene, and phenanthrene Petroleum Identificatior Quantitative (include Chromatograms Total Petroleum Hydrocarbons (Infrared	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0	S/L: Cool 4 ⁺ C S: Cool 4 ⁺ C/L: pH-2 HCl, 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: Cool 4 ⁺ C S/L: pH-2 INO3, 4 ⁺ C S: 4 ⁺ C/L: pH-2 HNO3, 4 ⁺ C S: 4 ⁺ C/L: pH-2 HNO3, 4 ⁺ C S: Cool 4 ⁺ C/L: pH-2 HCl, 4 ⁺ C S: Cool 4 ⁺ C/L: pH-2 HCl, 4 ⁺ C S: Cool 4 ⁺ C/L: pH-2 HCl, 4 ⁺ C S: methanol, 4 ⁺ C/L: pH-2 HCl, 4 ⁺ C S: Cool 4 ⁺ C/L: pH-2 HCl, 4 ⁺ C S: Cool 4 ⁺ C/L: pH-2 H2, 4 ⁺ C S: Cool 4 ⁺ C/L: p	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 15 7 days Ext / L:14 days Ext S: 7 days (L: 28 days S: 7 days / L: 28 days Ext / L:12 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-S2-) TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Volatiles HVDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP EPH Method (C-Ranges only) MADEP EPH Method - with selected PAHs (including acenaphthene, naphthalene, methylnaphthalene, and phenanthrene Petroleum Identificatior Quantitative (include Chromatograms Total Petroleum Hydrocarbons (Infrared	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV	$\begin{split} &S/L: \operatorname{Cool} 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: \operatorname{Cool} 4^*C \\ &S/L: Cool 4^*C \\ &S/L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: 4^*C / L: pH>2 \ NO3, 4^*C \\ &S: Cool 4^*C \\ &S: \operatorname{Cool} 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ methanol, 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ methanol, 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl, 4^*C \\ &S: \ cool 4^*C / L: pH<2 \ HCl \\ &S: \ cool 4^*C / L: $	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check with lab check with lab check with lab	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyzz ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/14 days Analyze 15 7 days Ext / L:14 days Ext S: 7 days (L: 28 days S: 7 days / L: 28 days S: 7 days / L: 28 days
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Hydrocarbons Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury) TCLP Pesticides/Herbicides TCLP Volatiles TCLP Volatiles TCLP Volatiles MADEP EPH Method MADEP EPH Method (C-Ranges only) MADEP EPH Method (C-Ranges only) MADEP VPH Method (C-Ranges only) MADEP VPH Method (C-Ranges only) MADEP EPH Method - with selected PAHs (including acenaphthene, naphthalene, 2-methylnaphthalene, and phenanthrene Petroleum Identificatior Quantitative (include Chromatograms Total Petroleum Hydrocarbons (Infrared AIR METHODS <u>Analysis Description</u> Volatile Organic Compounds	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.3 1311 1311 1311 1311 MADEP REV. 0 MADEP REV. 0	$\begin{split} & S/L: \operatorname{Cool} 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S/L: \operatorname{Cool} 4^*C \\ & S/L: pH>2 nOO, 4^*C \\ & S, 4^*C / L: pH>2 nOO, 4^*C \\ & S, 4^*C / L: pH>2 nOO, 4^*C \\ & S, 4^*C / L: pH>2 nOO, 4^*C \\ & S: 4^*C / L: pH>2 nOO, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI \\ & S: \operatorname{Cool} 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 HCI \\ & S: \operatorname{Cool} 4^*C \\ & S: \operatorname{Cool}$	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check	7 days Ext/40 days Analyzz 14 days 7 days Ext/40 days Analyzz Analyze ASAP 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 7 days Ext/40 days Analyzz 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 13 days Ext/14 days Analyze 14 days Ext/14 days Ext 15 7 days Ext / L:14 days Ext 5: 7 days Ext / L:14 days 5: 7 days Ext / L:14 days 5: 7 days (L: 28 days 7: 7 days (L: 28 days)
Extractable Hydrocarbons Herbicides Non-Halogenated Organics PAH (low level) Paint Filter Liquids Test PCBs Pesticides Physiologically Available Cyanid Priority Pollutant Metals(13 Metals) RCRA Metals (8 Metals) Total Cyanide Volatile Hydrocarbons Volatile Organics RCRA HAZARDOUS WASTE CHARACTERIZATION Corrosivity (pH only Ignitability/Flashpoin Reactivity (CN-/S2-) TCLP (RCRA 8) Metals (check for mercury/ TCLP Pesticides/Herbicides TCLP Semivolatiles TCLP Semivolatiles TCLP Volatiles HYDROCARBON OIL & GREASE ANALYSIS MADEP EPH Method (C-Ranges only) MADEP VPH Method MADEP EPH Method (C-Ranges only) MADEP VPH Method (C-Ranges only) MADEP CPH Method (C-Ranges only) METHOP CPH CPH M	8015B 8150 8015B 8310 or GC/MS SIM 9095 8082 8081 MADEP draft 6010&7000 6010&7000 6010&7000 9010 8015B 8260B, 8021 SW846-7.2 SW846-7.2 SW846-7.1 SW846-7.3 1311 1311 1311 1311 1311 MADEP REV. 0 MADEP REV	$\begin{split} & S/L: \operatorname{Cool} 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ & S/L: \operatorname{Cool} 4^*C \\ & S/L: pH<2 \ HNO3, 4^*C \\ & S: 4^*C / L: pH>2 \ HO3, 4^*C \\ & S: 4^*C / L: pH>2 \ HO3, 4^*C \\ & S: 4^*C / L: pH>2 \ HO3, 4^*C \\ & S: 4^*C / L: pH>2 \ HCI, 4^*C \\ & S: \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ & S: \ methanol, 4^*C / L: pH<2 \ HCI, 4^*C \\ & S: \ methanol, 4^*C / L: pH<2 \ HCI, 4^*C \\ & S: \ methanol, 4^*C / L: pH<2 \ HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & HCI, 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & S: \ \operatorname{Cool} 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & S: \ \operatorname{Cool} 4^*C \\ & S: \ \operatorname{Cool} 4^*C / L: pH<2 \ H_2 \ H_2 \\ & S: \ \operatorname{Cool} 4^*C \\ & S: \ Co$	8 oz. CWM 4 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 8 oz. CWM 4 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 16 oz. CWM 4 oz. CWM	1 L Amber 40 mL Glass Vial 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L Amber 1 L HDPE 1 L Amber 1 L HDPE 40 mL Glass Vial 40 mL Glass Vial 40 mL Glass Vial check with lab check mith lab check	7 days Ext/40 days Analyze 14 days 7 days Ext/40 days Analyze Analyze ASAP 7 days Ext/40 days Analyze 7 days Ext/40 days Analyze 14 days 28 days (Hg), 6 mos. (others) 28 days (Hg), 6 mos. (others) 14 days 14 days 14 days 14 days 14 days Analyze ASAP Analyze ASAP Analyze ASAP 6 mos. Ext/6 mos. Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 14 days Ext/40 days Analyze 13 days Ext/12 thays Ext 5:7 days Ext / L:14 days Ext 5: 7 days (L: 28 days 5: 7 days (L: 28 day

This table is offered for informational purposes only and is intended to be followed and used by persons having related technical skills and at their own discretion and risk. Since conditions and the manner of use are outside of Haley & Aldrich's control, we make no warranties, express or implied, and accept no liability in connection with any use of this information. IT IS THE USER'S RESPONSIBILITY TO VERIFY THE SUITABILITY OF USE AND CORRECTNESS OF THE INFORMATION SUPPLIED.

HALEY ALDRI	CH	SAN	APL	ING RECOI	RD	Page	of		
PROJECT LOCATION					H&A FILE NO. PROJECT MGR.				
CLIENT					FIELD REP				
CONTRACT	TOR				DATE				
Weather					Temperature				
	ace Conditions	Dry 🗌 Wet	🗌 Da	mp 🗌 Standing Water		in) 🗌 Other			
6 1 .	I	SOIL SAMPLING AND SURFACE WATER SAMPLING INFORMATION							
Sample No.	Location	Depth (ft)	Time	Sample Descript		pling Cleaning vice Prodedure	Container Type		
							+		
							+		
							1		
							_		
							-		
							1		
							_		
							<u> </u>		
							+		
							+		
							1		
							<u> </u>		
General Con	nments: (ie: field filtrati	ions, persons comm	unicated wit	h at site, etc.)					

CLIF	ATION ENT TRACTOR								
		GROUNDWATER	SAMPLING INFO	RMATION					
Well 1	No.								
Water	Depth (ft)								
Time									
Produ	ct								
Depth	Of Well (ft)								
Inside	Diameter (in)								
Standi	ing Water Depth (ft) ⁽¹⁾								
Volun	ne Of Water In Well (gal)								
Purgir	ng Device								
Volun	ne of Bailer/Pump Capacity								
Cleani	ing Procedure								
Bails l	Removed/ Volume Removed								
Time	Purging Started								
Time	Purging Stopped								
Sampl	ling Device								
Cleani	ing Procedure								
z	VOA								
CAKE	ABN								
LES 1	Metals								
TIME SAMPLES TAKEN									
IME S									
T									
	Color								
	Odor								

GROUNDWATER SAMPLING RECORD

PROJECT

HALEY & ALDRICH

H&A FILE NO.

Page

рΗ

Conductivity

Dissolved Oxygen Temp, ⁰ C Salinity

Remarks: (ie: field filtrations, persons communicated with at site, etc.)

1. Standing Water Depth = Depth of Well - Water Depth

Turbidity

PARAMETERS

Monitoring Field Explorations (OP2000) SAMPLE

HALE	Y &z																								G NO		
ALDR	ICH							ΤE	ST	BORING F	REP	ORT									Ра		3 7	1	OV of	<u>V)</u>	2
PROJECT	<u>г</u>	Greenspa	ce Develop	nm	ent									H&A	A FI	LE NO.			27	921				1	OT		4
LOCATIO		-	ide Road,			n Ma	ssachu	setts								CT MGR.			-	R. F			۲				
CLIENT		-	Investmen		0000	11 1014		5000								REP.			-	S. (
CONTRA	CTOP		illing Co.,		c.											STARTED	`		-	-Fel							
DRILLER		Charlie O	0	III												FINISHED				-Fel							
														DAI		INISTILL	,		14	-1.0	0-0.	1					
Elevation	23.3		Datum		oston				ocation								-	Duil	1	M		1	0		A		
ltem Type		Casing NW	Samp S	ler	0	NV2	_	Truck	e & Mod			⊂ 75 Cat-Head				ner Type Safety	_	_	ling	ntoni		-		-		/anc I Dep	
Inside Dia	meter (in)	3	1.38	35	+	2		ATV	k L	Geoprobe		Winch		 ✓ 		Doughnut				yme						.0 ft.	
Hammer W		300	1.50					Track	k [Air Track		Roller Bit				Automatic			No		•	1,,,		iven	. 27.	0	
Hammer F	2	24	30					Skid]		Cutting Head		Drilli	ling	Notes: Fl	ushed	sluri	ry pr	ior to	o cor	ing.					
		Sample										-							avel		San	-			Field	d Te	st
Depth (ft.)	Sampler Blows per 6 in.	No.8	Sample Depth (ft.)		We Diagr		Stratu Chang (ft.)	0	USCS Symbol	(density/consistency	color, G	ual Identification & GROUP NAME & SYM e, optional description	ИBOL	., max	aximu	im particle s	ize*,	% Coarse	% Fine	% Coarse	% Medium	% Fine	% Fines	Dilatancy	Toughness	Plasticity	Ctranath
- 0 -				L																							Γ
Ĭ	10		0.0						SP-SM	Medium dense brown											20	70	10	-		_	_
	12	S1 21"		14	-					mps 2 mm, distinctly	stratıfie	ed, fines partially org	anıc,	no o	odor	, dry.		-	1	-				-		\vdash	+
1	20	21	2.0	. `		\vdash	2.0					-ALLUVIUM-														\vdash	+
	11		2.0		-		2.0		SP	Dense brown poorly §	raded S		mm,	no oo	odor,	dry.		5	5	20	30	35	5	ŀ	· - ·	1-	1-
	15	S2										· •															Ĺ
1	16	10"																									
	17		4.0	-								-ALLUVIUM-															_
				-		-	4.5												_			_	_	_	-	┢	+
- 5 -	WOR		5.0	-		-				Very soft, dark brown	ORGA	ANIC SOILS with sa	nd (C	01./01)H)	trace						25	75	S	М	н	V
	WOR	S3	5.0						OL/OH	seashell fragments and					,,,	liuce						20	15				-
	WOH	24"								organic odor, moist.		1		0													
	WOH		7.0								-	-ORGANIC DEPOS	IT-														
							0.0																			_	_
							8.0			Note: Drilling fluid re	turning	medium to fine con	1 from	n Q O	0.64	to		┢	-	┢	-	╞		+	+	╋	╋
										10.0 ft. Drilling fluid	Ų	,						1		1		ŀ				-	1
												BABLE MARINE D						t		t							T
10							10.0												 	L.	L .	L.	L.	L.	<u> </u>		1_
10	3		10.0						СН	Stiff yellow brown fat				-	.5 m	m,							100	N	М	H	
	6	S4								apparently laminated			ngs a	nd				-		-					_	_	_
	6	22"	12.0							possible organic fiber		lor, moist. -MARINE DEPOSI	г.													\vdash	-
	0		12.0				13.5					-MARINE DEPUSI	1-					1	1	1						\vdash	+
							15.5			1											┢	┢			+	+	┢
										Note: Drill action ind	cates gi	ravel below 13.5 ft.															
																										_	_
— 15 —	12		15.0						CL	Very stiff yellow brow	vn to ar	ray sandy lean CLAN	7 xz/i+1	ו סרסי	avel ((CL)		5	10	10	10	15	50	S	М	М	-
	12	S5	13.0						CL	mps 35 mm, distinct of		• •		-					10	10	10	1.5	50	3	1.41	141	\vdash
	15	17"								fraction consists of we																	T
	19		17.0							metamorphic lithologi																	
											-GL	ACIOMARINE DEF	POSIT	Г-													
							18.0		· ·	Noto: Drill action	total 1	on of drilling florid .	dia -	00	mov - 1				+	+	┣	₽-	┣-	┣.	.⊢.		
							19.0			Note: Drill action and and cobbles from 18.0			uicat	es gr	ravel	L		-		-						-	-
							19.0			and coopies from 18.0	0 1							1	┢	1	⊢	┢			+	+	+
20										Very dense gray silty																	1
- 20	21	S 6	20.0						SM	coarse fraction consis	s partly			nts, n	no od	lor, moist.			10	15	20	30	25	R			
	25	10"	21.0				21.0			· · · · · ·		-GLACIAL TILL-						<u> </u>		<u> </u>		<u> </u>		-	-	+	╇
	33 34	S6A 7"	21.0 22.0						ML	Very dense gray SILT	(ML),	mps <0.1 mm, no	struci	ture,	, no c	odor,		-		-			100	R	-	N	-
	54	1	22.0							dry.		-RESIDUAL SOIL	-					-	-	-						\vdash	+
												RESIDONE SOIL						1		1						-	+
										Note: Drilling advanc	ed smoo	othly from 21.0 ft. to	0 25.0) ft.													
							25.0			DDODADI	TOP	OF DECOMPOSED	סקס	DOC	CV 2	5057										_	_
_ 25 _	53		25.0				25.0			Very dense gray high		OF DECOMPOSED				J.U F1.		┢	\vdash	┢	<u> </u>	┢		-	+	╋	┢
	28	S7	23.0							Possible extremely thi	2	1 7						1		1						-	
1	-	1	1					-		· · · · · · · · · · · ·		6 - F		0				1	1	1	-	1		1	1	+	1

	39	5"					low angle foliation. Samp	ole 1s ger	erally well bonded and	l consists						
	35		27.0				of very soft angular fragm	nents and	1 particles which are ea	asily						
							crushed with finger pressu	ure.								
							-	-DECON	POSED BEDROCK-							
							Note: Drill action indicate	es stratu	n change at 28.5 ft.							
					28.5		TOP	OF "SO	UND" BEDROCK 28.	5 FT.						
							SEE SHE	EET 2 F	OR CORE BORING F	REPORT						
30																
30																
		Water L	evel Data				Sample ID		Well Diagram		5	Sumn	nary			
			D	epth in feet	to:				Riser Pipe							
Date	Time	Elapsed	Bottom of	Bottom of		0	Open End Rod		Screen	Overburden (Linear	ft.)			29	9.5	
Date	TIME	Time (hr.)	Casing	Hole	Water	т	Thin Wall Tube		Filter Sand	Rock Cored (Linear	ft.)			10	0.0	 _
			Casing	noie		U	Undisturbed Sample	۰ ، ۲	Cuttings	Number of Samples	6	_		S7	C2	_
13-Feb-01	15:30	0	29.0	29.0	2.0	S	Split Spoon Sample		Grout							_
14-Feb-01	7:00	15.5	29.0	29.0	6.2	G	Geoprobe	⊿▼	Concrete	BORING NO.			Β7		~~	
14-Feb-01	15:00	1.0	39.5	39.5	10.4				Bentonite Seal				Бі	(0)	v)	
Field	Tests	Dilatancy:	R - Ra	pid S - Slov	w N - None	9	Plasticity:	N	- Nonplastic L - L	ow M - Medium H	- High					
		Toughness	s: L - Low	M - Mediu	m H - High	า	Dry Strength: N	- None	L - Low M - Mee	duim H - High V -	Very H	ligh				
			*NO	TE: Maximum	Particle Siz	e is det	ermined by direct obser	vation	within the limitation	s of sampler size.						
																_

© Haley & Aldrich, Inc. Version Date: December 2002 C3 of 6 Version No.: 0.0

HALE	EY & UCH				со	RE	ΞB	ORIN	G REPORT		BORING NO. B 7 (OW) Page 2 of 2
epth (ft)	Drilling Rate (min/ft)	Core No. Depth (ft)		overy QD (%)	Weath- ering		Vell Igram	Stratum Change (ft)	Visual	Classification and Remarks	
	(IIII/II)		()	(/0)				21.0		RING REPORT FOR OVERBURDEN DF RESIDUAL SOIL 21.0 FT.	DETAILS.
									Note: Advanced borehole with rollerbit and sp soil from 21.0 ft. to 25.0 ft.		1 residual
					Residual Soil					-RESIDUAL SOIL-	
25								25.0	TOP OF DI	ECOMPOSED BEDROCK 25.0 FT.	
-					High to				Note: Advanced borehole with rollerbit and sp decomposed bedrock from 25.0 ft. to 28.5 ft.	litspoon and drove NW casing through	1
					Complete				-DI	ECOMPOSED BEDROCK-	
						<u>//</u> ··		28.5	TOP OF	"SOUND" BEDROCK 28.5 FT.	
							. •		Note: Seated NW casing at 29.0 ft. Advanced prior to coring.	borehole with rollerbit to 29.5 ft. with	out sampling
30 —	6	29.5	56"		Slight				C1: Moderately hard, slightly weathered, gray very thin, generally low angle (30-35 degrees bedding. Cleavage well developed along bedd). Foliation low angle, commonly subp	
	3	C1			Mod. High				Cleavage joints very close to close 29.5 -31.0 slightly oxidized, occasionally calcite-infilled,	ft. and close below 32.5 ft. smooth-pla	
	5	C1			Mod.		·		close, rough-undulatory, pyritized or highly or Soft, moderately to highly weathered zone 31	kidized and decomposed with silt infilli	ing, open.
	6				Slight				moderately dipping, slickensided-planar shears Note: Partial water loss below 31.0 ft.	s intersecting bedding plane and high a	ngle features.
		34.5 34.5	24" 60"	40% 100%			·		Note: Lost core assumed 31.7-32.0 ft. C2: Similar to bottom of run C1 except cleava	eo ininte alore to moderatale alore. Hi	ah anala ta
35 —	6	54.5	00	100 %			÷		vertical joints absent. Occasional thin zone of	extremely close, extremely thin, mode	rately
	7								dipping to high angle (50-60 degrees) calcite s joint.		angle
	6	C2			Slight				-CA	MBRIDGE FORMATION-	
	6							38.0	Lithology change at 38.0 ft. to hard, slightly v	veathered, dark gray to black, fine grai	ined to
	8	39.5	54"	90%					aphanitic DIABASE. Single high angle joint at		
40 —	8	39.3	J4	90%			-		BOTTO	M OF EXPLORATION 39.5 FT.	
							_				
_											
						\vdash					
							+				
7											
							-				
						\square					
							1		27921-000	BORING NO.	B 7 (OW)

HALF	$v_{\mathcal{R}_{\pm}}$											٦	Fest	t Pit	No.				
ALDR	RICH				TESTI	PIT LOG									Т	' P -	1		
												F	Page	e	1		of	1	
PROJECT	Г	New Eng	land Hosp	oital				H&A FILE NO.	-	1071	15-2	205							
LOCATIO	N	Boston, N	Massachus	etts				PROJECT MGF	<u>۱</u>	M.X	К. Н	laley	7						
CLIENT		PFT Asso	ociates					FIELD REP		C. S	5. O	sgoc	od						
CONTRA	CTOR	J. March	ese & Son	s Const.				DATE	-	07-J	an-()2							
EQUIPME	NT	CAT 416	Rubber T	rire Extendab	be 0.24 cu.yd. bucke	t canacity		WEATHER	-	Mos	stlv (Clea	r 20	0s					
					•	* •		Groundwater dept	-										_
Ground E El. Datum		36.3 NGVD)	ft. Location	west of	Pedestrian Tunnel		.8 ft. Steadily	13/011	.1 y 10	1100	(.,.					
		Stratum			V					Grav	vel	S	and			F	ield	Tes	t
Depth (ft.)	Sample ID	Change Depth (ft.)	USCS Symbol		VI sistency, color, GROUF tructure, odor, moisture				ticle	% Coarse	% Fine	% Coarse	% Medium	% Fine	% Fines	Dilatancy	Toughness	Plasticity	Strength
				Dark brown sil	ty SAND (SM), mps 5 m	m, organic odor, moist					5	5	10	45	40	R	-		
	0.5		SM	Fines largely of					Δ										
		1.2				-LOAM FILL-													
		1.3		-					∢		_		_						
			L						4		_			_1					
- 2 -								-											
1 -	S3		СН		to olive brown sandy fat and fragments, clay pipe				$\left - \right $	5	5	5	10	15	60	N	М	Η	
	-		CII		< 5% boulders, mps 30 in		, aspiiait	magnicitts.	Λ										
1						, ,			\vdash										_
	<u> </u>	<u> </u>		<u> </u>		-FILL-			\overline{V}				Ŧ						
	-								V										
	4.0			Note: Poured c	oncrete foundation wall of	on east side of test pit fr	om 0.0 -	4.4 ft.	\bigtriangledown		_		_						
- 4 -	4.0				_	<u> </u>			N										
								_	\overline{V}										
	-			Note: Dourad a	operate feasting 4.4.5.4	£		V	\bigtriangledown										
				Note: Poured c	oncrete foooting 4.4-5.4	II					_	_	_				-		
- 6 -	S2	-																	
				-															
	-			-															
				-															
- 8 -	8.0	8.0																	
Ũ	8.0		СН		fat CLAY (CH), trace fin ninated with frequent find									5	95	Ν	М	Η	
	S1		Сп	Appartantity fail	innated with nequent find	e sanu partiligs and poss	ible orga	une moers.			_	_	_				-		
	9.0				-N	ARINE DEPOSIT-													
				<u> </u>													T		
1				+						-+	-+	-+	+	-			-+		
10	-			1									-+				-+		
- 10 -																			
				<u> </u>						_	-+	_							
		11.0	1	1						-	-+	+							
					to gray sandy lean CLAY					5	10	10	10	15	50	S	М	L	
			CL		ed laminae in discrete zo	nes. Coarse fraction con	nsists of	well-rounded		_									
	12.0	12.0	1	igneous and me	etemorphic lithologies. -GLAG	CIOMARINE DEPOSIT	<u>-</u>			\rightarrow	+	+	+	-			+		
- 12 -		12.0	L		GLA						_			_1					
					stratum change to gray le		L) below	/ 12.0 ft.											
			-	Coarse fraction	apparantly less abunden	t.				_			+	-					
1		-		+	-N	ARINE DEPOSIT-						+	-+	-+			\rightarrow		
1				<u> </u>	BOTTOM C	OF EXPLORATION 13	3.5 FT.]	\rightarrow			+	\dashv			-+		
- 14 -	-			<u> </u>						\rightarrow	+	+	+	\dashv			+		
Obstructi	ons:	•	Remarks	:						Field	l Tes	sts		1					
					obtained for potential me	echanical	Dilatar	ncy:		- Rap			w	N- N	one				
				om depths indica			Tough			- Low					-				
							Plastic	,	Nonpla								-		
						Dauldana	Dry St	rength: N - None	€ L-L	ow I	M - M	Iedium	n H	I - Hię	gh ۱	V - Ve	ery Hig	gh	
	Standing	g water in c	completed	pit:	Diameter (in.)	Boulders: Number A	Approx	vol. (cu. ft.)		т	est	Pit D)ime	ensi	one	(ft	:		
at depth			3.2	ft.	12 to 24	1 =			it Dep						2.13		<u>.</u> 13.5		
measure).1	hrs. elapsed	over 24	1 =			it Leng		Wic	dth		-) x 6.	.0	
at depth measure		NOTE	: Soil ident	tifications bas	ed on visual/manual n	nethods of the USCS	svsten	n as practiced by	Halev	& Al	Idric	h, In	IC.				_		

HALE	EY &			_									Test	t Pit				
ALDR	RICH			E		NMENTAL	. TEST PI	T LOG							ГР	214	1	
ROJEC	T		Mirror I a	ake Water	shed Study			H&A FILE	NO	286	75-	-309	Pag	е	1	of		1
			Essex, M					PROJECT				Geva						
					Partnership			FIELD REF				Osgo						-
CONTRA	стор				st. Co., Inc.			DATE			Jul-	-						
EQUIPME						/4 cu. yd. bucket		WEATHER					orms	90'9	2			
Ground E		74		ft.	Location	N 2,089,041.101		Groundwater		-					,		_	_
El. Datum		/4 NG		II.	Location	E 801,444.238		None	aeptiis/eii	lu y l	ales	, (iii.	/11111.	.).				
										Gra	ivel	;	Sand			Field	d Tes	st
Depth (ft.)	Sample ID	PID Reading (ppm.)	Stratum Change Depth (ft.)	USCS Symbol	(density/con:	sistency, color, GROU	Visual Identificatio	OL, % oversized, maximu	m particle	% Coarse	% Fine	% Coarse	% Medium	% Fine	% Fines	Toughness	Plasticity	;
					Note: Ground s subsurface void	surface strewn with bou ds noted.	lders. Numerous dep	pressions indicating										-
1	1.5							es, 10% unidentifiable, wh	ite			-					-	t
								to fine gravel, 10% wood strips and wire, 5% charce									—	Ļ
- 2 -	S2	15.9			5% plastic shee	eting (possibly polyethel	ene bags), 5% brick	particles, 5% clay pipe										
						trix generally dark brow 15 % cobbles. Maximu		ith pockets of white and rec nches	1.	_		\vdash	H	$-\mathbf{I}$	- [+	+	f
	2.5				Distinct of	decomposed gasoline od		pthalene odor. Visible irrid	escen									t
					sheen on mois	t solids 4.6 to 5.2 ft.						<u> </u>				_	–	_
- 4 -							-FILL-											-
	4.6																	T
	S1 5.2	140	5.2			surface smooth and flat		hard to hard, slightly te. Single high angle joint n	oted			\vdash	-				—	╞
							AL ON BEDROCK											T
										-		+		_			+	+
- 6 -																		T
Ū												-			_	_	+-	+
																		T
												\vdash	-				—	╞
																		T
-												+	\square		_	_	+	╀
- 8 -																		
												-			_		+	┢
																		t
																	-	+
																	1	t
<u> </u>		-			-					1		\vdash	⊢┤	+	-+		+	╀
										1			\square					T
										-		\vdash	\vdash		-+		+	╀
													\square		1		\square	Ļ
										-		\vdash	\vdash		-+		+	╞
L _										1		\square	\square				1	F
										1		\vdash	\vdash	+	+		+	╉
													\square				1	F
		L											\vdash				\pm	$^{+}$
												E	╞				\vdash	
Obstructi	ions:		Remarks:	1	1				F	ield	Test	ts		T		1		۲
			Note: Samp	ole S1 subm	itted for laborate	ory chemical analysis.		Dilatancy:					w N-					-
						ne and headspace screer	iing	Toughness:					um H	-		iab		
					U 11.7 ev. PID. ation Method:	Steam cleaned		Plasticity: Dry Strength: N	N - Nonplas - None L -							-	High	
at depth measur		nding wate	er in comple		ft.	Diameter (in.) 12 to 24	Boulders: <u>Number</u> 6.0 =	Approx. vol. (cu. ft.) 18.0	Pit De				Dime	-			-	
measur				75	hrs. elapsed	over 24	1.0 =	33.0	Pit Ler	•	x W	idth		_		10.5 x		
		N	IOTE: Soil i	dentificati	ions based on	visual/manual metho	ods of the USCS s	system as practiced by	Halev & A	Idric	h. Ir	nc.						-

NOTE: Soil identifications based on visual/manual methods of the USCS system as practiced by Haley & Aldrich, Inc.

APPENDIX D CHECKLISTS

D.1 Field Monitoring Checklist

D.1.1 Preliminary Preparation

- A. Project Briefing
- B. Field Project File and Document Assembly
 - Proposal
 - Contract Documents
 - Locus, Site & Utility Plans
 - Exploration Criteria
 - Subcontractor Agreement
 - Site and Project Contacts
 - Forms
 - DFR
 - Subcontractor Quantities
 - Test Boring Report
 - Core Boring Report
 - Observation Well Installation Form
 - Test Pit Log
 - Special Testing / Instrumentation Forms
 - COC
 - Equipment Usage and Billing Form
 - Sample Receiving Form
- C. H&S Briefing
 - H&S Plan
- D, Equipment Request and Assembly

D.1.2 Onsite Duties

A. Site Walkover and Subcontractor Utility and Safety BriefingB. Exploration Program Review

- xploration Program Review
 - Exploration Layout
 Site Conditions Shote
 - Site Conditions Sketch
 Preliminary Surficial Geology
 - Preliminary Surficial Geologic Map
 - Exploration Monitoring
 - Equipment Inventory
 - Exploration Layout & Utility Check
 - Field Logging Soil & Rock
 - Water Level Measurements
 - Production and Budget Quantities
 - Sample Handling & Transport
 - Instrumentation & Testing Records
 - As-Built Sketches & Exploration Locations

D.1.3 Follow Up & Summary

- Proof Logs and Test Reports
- Finalize DFR and Subcontractor Quantities
- Sample Receiving and Disposition
- Equipment Return and Billing
- Exploration Program Summary
- Final Site & Geological Conditions Summary
- Geologic Profiles

OPERATING PROCEDURE: OP3009

MONITORING WELL DEVELOPMENT PROCEDURE

PREPARATION AND APPROVALS

VERSION	AUTHORED/DATE	REVIEWED / DATE	REVIEWED / DATE	REVIEWED / DATE	APPROVED / DATE
Ver. 0.0	BAM/ 08-02	JCP/ 08-02	GJM/ 06-03		JAK/ 06-03
\sim					
/ /					
	\searrow		•	•	

Total Pages: 20

[©] Haley & Aldrich, Inc., 2003



Page

TABLE OF CONTENTS

LIST	OF TAB	SLES	i
1.	PURP	OSE	>1
2.	EQUII	PMENT & SUPPLIES	2
3.	PROC	EDURE	2
	3.1	Summary of Procedure Purpose and Intent	2
	3.2	Role of Environmental Professional or Engineer	2 3
	3.3	General Methods of Monitoring Well Development	3 3
	3.4	Preliminary Procedures	
	3.5	Calculate Volume of Standing Water in Well	4
	3.6	Field Procedures	4 5 5 5 5 7
		3.6.1 Locate Well	5
	- -	3.6.2 Evaluate Well Integrity and Construction	5
	3.7	Well Development Procedure – Mechanical Pump Method	5
	3.8	Well Development Procedure – Inertial Pump Methods	
	3.9	Well Development Procedure - Surge Blocks	8 9
	3.10 3.11	Well Development Procedure - Bailers	9
	3.12	Restoration and Cleanup Documentation	9
\leq	3.12	Precision and Bias	10
	3.13	riccion and blas	10
APPE	NDIX A	– References	A-1
		– Related Haley & Aldrich Procedures	B-1
		- Forms	C-1
			- 1

LIST OF TABLES

Table No.	Title	
1	Common Well Development Equipment	11

OPERATING PROCEDURE: OP3009

MONITORING WELL DEVELOPMENT PROCEDURE

1. PURPOSE

This procedure provides guidance on methods and techniques for groundwater monitoring well development typically performed after well installation, but prior to groundwater quality sampling, specifically for instrumentation installed in overburden or bedrock for environmental monitoring and geotechnical purposes. Groundwater well development increases the yield of the well by removing fine sediments and particles from within the well and the well filter pack, enhances the hydraulic communication between the well and the screened formation, decreases turbidity, increases precision of hydrologic measurements, and increases representativeness of groundwater quality data. Well development is an integral component of a groundwater sampling program, with the objective of obtaining high quality, reproducible groundwater quality data.

The selected method and duration of groundwater well development will be dependent on a number of factors, including: well construction method and materials, depth to groundwater, anticipated groundwater testing parameters and data quality objectives, presence of contamination (i.e., degree of contamination and presence of free-phase non-aqueous phase liquids), method of borehole advancement, and site physical setting/access.

IMPORTANT NOTES:

It is not necessary to follow all of the methods in this procedure for every monitoring well development performed. The procedures may be adapted to conform to specific local practice, site-specific geologic conditions, or to support local, municipal or state regulatory requirements.

The term "groundwater monitoring well" or "well" in the procedure is used to denote groundwater monitoring wells, groundwater observation wells, piezometers, gas monitoring wells, lysimeters or other devices constructed in similar manner to a well. Certain well constructions (i.e., large-diameter pumping test wells, injection/extraction wells, commercial, residential or industrial water supply wells) may be developed using the information contained in the procedure, but are typically installed using specialized drilling equipment and are typically developed using that equipment by specific methods that are beyond the scope and intent of this field procedure.

2. EQUIPMENT & SUPPLIES

Required

- 1. Water Level Indicator, Sinco or equivalent
- 2. Oil/Water Interface Probe
- 3. Thermometer
- 4. pH meter and buffering/calibration solutions
- 5. Conductivity meter and probe Dissolved oxygen meter and probe
- 7. Turbidity meter and probe
- 8. Oxidation/Reduction Potential meter and probe
- 9. Salinity meter
- 10. Pump (Grundfos, peristaltic, whale etc.)
- 11. Pump accessories (Cables, fittings, tools)
- 12. ¹/₂ in. or 5/8 in. HDPE or Teflon discharge tubing; also silicon tubing for peristaltic pump
- 13. Power source for pump (generator with fuel; automotive battery, rechargeable battery)
- 14. Graduated plastic bucket (5-gallon) or flow meter
- 15. Stopwatch
- 16. Standard decontamination equipment (water jug, buckets or washtubs, brushes, Alconox, distilled water, tap water, methanol, squeeze bottles)

- 17. Ruler, engineer's 6 ft. folding
- 18. Scale, engineer's
- 19. Graduated tape, 100 ft. length, weighted end
- 20. Field Logs & Forms/Field Book 6.
- 21. Site Plan, Maps, Boring and Well Installation Logs
- 22. Personal protective equipment
- 23. Calculator
- 24. Keys to well padlocks/covers
- 25. Paper towels
- 26. Trash bags

Optional:

- Horiba MultiMeter (measures pH, temperature, conductivity, DO, turbidity, and salinity)
- 2. Horiba U-22 Flow Cell (measures pH, temperature, conductivity, DO, turbidity, ORP and salinity)
- 3. ¹ Inertial Pump Materials: Waterra Foot Valves, HDPE Tubing
- 4. Bailers; rope, knife

3. **PROCEDURE**

3.1 Summary of Procedure Purpose and Intent

The primary purpose of developing groundwater quality monitoring wells at sites containing, or potentially containing, solid or hazardous materials or their byproducts, is to create an effective filter pack around the well screen, rectify impact to the formation caused by drilling and the associated drilling fluid, remove fine

Monitoring Well Development Procedure (OP3009)

particles from the formation near the borehole and assist in restoring the natural water quality of the aquifer in the vicinity of the well. The properly developed well ensures the reliable collection of representative ground water samples, of acceptably low turbidity.

Well development induces movement of water in two directions across the well screen and filter pack. This movement removes fines or other foreign materials from within the well, the filter pack, and the surrounding natural formation, creating a stable graded filter yielding water of relatively low turbidity.

3.2 Role of Environmental Professional or Engineer

Groundwater monitoring well development requires evaluation and consideration of a variety of site-specific characteristics, which precludes the use of one single development practice or procedure. The procedure is provided as a guide to aid the environmental professional, geologist or engineer in selecting the technical approach and methodology to effectively complete a well development program.

At the initiation of project planning, the Project Manager, Project Engineer or Scientist, and field personnel, determine any project-specific requirements for groundwater well development. Municipal, state or federal regulations, local practice, client requirements or project requirements may dictate the use of a different or modified well development method.

3.3 General Methods of Monitoring Well Development

There are three general types of well development methods typically employed on small diameter monitoring wells (equal to or less than 4 in. I.D.) installed for environmental purposes:

- Pumping and øverpumping
- Bailing
- Surging with a Surge Block

Well development methods that potentially alter the chemical composition of the groundwater are not acceptable. Therefore, methods that introduce fluids (including water pumped from the well) or air, to accomplish development are generally considered unsuitable. This eliminates several methods commonly used to develop large-diameter water supply wells. These methods include backwashing, jetting, airlift pumping or air surging.

The majority of well development for environmental purposes is conducted by mechanical pumping and overpumping, use of inertial lift pumps, inertial lift pumps with surge blocks, bailers, or a combination of these methods.

3.4 Preliminary Procedures

In preparation for well development activities (and subsequent groundwater quality sampling event), the Project Manager and groundwater developer/sampler reviews project-specific requirements and considerations of the well development and groundwater sampling program.

The information reviewed may include site map or plans, drilling methods and records, well construction records, depth to groundwater data, previous groundwater quality data, data trends, earlier sampling records and field procedures used, and preferred well sampling sequence or sampling order. Identify project documentation needs and records of well development execution.

Other information to be reviewed are specific laboratory analyses to be performed on samples to be obtained from each well, sampling glassware, need for field filtration and container preservatives. Related aspects of the procedure include site health & safety plan review, evaluation of the site physical setting, availability of electrical power, property access permission and constraints, and purge water disposal.

Design the well development program to support the data quality objectives of the chemical analyses of the groundwater samples to be obtained. Based on the types of data to be collected in the field, identify the appropriate types of mechanical purging required (by pumps or other specialized equipment), likelihood of the presence of non-aqueous phase liquid (NAPL) and accommodations for measuring NAPL. Generally, a series of wells are developed starting with the least contaminated well working towards the well exhibiting the most significant contamination, if known.

Other considerations are identifying protocol for personnel protective equipment (PPE) use and specialized handling of purged water and decontamination wastewater, as generated. Recently installed monitoring wells should not be developed before well sealant materials (bentonite annular seal, cement/bentonite grout) have set or cured, typically assumed to be approximately one week.

In some cases, groundwater obtained from wells installed and sealed with a column of cement grout has exhibited artificially high pH, due to migration and influence of the calcium carbonate from the cement. The Project Manager and field representative are cautioned of this possibility, manifested during the well development procedure by inconsistent, unstable or high pH readings.

Table I presents common well development equipment, and lists advantages/disadvantages of the equipment.

3.5 Calculate Volume of Standing Water in Well

Calculate the estimated volume of standing water in the well. Some useful formulae for calculating well volumes are provided below:

• $V = L r^2 (0.163)$

Where:

V = volume of standing water in well, in gallons

- r = internal radius of well, in inches
- L =length of standing water column, in feet

0.163 = derived constant converting well radius in inches to feet, and cubic feet to gallons

Other useful formulae:

• Gallons per 100 ft. = 4.08 * (D)2

Where D = Inside well or borehole diameter, in inches

• Cubic feet of water per 100 ft. = 0.55 * (D)2

Where D = Inside well or borehole diameter, in inches

- 7.48 gallons = 1 cubic foot
- 0.134 cubic feet = 1 gallon

3.6 Field Procedures

3.6.1 Locate Well

Locate the subject well in the field, using site plans, sketches, fixed references or other available documentation. Metal detectors may be useful in locating buried metal well casings; however, non-ferrous (i.e., aluminum or PVC) or missing well casings will not respond to metal detector signals.

Verify well designation, particularly individual wells located in closely spaced well clusters or well nests. If necessary, verify and document the location of the well to be decommissioned, referenced by taped distance to three fixed features, or acquire coordinates using global positioning system (GPS) methods or by instrument survey.

3.6.2 Evaluate Well Integrity and Construction

Evaluate and document condition of protective well casing and surface seal (padlock missing/broken, well cap missing, staining on well riser observed, concrete surface seal cracked, surface runoff entering well etc.). Record well construction material (stainless steel, PVC, fiberglass, galvanized steel, black carbon steel etc.).

Establish/verify monitoring well reference point (i.e., PVC rim, roadway box rim, protective guard pipe casing rim, ground surface).

3.7 Well Development Procedure – Mechanical Pump Method

Mechanical pumps include electrically powered submersible pumps (Grundfos and Whale brands), or suction lift surficial pumps, such as centrifugal or peristaltic types. Pumps may have variable speed controls to regulate discharge rate. Other types of suction lift surface pumps may be driven by internal combustion gasoline engines (not discussed in this procedure).

Monitoring Well Development Procedure (OP3009)

- 1. Follow Preliminary Procedures above, including evaluation of well integrity and documentation of well construction details.
- 2. Don appropriate personnel protective equipment (PPE) as identified in project health & safety plan. Pay particular attention to splash hazards.
- 3. Decontaminate all downhole development equipment prior to placement within wells, between uses in either the same well, or in other wells. Clean and prepare equipment using an Alconox soapy wash, tap water rinse, methanol rinse, and distilled/deionized water rinse. Containerize decontamination rinseate, if required.
- 4. If warranted, measure for possible presence of non-aqueous phase liquids (NAPL), using oil/water interface probe. Modify well development program based on findings and discussion with Project Manager, including postponing/canceling well development.
- 5. Measure well diameter, depth to water (static water level), depth to bottom of well using water level indicator or weighted graduated tape. Calculate standing water volume (see above).
- 6. Verify information on the respective well record, if available, and note any discrepancies. If well logs are not available, determine screen length and depth, if possible, to determine whether the well construction will provide useful data.
- 7. Evaluate obstructions present within the well or material accumulated in bottom of well. The presence of substantial quantity of accumulated materials (i.e., silt > 0.5 ft.) in bottom of well may warrant modifying the well development method to remove the sediment (i.e., use of peristaltic pump or hand bailer to remove sediment).
- 8. Remove any unsuitable dedicated groundwater sampling devices, if present (i.e., Waterra-type inertial pumps and discharge tubing, bailers, SoakEase absorbent material). Retain and discard as solid waste.
- 9. Groundwater purged from the borehole may or may not require containment or may be discharged on the ground in vicinity of well head, depending on groundwater quality, site setting, regulatory considerations and project requirements. Resolve with Project Manager prior to entering field.
- 10. Cut a clean piece of discharge tubing for selected pump (typically ½ in. or 5/8 in. high density polyethylene (HDPE) or Teflon tubing) of sufficient length to fully penetrate the well to its screened depth and to accommodate measuring purge volumes and inorganic parameters at ground surface. Cut tubing should not fall or drop into the well.
- 11. For submersible pumps, attached tubing and lower pump intake into well, suspending pump intake at the approximate midpoint of the saturated zone for water table wells, or at the screen midpoint for deeper wells. Connect power cables and controller box, and operate the pump according to manufacturer's instructions.

Monitoring Well Development Procedure (OP3009)

- 12. Initially operate pump at a discharge rate approximately equal to well recharge rate, using graduated bucket or flow meter and stopwatch to estimate flow, and adjust until drawdown of approximately 0.3 ft. is obtained. At the start of purging, obtain inorganic field parameters of the discharge, in the following order: pH, temperature, specific conductance (conductivity), oxidation-reduction potential (ORP), dissolved oxygen (DO) and turbidity, and record on field forms or in logbook.
- 13. Well development continues until representative groundwater, free from drilling fluids, drill cuttings, accumulated sediment or other materials introduced during the well construction is obtained.

Unless determined by project specific requirements, remove approximately 3 to 5 well volumes, measuring and recording inorganic field parameters for each well volume removed. If, during removal of 3 to 5 well volumes, field parameters have stabilized within 10% for two successive readings, and turbidity has been reduced to 5 nephelometric turbidity units (NTU) or less, then well development is considered complete. Based on discussion with the Project Manager or environmental professional, consider the applicability of Step 14 below, and complete if warranted.

In certain circumstances and based on project objectives, well development may consist of removing a fixed volume of water from the well that is predicated on the drilling method used for well installation. For wells installed without the introduction of drilling fluids (i.e., hollow stem augers, driven well points), three (3) well volumes are removed. For wells where drilling fluids were introduced (i.e., cased borings, rock coring, mud rotary methods), ten (10) well volumes are removed. In these cases, inorganic field parameter readings may be obtained for informational purposes.

- 14. A parallel objective of well development may be to remove drilling fluid lost to the formation(s) that was introduced during the drilling process. This aspect of development is complete when the identified volume of fluid is removed, and stabilized inorganic parameters are achieved.
- 15. If field parameters have not stabilized after Step 13, increase pumping rate to dislodge fine-grained materials from the filter pack, or remove sediment in suspension. It may be necessary to lower pump intake to accommodate drawdown. Avoid pulling coarse sediment into well intake to prevent pump impeller damage.
- 16. If slow recharge rate does not allow for continuous operation, shut off pump, allow well to recharge, and resume pumping at slower rate and well evacuation until discharge water clears. Resume measuring field parameters (Step 13) until stabilized.
- 17. Complete documentation as appropriate.

3.8 Well Development Procedure – Inertial Pump Methods

Inertial pumps use a dedicated pre-cleaned single ball check valve ("foot valve") and HDPE discharge tubing to manually remove water from the well.

- 1. Follow Preliminary Procedures above, including evaluation of well integrity and documentation of well construction details, and Section 5.7, Steps 1 through 10.
- 2. Attach foot valve (i.e. Waterra type) to bottom end of HDPE tubing and lower into well. Allow approximately 2 to 4 ft. extra tubing above well casing for controlling discharge of purge water.
- 3. To remove groundwater from the well, manually lift and lower the HDPE tubing within the well bore by hand, approximately once every three to five seconds, timing the motion to optimize purge water volume removed with each stroke. Clean foot valve if it becomes clogged or obstructed by sediment by carefully removing tubing from well, unthreading the foot valve, and rinsing with distilled water.
- 4. Monitor inorganic field parameters as in Steps 12 to 14, above.
- 5. If slow recharge rate does not allow for continuous purging, allow well to recharge, and resume purging and well evacuation until discharge water clears. Resume measuring field parameters until stabilized. HDPE tubing and foot valves are typically dedicated and left in groundwater well following sampling.
- 6. Complete documentation as appropriate.

3.9 Well Development Procedure - Surge Blocks

Surge blocks can be used in conjunction with pre-cleaned, dedicated inertial pumps (single ball check valve or "foot valve") and HDPE discharge tubing.

- 1. Follow Preliminary Procedures above, including evaluation of well integrity and documentation of well construction details, and Section 5.7, Steps 1 through 10.
- 2. Press fit the surge block device securely onto foot valve (i.e. Waterra type), attach foot valve to bottom end of HDPE tubing and lower into well. Allow approximately 2 to 4 ft. extra tubing above well casing for controlling discharge of purge water.
- 3. To surge the groundwater, lower the surge block into the water column and use as a "plunger" by manually lifting and lowering the HDPE tubing by hand, forcing water to flow into and out of the screened portion of the aquifer. Surge each well for a minimum of 30 minutes to remove the finer material from the aquifer surrounding the borehole, providing a developed zone of uniformly graded sand of higher porosity and higher permeability surrounding the well screen, allowing the water to flow more freely into the well, and reducing potential turbidity.
- 4. Following the surging portion of the well development, remove the surge block from the foot valve, and purge a minimum of one well volume from the well by removing the fine particles brought into the well during surging.
- 5. Monitor inorganic field parameters as in Steps 12 to 14, above.

Monitoring Well Development Procedure (OP3009)

- 6. If slow recharge rate does not allow for continuous purging, allow well to recharge, and resume purging and well evacuation until discharge water clears. Resume measuring field parameters until stabilized. HDPE tubing and foot valves are typically dedicated and left in well following sampling.
- 7. Complete documentation as appropriate.

3.10 Well Development Procedure - Bailers

Hollow, cylindrical bailers are a type of grab sampling device, and may be constructed of stainless steel, Teflon, or PTFE, typically with a single ball check valve fixed on the bottom. They are manually lowered into the well using a rope tether, allowed to collect well water, then lifted from the well. The collected water is discharged to a graduated bucket, and the process repeated until the well is deemed adequately developed. Stainless steel bailers are generally simple to decontaminate. Teflon or PTFE bailers are considered dedicated or disposable after one-time use.

In general, the use of bailers are not a preferred well development method, due to the time required to remove potentially large volumes of development water, especially in deep wells. Their use, however, creates agitation and mixing within the water column, which suspends sediment and fines, incrementally aiding in clearing the well and filter pack, thereby reducing turbidity.

PTFE ("clear") bailers are often used to collect NAPL for thickness measurements or product analysis. Although not discussed in this procedure, bailers are generally not recommended for groundwater sampling overall, and not acceptable for low-flow groundwater sampling in particular, especially sampling for volatile organic compounds (VOCs), volatile petroleum hydrocarbons (VPH), dissolved metals or other analytes requiring field filtration.

3.11 Restoration and Cleanup

The area around the well head and ground surface shall be completely cleaned up of any development materials (plastic sheeting, tubing, paper towels, litter, etc.), and the well secured.

3.12 Documentation

A complete record of the well development procedure should be documented and incorporated into the project file. Complete portions of the Groundwater Sampling Record form, recording the following information:

- Project information, date and personnel present
- Well location and designation
- Well condition inventory
- Presence of NAPL

- Diameter, depth of well, screened interval (if known), depth to static groundwater, volume of standing water column in well
- Detailed description of well development equipment and procedure used
- Time(s) development started and ended
- Incremental and total volume of purge water removed
- Inorganic field parameter measurements
- Comments on discharge water quality
- Modifications to procedures
- Decontamination method, and discharge water management method
- Drum count of accumulated discharge water, if applicable

Appendix C contains a blank Sampling Report (Form #3004), Groundwater Sampling Record (Form #3005), Monitoring Well Development Report (Form #3006) and Low Flow Field Sampling Form (Form #3010) for reference.

3.13 Precision and Bias

This procedure provides qualitative information only; therefore, a precision and bias statement is not applicable.

Material	Туре	Power Requirement	Positive Attributes	Negative Attributes
Mechanical P	umps:			$\bigcirc \bigcirc $
Grundfos Pump	Submersible pump (variable speed)	120V A.C. current	-Lift height only constrained by cable length (+/- 150 ft.) -Controllable, variable flow rate from 0.01 to ≈35 L/minute -Stainless steel disassembles for simple decontamination See note 1	-Requires generator if no power source available -Risk of cross contamination of sample glassware or tubing from generator fuel -Heavy/cumbersome -Sediment may clog pump impellers -2.0 in. minimum well diameter See note 2
GeoDurham	Submersible Pump (variable speed)	12V D.C. current (Automotive battery)	-Portable power supply -Lift height only constrained by cable length (+/- 75 ft) -Controllable, variable flow rate -Stainless steel for simple decontamination See note 1	-Limit on lowest pump speed/discharge -Sediment may clog pump impellers -Power supply limits duration of pump use -2.0 in. minimum well diameter See note 2
Whale Pumps	Submersible pump (variable speed)	12V D.C. current (Automotive battery)	-Portable power supply -Lift height only constrained by cable length (+/- 30 ft.) -Disassembles for simple decontamination -1.5 in. minimum well diameter	-Power supply limits duration of pump use See note 2
Peristaltic Pumps	Suction lift surface pump (single speed)	12V D.C. current (Automotive Battery)	-Good for purging sediment from silt trap during development -Dedicated tubing -Easy to operate -0.5 in. minimum well diameter	-Not appropriate for sampling VOCs (agitation) -Lift limited to ≈25 ft. BGS -Pump rate 0.01 L/min.
Manual Metho				
Inertial Pump	Submersible foot valve with discharge tubing	Manually operated	-Dedicated tubing -Inexpensive -Simple to operate -0.5 in. minimum well diameter	-Depth limited by manual capability to lift tubing (typically 70 to 80 ft.) -Tiring for large volumes of development water -Sediment may clog foot valve
Stainless Steel Bailer	Grab sample device with single check valve	Manually operated	-Disassembles for simple decontamination -Simple to operate	-Not appropriate for groundwater sampling (agitation) -Tiring for large volumes of development water -Splash hazard
Teflon Bailer	Grab sample device with single check valve	Manually operated	-Dedicated -Simple to operate -Inexpensive	-Not appropriate for groundwater sampling (agitation) -Tiring for large volumes of development water -Splash hazard
Clear Bailer	Grab sample device with single check valve	Manually operated	-Dedicated -Simple to operate -Inexpensive -Can collect NAPL for evaluation	-Not appropriate for groundwater sampling (agitation) -Tiring for large volumes of development water -Splash hazard

TABLE 1 **Common Well Development Equipment**

Notes and References:

1.

Appropriate for low flow/low stress groundwater sampling. Not appropriate if DNAPL/LNAPL present in monitoring well. 2.

APPENDIX A REFERENCES

A.1 Reference Procedures

- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5521-94, "Standard Guide for Development of Groundwater Monitoring Wells in Granular Aquifers."
- Puls, R.W., Barcelona, M.J., 1996. "Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures," US EPA Ground Water Issue, US Environmental Protection Agency. Office of Solid Waste, EPA/540/S-95/504, pp. 1 to 12.
- US Environmental Protection Agency, Region I, (30 July 1996). "Low Stress (Low Flow) Purging and Sampling Procedure for the Collection of Ground Water Samples from Monitoring Wells," SOP # GW 0001, Revision 2.

A.2 Other References

- US Environmental Protection Agency, 1992. Office of Solid Waste," RCRA Groundwater Monitoring: Draft Technical Guidance," EPA/530/R-93/001, NTIS PB 93-139350, November 1992, pp. 6-46 to 6-50.
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D6634-01, "Standard Guide for the Selection of Purging and Sampling Devices for Groundwater Monitoring Wells."
- American Society for Testing and Materials, current edition, "Annual Book of ASTM Standards," Vol.04.08, D5903-96 (Reapproved 2001), "Standard Guide for Planning and Preparing for a Groundwater Sampling Event."
- Massachusetts Department of Environmental Protection, "Standard References For Monitoring Wells," January 1991, document WSC-310-91, Section 4.5 Well Development.

A.3 COMMENTS ON REFERENCE PROCEDURES

The procedures and equipment listed in EFP No. 01a and used by Haley & Aldrich are generally as specified in the ASTM and US EPA Reference Procedures. Deviations of EFP No. 01a from the Reference Procedures are not provided. The procedure described in Section 5 has been developed to assist Haley & Aldrich personnel in performing well development, and in some cases simplifies the Reference Procedures.

Monitoring Well Development Procedure (OP3009)

APPENDIX B RELATED HALEY & ALDRICH PROCEDURES

- OP2020 Groundwater Monitoring (Observation) Well Abandonment
- OP2031 Groundwater Monitoring (Observation) Well Installation
- OP3000 General Environmental Field Procedures and Protocols
- OP3007 Procedures for Surface Water Sampling
- OP3008 Manual Water Level Measurement Procedure
- OP3010 Groundwater Quality Sampling Procedure
- OP3012 Low Stress/Low Flow Groundwater Sample Collection Procedure
- OP3014 NAPL Monitoring and Sampling
- OP3015 Aquifer Parameter Testing Procedure

Monitoring Well Development Procedure (OP3009)

APPENDIX C FORMS

- 3004 Sampling Report
- 3005 Groundwater Sampling Record
- 3006 Monitoring Well Development Report
- **3010** Low Flow Field Sampling Form

HALEY ALDRI	(& CH	SAN	APLI	ING RECORI)	Page	of				
PROJECT				н	&A FILE NO.	8					
LOCATION	r				ROJECT MGR.						
	·										
CLIENT					ELD REP						
CONTRAC	FOR	DATE									
Weather				Te	emperature						
	ace Conditions	Dry 🗌 Wet	🗌 Da		Snow (in)	Other					
Comments											
		SOIL SAMPLING	G AND SUR	FACE WATER SAMPLING INI							
Sample	Location	Depth (ft)	Time	Sample Description	Sampli		Container				
No.	Location	Deptil (It)	Thire	Sample Description	Devic	e Prodedure	Туре				
							+				
L											
							1				
							+				
							1				
							1				
							+				
							1				
							-				
							+				
							+				
							<u> </u>				
General Con	nments: (ie: field filtrati	ons, persons comm	unicated wit	h at site, etc.)	1		<u>.</u>				
	(.e	, _F									

LOC CLIF CON	PROJECT M FIELD REP DATE				
	RMATION				
Well 1	No.				
Water	Depth (ft)				
Time					
Produ	ct				
Depth	Of Well (ft)				
Inside	Diameter (in)				
Standi	ing Water Depth (ft) ⁽¹⁾				
Volun	ne Of Water In Well (gal)				
Purgir	ng Device				
Volun	ne of Bailer/Pump Capacity				
Cleani	ing Procedure				
Bails l	Removed/ Volume Removed				
Time	Purging Started				
Time	Purging Stopped				
Sampl	ling Device				
Cleani	ing Procedure				
z	VOA				
CAKE	ABN				
LES 1	Metals				
TIME SAMPLES TAKEN					
IME S					
T					
	Color				
	Odor				

GROUNDWATER SAMPLING RECORD

PROJECT

HALEY & ALDRICH

H&A FILE NO.

Page

рΗ

Conductivity

Dissolved Oxygen Temp, ⁰ C Salinity

Remarks: (ie: field filtrations, persons communicated with at site, etc.)

1. Standing Water Depth = Depth of Well - Water Depth

Turbidity

PARAMETERS

ALEY &	MONITORING WELL								
	DEVELOPMENT REPORT								
DJECT CATION ENT NTRACTOR EVATION SUBTRAHEN	D	FIELD REP.	Page 1 of 1						
	f Water Lost During Drilling:		gallons						
Depth to Water Befo	re Development:		feet						
_	n Before Development:								
Turubitiy of Water H	Before Development:		NTU						
Volume of Water Re Comments:	moved:		gallons						
Method of Removal (Comments:	(bailing, pumping):								
_	n After Development:		feet						
Depth to Water After Comments:	r Development:		feet						
Turubitiy of Water A Comments:	After Development:		NTU						

HALEY ALDRI	(& . CH		L	OW FI	LOW/]	MNA	FIELI) SAM	PLIN	G FOR	RM	Page of
PROJECT LOCATION CLIENT CONTRACT							- - -				H&A FILE NO. PROJECT MGR. FIELD REP DATE	
Sampling Da Well ID: Start time: Finish Tin			Depth To	th: Top Of Screen Bottom Of Scr	:					ft ft		Well: Yes No
Elapsed Time (24 hour)	Depth To Water From Casing (ft)	Pump Setting (ml/min) or (gal/min)	Purge Rate (ml/min) or (gal/min)	Cumulative Purge Vol. (liters) or (gal)	Temp- erature (°F) or (°C)	рН	Conduct- ivity (us/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	ORP/eH (mv)		Comments

OPERATING PROCEDURE: OP3016

SLUG TESTS

PREPARATION AND APPROVALS

VERSION	AUTHORED/DATE	REVIEWED /	REVIEWED /	REVIEWED /	APPROVED /
		DATE	DATE	DATE	DATE
Ver. 0.0	MGB	DBK/ 02-03			JAK/
					September 2003

Total Pages: 14

[©] Haley & Aldrich, Inc., 2003



Page

1

1 2

3

3

3

4

6

A-1

B-1

C-1

D-1

TABLE OF CONTENTS

1. **PURPOSE**

- 1.1 Introduction
- 1.2 Considerations

2. EQUIPMENT & SUPPLIES

3. **PROCEDURE**

- 3.1 Pre-testing Preparatory Activities
- 3.2 Procedure
- 3.3 Field Documentation

APPENDIX A – References APPENDIX B – Related Haley & Aldrich Procedures APPENDIX C – Forms APPENDIX D – Glossary

OPERATING PROCEDURE: OP3016

SLUG TESTS

1. PURPOSE

1.1 Introduction

This operating procedure (OP) describes the protocol for performing slug tests (in-situ hydraulic conductivity tests, rising-head tests, falling-head tests) including preparation, collection of valid field data, and preliminary evaluation of the data.

A slug test is performed to assess the horizontal hydraulic conductivity of a water-bearing zone. Slug tests are accomplished by stressing the screened water-bearing zone through an "instantaneous" displacement of water (with a slug) or removal of water (with a bailer) and subsequently measuring the water level response in the well over time. A very rapid change in the water level in a well can be created using one of these field methods:

- Inserting and rapidly withdrawing a solid dense object (a.k.a. a slug). Solid slugs are the preferred option;
- Removing water using a bailer. Bailers should be used to remove water only if using a slug is not possible;
- Changing the air pressure in a well causing displacement of well fluids (pneumatic displacement method)

The method chosen will depend on project needs, equipment availability, water disposal/treatment options, pertinent laws and regulations, and operator experience.

The protocols that follow assume that field staff can effectively perform one of these methods for rapidly changing the water level in a well at the start of a slug test, and can then use either a manual or automatic procedure for measuring water level response over time. When practical strive to measure slug test response with automatic datalogger devices.

This OP provides only a guideline for performing slug tests. There are many factors that go into performing slug tests in the field and just as many factors that can affect the quality of the data collected. An experienced hydrogeologist or groundwater specialist should be consulted before preparing a slug test program or performing a slug test.

1.2 Considerations

Certain conditions or activities should be avoided when performing slug tests. In general, a person should **not** conduct any type of slug tests in a well if:

- The well contains a pipe, tube, or other obstruction in the depth range where the water level is anticipated to change
- The casing diameter in a well varies in the depth range where the water level is anticipated to change
- The water level in a well has not yet recovered to nearly static conditions (i.e., 90% or more) after a prior disturbance, (e.g., drilling, purging, development, previous well tests, etc.)
- Non-aqueous phase liquid (NAPL) is present in a well
- The water level in the well cannot be appreciably changed due to minimal slug size or volume, large well casing diameter, etc.

A rising-head test should generally not be conducted:

- If the slug or amount of water to be removed cannot be removed nearly instantaneously (i.e., if removal takes over 5% of the "90%-recovery" time)
- By pumping to remove water, unless the amount of water to be removed by the pump can be removed nearly instantaneously and any back-flush can be eliminated;
- By using bailers. If a bailer must be used, avoid:

using a bailer that has a leaky check valve

- *bailing* multiple times instead of creating an instantaneous water level change
- using a bailer with a diameter so close to that of the casing that groundwater is suctioned into the well while the bailer is raised.

Falling-head tests are generally not recommended due to inherent problems associated with reproducibility, the introduction of fluids, and general application restrictions. They are recommended in circumstances when no other option is available. Consult with the Project Manager or an experienced hydrogeologist before undertaking a falling-head test program.

2. EQUIPMENT & SUPPLIES

- A battery-operated water level measurement probe, marked in 0.01-foot increments
- Field books, appropriate field forms (See Appendix C), clipboards, rulers, graph paper, calculator, etc.
- Site maps (property lines, wells, topography, etc.), as needed
- Site-access and well-cap keys, as needed
- A clean bailer or a solid or sealed slug
- Clean rope or string for raising and lowering a bailer or slug
- Appropriate container for withdrawn groundwater and/or decontamination fluids
- Tools necessary for well access (shovel, bolt-cutters, etc.)
- For flowing artesian wells: duct tape, couplings, and extra casing of appropriate diameter for increasing casing height so as to enable measurement of a SWL. (NOTE: Tests on artesian wells are identical to other testing if the casing can be raised to a level above the well's static water level surface. If not, alternative methods such as measurement of pressure may be performed. Appropriate literature or methodologies should be consulted when performing such alternative testing.)
- Data logger and laptop computer with fully charged battery (if required)
- Pressure transducer of appropriate pressure range for the depths of water to be tested, if needed
- Clamps, tape, cable ties, or rope to secure the transducer cable to the well casing

3. **PROCEDURE**

3.1 Pre-testing Preparatory Activities

There are a number of preliminary steps that should be taken prior to conducting slug tests. These include, at a minimum, the following:

- Review requirements of the project Work Plan and Health & Safety Plan to assure compliance with any applicable requirements or regulations.
- Clear all necessary access issues (permission, physical access, permits, etc.).

- Gather all necessary equipment, materials, and tools necessary to adequately perform the tests.
- Identify the monitoring wells, piezometers, or other monitoring points to be used in tests.
- Gather all necessary installation information on the well to be tested and all monitoring.
- Decontaminate all necessary equipment before entering the site or performing tests in accordance with the Work Plan, if required. As necessary or required, decontaminate all impacted equipment prior to tests, between test locations, and after testing is completed. If decontamination cannot or will not be performed and dedicated equipment will not be used then proceed with testing from the least contaminated to most contaminated locations to minimize cross-contamination.
- Determine the most appropriate method to dispose of decontamination water in accordance with the Work Plan, if required. If potentially contaminated, the water should be containerized for subsequent characterization and proper disposal or treatment in accordance with applicable regulations.
- Synchronize all time devices including watches, computer clocks, datalogger and transducer clocks, etc.

Other information potentially needed for proper slug test data interpretation includes:

- Depth-interval of screen or open section in well
- Sandpack porosity (if water levels intersect screen)
- Sandpack diameter (if water levels intersect screen)
- Stratigraphic horizon materials and elevations
- Hydraulic conductivity of bounding low-hydraulic conductivity units, if present
- Ground-surface elevation
- Typical or historical groundwater elevations or depths-to-water

3.2 Procedure

The steps for conducting a slug test are as follows. An attempt to utilize dataloggers to collect water level measurements should be made if at all possible. Manual measurements should only be used if absolutely necessary or to collect back-up data.

- 1. Follow all required "Pre-Test Preparatory Activities", as warranted.
- 2. Measure and record the Static Water Level (SWL) of the well to be tested, in accordance with the Water Level Measurement OP3008.

- 3. Test the pressure transducer and data logger, and obtain well-bottom pressures/water column heights and SWL pressures, using the following steps. **NOTE**: attention must be paid to the maximum allowable immersion depth (i.e., the manufacturer specifications for acceptable pressure range of the transducer, where 1 psi = 2.311 feet of water):
 - Place the pressure transducer at least several feet below the top of water as well as below the projected depth of the lowest part of the bailer or slug to be used.
 - Make pressure readings until three uniform values are read consecutively.
 - Raise the datalogger one (1) foot from its original position. View the pressure reading to confirm that the change in position was accurately reported by the transducer.
 - Lower the pressure transducer to the base of the well, and measure and record the pressure/height of water column. Again, refer to note above regarding maximum allowable immersion depth.
 - Return the transducer to its original position and secure the suspension cable to the well casing. Again, make pressure readings until three uniform values are read consecutively. Compare with the original readings to make sure no drift occurs.
- 4. Perform the following pre-test activities for a *rising-head* test:
 - Allow the slug (or bailer) that will be used to move down into the groundwater. (Fully immerse the bailer if possible. If there is not enough water in the well for the bailer to be fully immersed, then let the bottom of the bailer gently come to rest on the well bottom, or a few inches above the well bottom. Prevent agitation of sediment on the bottom of the well, as sediment in the bailer may keep the check valve from properly sealing.) I don't see how it can ever get to the bottom if the transducer is supposed to be below it
 - Measure falling pressures during recovery using the pressure transducer until the water level in the well re-equilibrates. IMPORTANT: the water level in the well should be allowed to return to near-static conditions (within 0.02 feet) before initiating test.
 - Set the pressure transducer below the base of the immersed bailer or slug. Isn't it already supposed to be in place? See 3, above.
- 5. Start the slug test by creating a nearly instantaneous displacement in water level:
 - Pull the bailer or slug rapidly upwards, either removing it from the well or securing/suspending it within the well several feet above the SWL.
 - Simultaneously pull bailer and to displacing the water, initiate the datalogger, beginning the measuring/recording of rising water levels in the well at the predetermined time frequencies (a logarithmic time scale is usually employed).

- If a bailer is used, listen for cascading water while the bailer is being raised or is suspended. This is a sign of check-valve failure. If failure occurs, clean and repair the valve and start over.
- If a bailer is used, measure the volume of water removed by the bailer after retrieval.
- 6. Continue measuring the water levels as they change over time until the water in the well rises or falls to the limit specified in the Project Work Plan (usually 90% recovery or one hour, whichever comes first). A pre-set logarithmic sampling interval, with increasing intervals of time, is ideal, usually predetermined by the datalogger's default setup.
- 7. Compare the volume of groundwater recovered in the bailer, if one is used, with the volume of groundwater estimated to have been removed from the well (V) based on the initial recorded water-level displacement (H) and borehole radius (r), (e.g., $V=H\pi r^2$). If, for a rising-head test, the static water level lies within the screened section of the well, then the sandpack porosity (n) and radius (R) should be accounted for also in the volume calculation, (e.g., $V=H\pi r^2 + nH\pi(R-r)^2$). A similar comparison can be performed if a slug is used in a falling-head test. If the volume recovered and the calculated volume does not reasonably correlate, based on site-specific conditions, the test should be performed again.
- 8. Record all general and pertinent test data in a field book or on appropriate forms.
- 9. Decontaminate all necessary equipment in accordance with the Work Plan or Equipment Decontamination OPs.
- 10. Properly containerize and label spent decontamination fluids or groundwater removed from the well in accordance with the Work Plan or other waste characterization guidance, OPs, and/or regulations.
- 11. Lock all well caps and secure the site as needed.
- 12. Submit the slug-test data to a qualified scientist or engineer assigned by the Project Manager for interpretation. The data should be interpreted by an experienced hydrogeologist. Calculations should be based on an appropriate model for the known hydrogeologic conditions in the field.

Any variations from these procedures should first be approved by the Project Manager.

3.3 Field Documentation

The following data should be obtained prior to heading into the field and/or in the field during slug tests and recorded appropriately (either on appropriate forms, in a field book, and/or onto an electronic form copied to computer disk):

- Client name
- Site name and location
- Test company, if applicable

- Name of field staff performing the test
- Test date and time
- Well ID
- Well location
- Well casing, screen and borehole diameter
- Well screen or open-hole section diameter
- Total depth of well
- Any unusual well, weather, or hydrologic features or conditions
- Height (measured distance) of well riser or reference point above or below grade
- Test procedure used (solid slug or pneumatic)
- Storage, transport, and disposal methods for any water removed
- Well drilling method (hollow-stem auger, mud rotary, etc.)
- Decontamination procedures
- Problems and solutions to problems encountered during testing
- Static water level
- Slug volume

APPENDIX A REFERENCES

- Bouwer, H. 1979. Groundwater Hydrology. New York: McGraw-Hill Book Company.
- Bouwer, H. 1989. The Bouwer and Rice Slug Test -- An Update. Ground Water, vol. 27, no. 3: 304-309.
- Bouwer, H., and R.C. Rice, 1976. A Slug Test for Determining Hydraulic Conductivity of Unconfined Aquifers with Completely or Partially Penetrating Wells. Water Resour. Res., vol. 12, no. 3: 423-428.
- Butler, J.J., Jr. 1996. Slug Tests in Site Characterization: Some Practical Considerations. Environ. Geoscience., 3: 154-163.
- Butler, J.J., Jr., and Z. Hyder. 1994. An Assessment of the Nguyen and Pinder Method for Slug Test Analysis. Ground Water Monitoring and Remediation, 14: 124-131.
- Butler, J.J., Jr., C.D. McElwee, and W.Z. Liu. 1996. Improving the Quality of Parameter Estimates Obtained from Slug Tests. Ground Water, 34: 480-490.
- Chirlin, G.R. 1989. A critique of the Hvorslev Method for Slug Test Analysis: The Fully Penetrating Well. Ground Water Monitoring Rev., 1: 365-381.
- Cooper, H.H., Jr., J.D. Bredehoeft, and I.S. Papadopulos. 1967. Response of a Finite Diameter Well to an Instantaneous Charge of Water. Water Resour. Res., 3, no. 1: 263-269.
- Cooper, H.H., Jr., J.D. Bredehoeft, and I.S. Papadopulos. 1973. On Analysis of Slug Test Data, Water Resour. Res., vol. 3, no. 4: 1087-1089.
- Domenico, P.A. and Schwartz, F.W. 1990. Physical and Chemical Hydrogeology, John Wiley & Sons, Inc. New York, 824 pp.
- Fetter, C.W. 1993. Contaminant Hydrogeology, Macmillan Publishing Co., New York, 458 pp.
- Fetter, C.W. 1994. Applied Hydrogeology, 3rd Ed., MacMillan College Publishing Company, New York, 691 pp.
- Hvorslev, M.J. 1951. Time Lag and Soil Permeability in Ground-Water Observations. Bull. No. 36, Waterways Exper. Sta., Corps of Engrs., U.S. Army, Vicksburg, Mississippi: 1-50.
- Hyder, Z. and J.J. Butler, Jr. 1995. Slug Tests in Unconfined Formations; An Assessment of the Bouwer and Rice Technique. Ground Water, vol. 33, no. 1: 16-22.

APPENDIX A REFERENCES (Continued)

- Hyder, Z., J.J. Butler Jr., C.D. McElwee, and W.Z. Liu. 1994. Slug Tests in Partially Penetrating Wells. Water Resour. Res., vol. 30: 2913-2919.
- Khilar, K.C. and H.S. Fogler. 1987. Colloidally induced fines migration in porous media. Rev. Chem. Eng. 4, nos. 1-2: 1-149.
- Kruseman, G.P. and N.A. de Ridder. 1990. Analysis and Evaluation of Pumping Test Data, 2nd Ed., International Institute for Land Reclamation and Improvement, the Netherlands: 377 pp.
- Prosser, Pneumatic Displacement Method.
- Shapiro, A.M. and P.A. Hsieh. 1998. How good are estimates of transmissivity from slug tests in fractured rock. Ground Water (in press).
- U.S. Department of the Interior, Bureau of Reclamation. 1985. Ground-Water Manual. United States Government Printing Office. Denver. 480 pp.
- Van der Kamp, G. 1976. Determining aquifer transmissivity by means of well response tests: the underdamped case. Water Resour, Res. 12: 71-77.
- Watson and Burnett, A.D. 1993. Hydrology, an Environmental Approach. Ft. Lauderdale: Buchanon Books. 702 pp.
- Widdowson, M.A., F.J. Molz, and J.G. Melville. 1990. An analysis technique for multilevel and partially penetrating slug test data. Ground Water. 28, no. 6: 937-945.
- Zlotnik, V. 1994. Interpretation of slug and packer tests in anisotropic aquifers. Ground Water. 32, no. 5: 761-766.

APPENDIX B RELATED HALEY & ALDRICH PROCEDURES

- OP1009 Medical Surveillance Program
- OP1010 Health and Safety Plans
- OP 3000 General Environmental
- OP3008 Manual Water Level Measurement
- OP3015 Aquifer Parameter Testing Procedure
- OP3018 Vertical Water Quality Profiling Procedure
- OP3025 Hydraulic Conductivity
- OP3027 Decontamination Procedure

APPENDIX C FORMS



APPENDIX D GLOSSARY

