

2018 ANNUAL GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT

FLY ASH IMPOUNDMENT SIBLEY GENERATING STATION SIBLEY, MISSOURI

Presented To:
KCP&L Greater Missouri Operations Company

SCS ENGINEERS

27213169.18 | January 2019, Revised December 20, 2022

8575 W 110th Street, Suite 100
Overland Park, Kansas 66210
913-681-0030

CERTIFICATIONS


I, John R. Rockhold, being a qualified groundwater scientist and Registered Geologist in the State of Missouri, do hereby certify that the 2018 Annual Groundwater Monitoring and Corrective Action Report for the Fly Ash Impoundment at the Sibley Generating Station was prepared by me or under my direct supervision and fulfills the requirements of 40 CFR 257.90(e).



John R. Rockhold, R.G.

SCS Engineers

I, Douglas L. Doerr, being a qualified licensed Professional Engineer in the State of Missouri, do hereby certify that the 2018 Annual Groundwater Monitoring and Corrective Action Report for the Fly Ash Impoundment at the Sibley Generating Station was prepared by me or under my direct supervision and fulfills the requirements of 40 CFR 257.90(e).



Douglas L. Doerr, P.E.

SCS Engineers

2018 Groundwater Monitoring and Corrective Action Report

Revision Number	Revision Date	Revision Section	Summary of Revisions
0	January 2019	NA	Original Report.
1	December 20, 2022	Addendum 1	Added Addendum 1

Table of Contents

Section	Page
CERTIFICATIONS.....	i
1 INTRODUCTION.....	1
2 § 257.90(e) ANNUAL REPORT REQUIREMENTS.....	1
2.1 § 257.90(e)(1) Site Map.....	1
2.2 § 257.90(e)(2) Monitoring System Changes.....	1
2.3 § 257.90(e)(3) Summary of Sampling Events.....	1
2.4 § 257.90(e)(4) Monitoring Transition Narrative.....	2
2.5 § 257.90(e)(5) Other Requirements.....	2
2.5.1 § 257.90(e) Program Status	2
2.5.2 § 257.94(d)(3) Demonstration for Alternative Detection Monitoring Frequency...	3
2.5.3 § 257.94(e)(2) Detection Monitoring Alternate Source Demonstration.....	3
2.5.4 § 257.95(c)(3) Demonstration for Alternative Assessment Monitoring Frequency	4
2.5.5 § 257.95(d)(3) Assessment Monitoring Concentrations and Groundwater Protection Standards	4
2.5.6 § 257.95(g)(3)(ii) Assessment Monitoring Alternate Source Demonstration	4
2.5.7 § 257.96(a) Demonstration for Additional Time for Assessment of Corrective Measures	5
3 GENERAL COMMENTS.....	5

Appendices

Appendix A Figures

Figure 1: Site Map

Appendix B Tables

Table 1: Appendix III Detection Monitoring Results

Table 2: Detection Monitoring Field Measurements

Appendix C Alternative Source Demonstrations

- C.1 CCR Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (April 2018).
- C.2 Supplemental Data for CCR Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (April 2018).
- C.3 CCR Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (December 2018).
- C.4 Supplemental Data for CCR Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (December 2018).

Addendum 1: 2018 Groundwater Monitoring and Corrective Action Report Addendum 1

1 INTRODUCTION

This 2018 Annual Groundwater Monitoring and Corrective Action Report was prepared to support compliance with the groundwater monitoring requirements of the “Coal Combustion Residuals (CCR) Final Rule” (Rule) published by the United States Environmental Protection Agency (USEPA) in the *Hazardous and Solid Waste Management System; Disposal of Coal Combustion Residuals from Electric Utilities; Final Rule*, dated April 17, 2015 (USEPA, 2015). Specifically, this report was prepared to fulfill the requirements of 40 CFR 257.90 (e). The applicable sections of the Rule are provided below in *italics*, followed by applicable information relative to the 2018 Annual Groundwater Monitoring and Corrective Action Report for the Fly Ash Impoundment at the Sibley Generating Station.

2 § 257.90(E) ANNUAL REPORT REQUIREMENTS

Annual groundwater monitoring and corrective action report. For existing CCR landfills and existing CCR surface impoundments, no later than January 31, 2018, and annually thereafter, the owner or operator must prepare an annual groundwater monitoring and corrective action report. For new CCR landfills, new CCR surface impoundments, and all lateral expansions of CCR units, the owner or operator must prepare the initial annual groundwater monitoring and corrective action report no later than January 31 of the year following the calendar year a groundwater monitoring system has been established for such CCR unit as required by this subpart, and annually thereafter. For the preceding calendar year, the annual report must document the status of the groundwater monitoring and corrective action program for the CCR unit, summarize key actions completed, describe any problems encountered, discuss actions to resolve the problems, and project key activities for the upcoming year. For purposes of this section, the owner or operator has prepared the annual report when the report is placed in the facility’s operating record as required by § 257.105(h)(1). At a minimum, the annual groundwater monitoring and corrective action report must contain the following information, to the extent available:

2.1 § 257.90(E)(1) SITE MAP

A map, aerial image, or diagram showing the CCR unit and all background (or upgradient) and downgradient monitoring wells, to include the well identification numbers, that are part of the groundwater monitoring program for the CCR unit;

A site map with an aerial image showing the Fly Ash Impoundment and all background (or upgradient) and downgradient monitoring wells with identification numbers for the Fly Ash Impoundment groundwater monitoring program is provided as **Figure 1** in **Appendix A**.

2.2 § 257.90(E)(2) MONITORING SYSTEM CHANGES

Identification of any monitoring wells that were installed or decommissioned during the preceding year, along with a narrative description of why those actions were taken;

No new monitoring wells were installed and no wells were decommissioned as part of the CCR groundwater monitoring program for the Fly Ash Impoundment in 2018.

2.3 § 257.90(E)(3) SUMMARY OF SAMPLING EVENTS

In addition to all the monitoring data obtained under §§ 257.90 through 257.98, a summary including the number of groundwater samples that were collected for analysis for each background and

downgradient well, the dates the samples were collected, and whether the sample was required by the detection monitoring or assessment monitoring programs;

Only detection monitoring was conducted during the reporting period (2018). Samples collected in 2018 were collected and analyzed for Appendix III detection monitoring constituents as indicated in **Appendix B, Table 1** (Appendix III Detection Monitoring Results, and **Table 2** (Detection Monitoring Field Measurements). The dates of sample collection, the monitoring program requiring the sample, and the results of the analyses are also provided in these tables. These tables include both the Spring 2018 semiannual detection monitoring data and the Fall 2018 semiannual detection monitoring data.

2.4 § 257.90(E)(4) MONITORING TRANSITION NARRATIVE

A narrative discussion of any transition between monitoring programs (e.g., the date and circumstances for transitioning from detection monitoring to assessment monitoring in addition to identifying the constituent(s) detected at a statistically significant increase over background levels); and

There was no transition between monitoring programs in 2018. Only detection monitoring was conducted in 2018.

2.5 § 257.90(e)(5) OTHER REQUIREMENTS

Other information required to be included in the annual report as specified in §§ 257.90 through 257.98.

A summary of potentially required information and the corresponding section of the Rule is provided in the following sections. In addition, the information, if applicable, is provided.

2.5.1 § 257.90(e) Program Status

Status of Groundwater Monitoring and Corrective Action Program.

The groundwater monitoring and corrective action program is in detection monitoring.

Summary of Key Actions Completed.

- a. completion of the statistical evaluation of the initial Fall 2017 semiannual detection monitoring event per the certified statistical method,
- b. completion of the 2017 Annual Groundwater Monitoring and Corrective Action Report,
- c. completion of a successful alternative source demonstration for the Fall 2017 semiannual detection monitoring event,
- d. completion of the Spring 2018 semiannual detection monitoring sampling and analysis event, and subsequent verification sampling per the certified statistical method,
- e. completion of the statistical evaluation of the Spring 2018 semiannual detection monitoring event per the certified statistical method,
- f. completion of a successful alternative source demonstration for the Spring 2018 semiannual

detection monitoring event, and

g. initiation of the Fall 2018 semiannual detection monitoring sampling and analysis event.

Description of Any Problems Encountered.

No noteworthy problems were encountered.

Discussion of Actions to Resolve the Problems.

Not applicable because no noteworthy problems were encountered.

Projection of Key Activities for the Upcoming Year (2019).

Semiannual Spring and Fall 2019 groundwater sampling and analysis. Completion of verification sampling and analyses and statistical evaluation of Fall 2018 and Spring 2019 detection monitoring data and, if required, alternative source demonstration(s).

2.5.2 § 257.94(d)(3) Demonstration for Alternative Detection Monitoring Frequency

The owner or operator must obtain a certification from a qualified professional engineer or approval from the Participating State Director or approval from EPA where EPA is the permitting authority stating that the demonstration for an alternative groundwater sampling and analysis frequency meets the requirements of this section. The owner or operator must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer or the approval from the Participating State Director or approval from EPA where EPA is the permitting authority in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable because no alternative monitoring frequency for detection monitoring and certification was pursued.

2.5.3 § 257.94(e)(2) Detection Monitoring Alternate Source Demonstration

Demonstration that a source other than the CCR unit caused the statistically significant increase (SSI) over background levels for a constituent or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. In addition, certification of the demonstration is to be included in the annual report.

The following reports are included as **Appendix C**:

- C.1 CCR Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (April 2018).
- C.2 Supplemental Data for CCR Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (April 2018).

2018 Groundwater Monitoring and Corrective Action Report

- C.3 CCR Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (December 2018).
- C.4 Supplemental Data for CCR Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event, Fly Ash Impoundment, Sibley Generating Station (December 2018).

2.5.4 § 257.95(c)(3) Demonstration for Alternative Assessment Monitoring Frequency

The owner or operator must obtain a certification from a qualified professional engineer or approval from the Participating State Director or approval from EPA where EPA is the permitting authority stating that the demonstration for an alternative groundwater sampling and analysis frequency meets the requirements of this section. The owner or operator must include the demonstration providing the basis for the alternative monitoring frequency and the certification by a qualified professional engineer or the approval from the Participating State Director or the approval from EPA where EPA is the permitting authority in the annual groundwater monitoring and corrective action report required by § 257.90(e).

Not applicable because there was no assessment monitoring conducted.

2.5.5 § 257.95(d)(3) Assessment Monitoring Concentrations and Groundwater Protection Standards

Include the concentrations of Appendix III and detected Appendix IV constituents from the assessment monitoring, the established background concentrations, and the established groundwater protection standards.

Not applicable because there was no assessment monitoring conducted.

2.5.6 § 257.95(g)(3)(ii) Assessment Monitoring Alternate Source Demonstration

Demonstrate that a source other than the CCR unit caused the contamination, or that the statistically significant increase resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Any such demonstration must be supported by a report that includes the factual or evidentiary basis for any conclusions and must be certified to be accurate by a qualified professional engineer. If a successful demonstration is made, the owner or operator must continue monitoring in accordance with the assessment monitoring program pursuant to this section, and may return to detection monitoring if the constituents in appendices III and IV to this part are at or below background as specified in paragraph (e) of this section. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer or the approval from the Participating State Director or approval from EPA where EPA is the permitting authority.

Not applicable because there was no assessment monitoring conducted.

2.5.7 § 257.96(a) Demonstration for Additional Time for Assessment of Corrective Measures

Within 90 days of finding that any constituent listed in appendix IV to this part has been detected at a statistically significant level exceeding the groundwater protection standard defined under § 257.95(h), or immediately upon detection of a release from a CCR unit, the owner or operator must initiate an assessment of corrective measures to prevent further releases, to remediate any releases and to restore affected area to original conditions. The assessment of corrective measures must be completed within 90 days, unless the owner or operator demonstrates the need for additional time to complete the assessment of corrective measures due to site-specific conditions or circumstances. The owner or operator must obtain a certification from a qualified professional engineer attesting that the demonstration is accurate. The 90-day deadline to complete the assessment of corrective measures may be extended for no longer than 60 days. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer or the approval from the Participating State Director or approval from EPA where EPA is the permitting authority.

Not applicable because there was no assessment monitoring conducted.

3 GENERAL COMMENTS

This report has been prepared and reviewed under the direction of a qualified groundwater scientist and qualified professional engineer. The information contained in this report is a reflection of the conditions encountered at the Sibley Generating Station at the time of fieldwork. This report includes a review and compilation of the required information and does not reflect any variations of the subsurface, which may occur between sampling locations. Actual subsurface conditions may vary and the extent of such variations may not become evident without further investigation.

Conclusions drawn by others from the result of this work should recognize the limitation of the methods used. Please note that SCS Engineers does not warrant the work of regulatory agencies or other third parties supplying information used in the assimilation of this report. This report is prepared in accordance with generally accepted environmental engineering and geological practices, within the constraints of the client's directives. It is intended for the exclusive use of KCP&L Greater Missouri Operations Company for specific application to the Sibley Generating Station Fly Ash Impoundment. No warranties, express or implied, are intended or made.

APPENDIX A

FIGURES

Figure 1: Site Map

N:\KCP\PROJECTS\GROUNDWATER\DWG\SIBLEY\ANNUAL CCR REPORTING\2018\FIG 1 - SIBLEY FLY ASH IMP.DWG




Image courtesy of USGS Earthstar Geographics SIO © 2017 Microsoft Corporation

LEGEND:

- 506 CCR GROUNDWATER MONITORING SYSTEM WELLS
- CCR UNIT BOUNDARY

NOTES:

1. HORIZONTAL & VERTICAL DATUM: URS PLANS FOR CONSTRUCTION, KCP&L SIBLEY GENERATING STATION, DESIGN FILE 16530511.00001, DATED JANUARY 2010
2. GOOGLE EARTH AERIAL IMAGE, MARCH 2015. MONITOR WELL LOCATIONS ARE APPROXIMATE.
3. BOUNDARY AND MONITORING WELL LOCATIONS ARE APPROXIMATE.



REV.		DATE	
SHEET TITLE		SITE MAP	
		FLY ASH IMPOUNDMENT	
		CCR GROUNDWATER MONITORING SYSTEM	
PROJECT TITLE		2018 GROUNDWATER MONITORING AND CORRECTIVE ACTION REPORT	
CLIENT			
KCP&L GREATER MISSOURI OPERATIONS CO.			
SIBLEY GENERATING STATION			
SIBLEY, MISSOURI			
SCS ENGINEERS		CADD FILE:	
8575 W. 110th St, Ste. 100		FIG 1 - SIBLEY FLY ASH IMP.DWG	
Overland Park, Kansas 66210		DATE:	
PH. (913) 681-0030 FAX. (913) 681-0012		1/21/19	
PROJ. NO. 27213169.18		FIGURE NO.	
DWN. BY: TCW		1	
CHK. BY: JRF			
Q/A. RW. BY: JRF			
PROJ. MGR. JRF			

APPENDIX B

TABLES

Table 1: Appendix III Detection Monitoring Results

Table 2: Detection Monitoring Field Measurements

Table 1
Fly Ash Impoundment
Appendix III Detection Monitoring Results
KCP&L GMO Sibley Generating Station

Well Number	Sample Date	Appendix III Constituents						
		Boron (mg/L)	Calcium (mg/L)	Chloride (mg/L)	Fluoride (mg/L)	pH (S.U.)	Sulfate (mg/L)	Dissolved Solids (mg/L)
MW-801	5/16/2018	0.310	146	117	0.187	7.00	57.7	609
MW-801	6/27/2018	---	---	*109	---	**6.90	---	---
MW-801	8/8/2018	---	---	*106	---	**6.49	---	---
MW-801	11/15/2018	0.285	143	115	0.172	6.78	53.4	586
MW-802	5/16/2018	<0.200	117	49.3	0.249	6.89	33.9	285
MW-802	6/27/2018	---	*65.5	---	---	**6.68	---	---
MW-802	11/15/2018	<0.200	101	52.3	0.222	6.68	34.0	412
MW-803	5/16/2018	2.72	118	15.9	0.301	7.04	124	301
MW-803	11/15/2018	2.90	114	17.2	0.278	7.26	116	480
MW-804	5/16/2018	5.61	172	17.5	0.222	6.83	<5.00	393
MW-804	6/27/2018	*7.06	---	---	---	**7.23	---	---
MW-804	8/8/2018	*7.00	---	---	---	**6.85	---	---
MW-804	11/15/2018	8.07	155	3.9	0.260	7.09	25.8	625
MW-805	5/16/2018	<0.200	98.5	9.88	0.203	7.06	53.7	491
MW-805	6/27/2018	---	---	---	---	**7.78	---	*349
MW-805	11/15/2018	<0.200	98.5	9.45	0.196	7.18	53.2	339
MW-806R	5/16/2018	4.64	145	27.7	0.229	7.26	157	345
MW-806R	11/15/2018	5.56	168	29.0	0.202	7.05	236	699

* Verification sample obtained per certified statistical method and Statistical Analysis of Groundwater

Monitoring Data at RCRA Facilities, Unified Guidance, March 2009.

**Extra Sample for Quality Control Validation or per Standard Sampling Procedure

mg/L - milligrams per liter

S.U. - Standard Units

--- Not Sampled

Table 2
Fly Ash Impoundment
Detection Monitoring Field Measurements
KCP&L GMO Sibley Generating Station

Well Number	Sample Date	pH (S.U.)	Specific Conductivity (µS)	Temperature (°C)	ORP (mV)	Turbidity (NTU)	DO (mg/L)	Water Level (ft btoc)	Groundwater Elevation (ft NGVD)
MW-801	5/16/2018	7.00	882	16.93	133	0.0	7.17	21.19	709.17
MW-801	6/27/2018	**6.90	930	18.39	111	0.0	1.95	21.15	709.21
MW-801	8/8/2018	**6.49	843	18.26	128	0.0	2.95	21.26	709.10
MW-801	11/15/2018	6.78	1060	11.66	121	0.0	4.23	20.29	710.07
MW-802	5/16/2018	6.89	665	18.51	61	0.0	1.45	14.23	716.94
MW-802	6/27/2018	**6.68	597	17.49	115	0.0	3.62	14.41	716.76
MW-802	11/15/2018	6.68	805	11.90	119	0.0	0.00	13.98	717.19
MW-803	5/16/2018	7.04	744	16.95	-124	2.0	1.31	25.00	701.89
MW-803	11/15/2018	7.26	788	13.16	-80	0.0	0.00	22.87	704.02
MW-804	5/16/2018	6.83	1040	17.98	-137	8.4	0.30	29.46	699.00
MW-804	6/27/2018	**7.23	1090	19.66	-178	8.7	0.19	27.33	701.13
MW-804	8/8/2018	**6.85	901	22.14	-149	6.7	0.10	28.42	700.04
MW-804	11/15/2018	7.09	1080	13.75	-119	16.2	0.00	27.81	700.65
MW-805	5/16/2018	7.06	524	18.01	-67	3.0	0.96	26.47	702.32
MW-805	6/27/2018	**7.78	558	21.88	-152	0.0	0.10	24.80	703.99
MW-805	11/15/2018	7.18	586	14.66	-50	6.9	4.37	24.10	704.69
MW-806R	5/16/2018	7.26	805	18.31	-88	17.6	2.98	22.99	706.17
MW-806R	11/15/2018	7.05	1050	14.77	-134	4.0	0.38	21.67	707.49

**Extra Sample for Quality Control Validation or per Standard Sampling Procedure

S.U. - Standard Units

µS - microsiemens

°C - Degrees Celsius

ft btoc - Feet Below Top of Casing

ft NGVD - National Geodetic Vertical Datum (NAVD 88)

NTU - Nephelometric Turbidity Unit

APPENDIX C

ALTERNATIVE SOURCE DEMONSTRATIONS

- C.1 Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event
- C.2. Supplemental Data, Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event
- C.3 Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event
- C.4 Supplemental Data, Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event

C.1 Groundwater Monitoring Alternative Source Demonstration Report October 2017 Groundwater Monitoring Event

**CCR GROUNDWATER MONITORING
ALTERNATIVE SOURCE DEMONSTRATION REPORT
OCTOBER 2017 GROUNDWATER MONITORING EVENT**

**FLY ASH IMPOUNDMENT
SIBLEY GENERATING STATION
SIBLEY, MISSOURI**

Presented To:

KCP&L Greater Missouri Operations Company

Presented By:

SCS ENGINEERS
7311 West 130th Street, Suite 100
Overland Park, Kansas 66213
(913) 681-0030

April 2018
File No. 27213169.17

CERTIFICATIONS

I, John R. Rockhold, being a qualified groundwater scientist and Registered Geologist in the State of Missouri, do hereby certify the accuracy of the information in the CCR Groundwater Monitoring Alternative Source Demonstration Report for the Fly Ash Impoundment at the Sibley Generating Station. The Alternative Source Demonstration was prepared by me or under my direct supervision in accordance with generally accepted hydrogeological practices and the local standard of care.



John R. Rockhold, R.G.
SCS Engineers

I, Douglas L. Doerr, being a qualified licensed Professional Engineer in the State of Missouri, do hereby certify the accuracy of the information in the CCR Groundwater Monitoring Alternative Source Demonstration Report for the Fly Ash Impoundment at the Sibley Generating Station. The Alternative Source Demonstration was prepared by me or under my direct supervision in accordance with generally accepted engineering practices and the local standard of care.



Douglas L. Doerr, P.E.
SCS Engineers

Table of Contents

Section	Page
CERTIFICATIONS.....	i
1 REGULATORY FRAMEWORK	1
2 STATISTICAL RESULTS	1
3 ALTERNATIVE SOURCE DEMONSTRATION	2
3.1 Upgradient Well Location.....	2
3.2 Box and Whiskers Plots	2
3.3 Piper Diagram Plots	3
3.4 Time Series Plots	3
4 CONCLUSION.....	3
5 GENERAL COMMENTS	4

Appendices

- Appendix A Figure 1**
- Appendix B Box and Whiskers Plots**
- Appendix C Piper Diagram**
- Appendix D Time Series Plots**

1 REGULATORY FRAMEWORK

In accordance with the Coal Combustion Residuals (CCR) Final Rule § 257.94(e)(2), the owner or operator of the CCR unit may demonstrate that a source other than the CCR unit caused the statistically significant increase (SSI) over background levels for a constituent, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. The owner or operator must complete the written demonstration within 90 days of detecting a SSI over background levels to include obtaining a certification from a qualified professional engineer verifying the accuracy of the information in the report. If a successful demonstration is completed within the 90-day period, the owner or operator of the CCR unit may continue with a detection monitoring program under § 257.94. If a successful demonstration is not completed within the 90-day period, the owner or operator of the CCR unit must initiate an assessment monitoring program as required under § 257.95. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer.

2 STATISTICAL RESULTS

Statistical analysis of monitoring data from the groundwater monitoring system for the Fly Ash Impoundment at KCP&L Greater Missouri Operations Company's Sibley Generating Station has been completed in substantial compliance with the "Statistical Method Certification by a Qualified Professional Engineer" document dated October 12, 2017. Groundwater samples were collected and analyzed by October 17, 2017. A statistical analysis was conducted to determine whether there is a SSI over background values for each constituent listed in Appendix III to Part 257-Constituents for Detection Monitoring.

If an SSI is preliminarily identified by the prediction limit analysis, verification retesting will be performed in accordance with the certified statistical method and the resampling plan to verify the result is not due to an error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Up to two rounds of verification sampling and retesting may be conducted. Verification retesting with a "1 of 2" or "1 of 3" resampling plan is performed by collecting a verification sample(s) and comparing it to the calculated prediction limit. If the resulting concentration of any verification sample is not above the prediction limit, then an SSI has not occurred.

Determinations of SSIs for the Fly Ash Impoundment at the Sibley Generating Station were completed no later than January 15, 2018 and placed into the CCR Operating Record.

The completed statistical evaluation identified one Appendix III constituent above its prediction limit. The prediction limit for chloride in monitoring well MW-801 is 104 mg/L. The detection monitoring sample was reported at 119 mg/L. The first verification sample was collected on November 16, 2017 with a result of 125 mg/L. The second verification sample was collected on December 28, 2017 with a result of 136 mg/L. Therefore, in accordance with the Statistical Method Certification, the detection monitoring sample for chloride from monitoring well MW-801 exceeds its prediction limit and is a confirmed SSI over background.

3 ALTERNATIVE SOURCE DEMONSTRATION

An Alternative Source Demonstration (ASD) is a means to provide supporting lines of evidence that something other than a release from a regulated CCR unit caused an SSI. For the above identified SSIs for the Fly Ash Impoundment at the Sibley Generating Station, there are multiple lines of supporting evidence to indicate the above SSIs were not caused by a release from the Fly Ash Impoundment. Select multiple lines of supporting evidence are described as follows.

3.1 UPGRADIENT WELL LOCATION

Figure 1 in Appendix A shows a potentiometric surface contour map indicating the direction of groundwater flow at and near the Fly Ash Impoundment at the time of sampling. Although the groundwater flow directions indicated are for the October 2017 groundwater monitoring event, the flow directions shown are typical. As seen in the map, monitoring well MW-801 is located upgradient from the Fly Ash Impoundment indicating the SSI is not caused by a release from the Fly Ash Impoundment. This demonstrates that a source other than the Fly Ash Impoundment caused the SSI over background levels for chloride, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality.

3.2 BOX AND WHISKERS PLOTS

A commonly accepted method to demonstrate and visualize the distribution of data in a given data set is to construct box and whiskers plots. The basic box plotted graphically locates the median, 25th and 75th percentiles of the data set; the "whiskers" extend to the minimum and maximum values of the data set. The range between the ends of a box plot represents the Interquartile Range, which can be used as an estimate of spread or variability. The mean is denoted by a "+".

When comparing multiple wells or well groups, box plots for each well can be lined up on the same axes to roughly compare the variability in each well. This may be used as an exploratory screening for the test of homogeneity of variance across multiple wells.

Although an SSI was only identified in upgradient well MW-801, box and whiskers plots for chloride in both upgradient monitoring wells MW-801 and MW-802 were compared to box and whisker plots for chloride in the downgradient wells and surface water from the Fly Ash Impoundment and surface water from the permitted Fly Ash Impoundment outfall discharge. The comparison indicates the chloride concentrations in upgradient wells MW-801 and MW-802 are greater than chloride concentrations in each of the downgradient wells and water in and from the impoundment. This demonstrates that a source other than the Fly Ash Impoundment caused the SSI over background levels for chloride, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Box and whisker plots are provided in **Appendix B**.

3.3 PIPER DIAGRAM PLOTS

Piper diagrams are a form of tri-linear diagram, and a widely-accepted method to provide a visual representation of the ion concentration of groundwater. Piper diagrams portray water compositions and facilitate the interpretation and presentation of chemical analysis. They may be used to visually compare the chemical composition of water quality across wells, and aid in determining whether the waters are similar or dis-similar, and can over time indicate whether the waters are mixing.

A piper diagram has two triangular plots on the right and left side of a 4-sided center field. The three major cations are plotted in the left triangle and anions in the right. Each of the three cation/anion variables, in milliequivalents, is divided by the sum of the three values, to produce a percent of total cation/anions. These percentages determine the location of the associated symbol. The data points in the center field are located by extending the points in the lower triangles to the point of intersection. In order for a piper diagram to be produced, the selected data file must contain the following constituents: Sodium (Na), Potassium (K), Calcium (Ca), Magnesium (Mg), Chloride (Cl), Sulfate (SO₄), Carbonate (CO₃), and Bicarbonate (HCO₃).

A piper diagram generated for MW-801 and surface impoundment water from the Fly Ash Impoundment is provided in **Appendix C** and indicates the groundwater from these well does not exhibit the same geochemical characteristics as the impoundment water. The groundwater and the impoundment water plot in totally different hydrochemical facies indicating there is no mixing of the two types of water (groundwater and impoundment water). This demonstrates that a source other than the Fly Ash Impoundment caused the SSI over background levels for chloride or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality.

3.4 TIME SERIES PLOTS

Time series plots provide a graphical method to view changes in data at a particular well (monitoring point) or wells over time. Time series plots display the variability in concentration levels over time and can be used to indicate possible outliers or data errors. More than one well can be compared on the same plot to look for differences between wells. Non-detect data is plotted as censored data at one-half of the laboratory reporting limit. Time series plots can also be used to examine the data for trends.

Time series plots for the CCR monitoring system wells indicate chloride concentrations in both of the upgradient wells exceed chloride concentrations in the downgradient wells. This demonstrates that a source other than the Fly Ash Impoundment caused the SSI over background levels for chloride, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Time series plots are provided in **Appendix D**.

4 CONCLUSION

Our opinion is that a sufficient body of evidence is available and presented above to demonstrate that a source other than the Fly Ash Impoundment caused the SSI over background levels, or that

the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Based on the successful ASD, the owner or operator of the Fly Ash Impoundment may continue with the detection monitoring program under § 257.94.

5 GENERAL COMMENTS

This report has been prepared and reviewed under the direction of a qualified groundwater scientist and qualified professional engineer. Please note that SCS Engineers does not warrant the work of regulatory agencies or other third parties supplying information used in the assimilation of this report. This report is prepared in accordance with generally accepted environmental engineering and geological practices, within the constraints of the client's directives. It is intended for the exclusive use of KCP&L Greater Missouri Operations Company for specific application to the Sibley Generating Station. No warranties, express or implied, are intended or made.

The signature of the certifying registered geologist and professional engineer on this document represents that to the best of his knowledge, information, and belief in the exercise of his professional judgement in accordance with the standard of practice, it is his professional opinion that the aforementioned information is accurate as of the date of such signature. Any opinion or decisions by him are made on the basis of his experience, qualifications, and professional judgement and are not to be construed as warranties or guaranties. In addition, opinions relating to regulatory, environmental, geologic, geochemical and geotechnical conditions interpretations or other estimates are based on available data, and actual conditions may vary from those encountered at the times and locations where data are obtained, despite the use of due care.

Appendix A

Figure 1



LEGEND:
 - 760 - GROUNDWATER SURFACE ELEVATIONS (REPRESENTATIVE OF THIS UNIT)
 MW-503 (699.84) CCR GROUNDWATER MONITORING SYSTEM WELLS (GROUNDWATER ELEVATIONS)
 - - - CCR (SURFACE IMPOUNDMENT UNIT BOUNDARY (EXISTING)
 ← GROUNDWATER FLOW DIRECTION

NOTES:
 1. HORIZONTAL & VERTICAL DATUM: URS PLANS FOR CONSTRUCTION, KCP&L SIBLEY GENERATING STATION, DESIGN FILE 16530511.00001, DATED JANUARY 2010
 2. GOOGLE EARTH AERIAL IMAGE, MARCH 2015. MONITOR WELL LOCATIONS ARE APPROXIMATE.
 3. BOUNDARY AND MONITORING WELL LOCATIONS ARE APPROXIMATE.

Image courtesy of USGS Earthstar Geographics SIO © 2017 Microsoft Corporation




REV.	DATE
SHEET TITLE POTENTIOMETRIC SURFACE MAP (OCT 2017) FLY ASH IMPOUNDMENT	
PROJECT TITLE CCR ALTERNATIVE SOURCE DEMONSTRATION	
CLIENT KCP&L GREATER MISSOURI OPERATIONS CO. SIBLEY GENERATING STATION SIBLEY, MISSOURI	
SCS ENGINEERS 7311 W. 130th St. Ste. 100 Overland Park, Kansas 66213 PH: (913) 681-0030 FAX: (913) 681-0012 PROJ. NO. 2773167.17 DESK. BY: RCW DWN. BY: RCW CHK. BY: JRF S/A. RW. BY: JRF PROJ. MGR. JRF	
CADD FILE: 18-MAR_CCR ASD.DWG	
DATE: 4/16/18	
FIGURE NO. 1	

Appendix B

Box and Whiskers Plots

Box & Whiskers Plot



(bg) = background/upgradient data
%nds = percent non-detects
n = number of samples

Constituent: Chloride Analysis Run 3/5/2018 5:11 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

The basic box plot graphically locates the median, 25th and 75th percentiles of the data set; the "whiskers" extend to the minimum and maximum values of the data set. The range between the ends of a box plot represents the Interquartile Range. The mean is denoted by a "+".

Box & Whiskers Plot

Constituent: Chloride (mg/L) Analysis Run 3/5/2018 5:12 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801 (bg)	802 (bg)	803	804	805	806R	FLYASHOUTFALL	FLYASHPOND
12/15/2015			14.9	17.5	9.51			
12/16/2015	73.6	63.5						
2/17/2016	72.4	55	14.8	14.6	9.86			
5/25/2016							22.2	
5/26/2016	88.2	50.5	14.4	15.5	9.85			21.7
6/2/2016						28.6		
7/19/2016						28.4		
8/23/2016	73.8	46.3	14.9	14.4	10.9	22.9	27	26.1
11/10/2016	88.2	26.6	15	14.2	10.9		32.4	30.5
11/11/2016						22.9		
2/9/2017	78.6	58.6	15.1	15.2	11.2	24.6	39.4	35.2
3/22/2017						28.1		
5/3/2017	101	53.9	15.9	15	11.5	25.6		
5/4/2017							24.2	23.8
8/1/2017	91.8	43.5	16.3	17.1	10.8	27.3	28.9	33.3
10/4/2017	119	43.1	17.5	15.8	12.8	29.9	30	32
11/16/2017	125		16.1	14.7	11.3			
11/17/2017		46.7				26.3		
12/28/2017	136							
Median	88.2	48.6	15.1	15.1	10.9	26.8	28.9	30.5
LowerQ.	73.8	43.3	14.9	14.5	9.86	23.8	24.2	23.8
UpperQ.	119	56.8	16.2	16.5	11.4	28.5	32.4	33.3
Min	72.4	26.6	14.4	14.2	9.51	22.9	22.2	21.7
Max	136	63.5	17.5	17.5	12.8	29.9	39.4	35.2
Mean	95.2	48.8	15.5	15.4	10.9	26.5	29.2	28.9

Box & Whiskers Plot

Sibley Client: SCS Engineers Data: Sibley Printed 3/5/2018, 5:12 PM


<u>Constituent</u>	<u>Well</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Std. Err.</u>	<u>Median</u>	<u>Min.</u>	<u>Max.</u>	<u>%NDs</u>
Chloride (mg/L)	801 (bg)	11	95.2	22.3	6.73	88.2	72.4	136	0
Chloride (mg/L)	802 (bg)	10	48.8	10.2	3.24	48.6	26.6	63.5	0
Chloride (mg/L)	803	10	15.5	0.942	0.298	15.1	14.4	17.5	0
Chloride (mg/L)	804	10	15.4	1.12	0.353	15.1	14.2	17.5	0
Chloride (mg/L)	805	10	10.9	0.962	0.304	10.9	9.51	12.8	0
Chloride (mg/L)	806R	10	26.5	2.43	0.768	26.8	22.9	29.9	0
Chloride (mg/L)	FLYASHOUT...	7	29.2	5.68	2.15	28.9	22.2	39.4	0
Chloride (mg/L)	FLYASHPOND	7	28.9	5.11	1.93	30.5	21.7	35.2	0

Appendix C
Piper Diagram

Piper Diagram

%meq/l = percent milliequivalents per liter
 * = Background/Upgradient Well

Cation-Anion Balance = 17.2%.




Analysis Run 3/5/2018 5:30 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

Appendix D
Time Series Plots

Time Series



Constituent: Chloride Analysis Run 4/11/2018 2:51 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Time Series

Constituent: Chloride (mg/L) Analysis Run 4/11/2018 2:52 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801 (bg)	802 (bg)	803	804	805	806R	FLYASHOUTFALL	FLYASHPOND
12/15/2015			14.9	17.5	9.51			
12/16/2015	73.6	63.5						
2/17/2016	72.4	55	14.8	14.6	9.86			
5/25/2016							22.2	
5/26/2016	88.2	50.5	14.4	15.5	9.85			21.7
6/2/2016						28.6		
7/19/2016						28.4		
8/23/2016	73.8	46.3	14.9	14.4	10.9	22.9	27	26.1
11/10/2016	88.2	26.6	15	14.2	10.9		32.4	30.5
11/11/2016						22.9		
2/9/2017	78.6	58.6	15.1	15.2	11.2	24.6	39.4	35.2
3/22/2017						28.1		
5/3/2017	101	53.9	15.9	15	11.5	25.6		
5/4/2017							24.2	23.8
8/1/2017	91.8	43.5	16.3	17.1	10.8	27.3	28.9	33.3
10/4/2017	119	43.1	17.5	15.8	12.8	29.9	30	32
11/16/2017	125		16.1	14.7	11.3			
11/17/2017		46.7				26.3		
12/28/2017	136							

C.2. Supplemental Data, Groundwater Monitoring Alternative Source
Demonstration Report October 2017 Groundwater Monitoring
Event

Piper Diagram

Analysis Run 1/23/2019 12:18 PM View: Pipers ASD

Sibley Client: SCS Engineers Data: Sibley

Totals (ppm)	Na	K	Ca	Mg	Cl	SO4	HCO3	CO3
801* 5/26/2016	19.1	1.43	147	31	88.2	65.2	304	10
801* 8/23/2016	16.9	1.15	137	25.8	73.8	58.6	288	10
801* 11/10/2016	17	1.21	143	30	88.2	66.5	282	10
FLYASHOUTFALL 5/25/2016	57.2	10.6	73.5	17.9	22.2	187	135	10
FLYASHOUTFALL 8/23/2016	92.1	15.4	98.9	24.6	27	359	130	10
FLYASHOUTFALL 11/10/2016	85.9	12.5	66.1	27.3	32.4	243	144	10
FLYASHPOND 5/26/2016	56.7	13.7	476	52.4	21.7	190	96.6	26.4
FLYASHPOND 8/23/2016	87.9	12.3	97	24.1	26.1	273	171	28.2
FLYASHPOND 11/10/2016	104	14.6	63.8	19.2	30.5	233	113	29.1

C.3 Groundwater Monitoring Alternative Source Demonstration Report May 2018

**CCR GROUNDWATER MONITORING
ALTERNATIVE SOURCE DEMONSTRATION REPORT
MAY 2018 GROUNDWATER MONITORING EVENT**

**FLY ASH IMPOUNDMENT
SIBLEY GENERATING STATION
SIBLEY, MISSOURI**

Presented To:

KCP&L Greater Missouri Operations Company

Presented By:

SCS ENGINEERS

8575 West 110th Street, Suite 100

Overland Park, Kansas 66210

(913) 681-0030

December 2018

File No. 27213169.18


CERTIFICATIONS

I, John R. Rockhold, being a qualified groundwater scientist and Registered Geologist in the State of Missouri, do hereby certify the accuracy of the information in the CCR Groundwater Monitoring Alternative Source Demonstration Report for the Fly Ash Impoundment at the Sibley Generating Station. The Alternative Source Demonstration was prepared by me or under my direct supervision in accordance with generally accepted hydrogeological practices and the local standard of care.



John R. Rockhold, R.G.
SCS Engineers

I, Douglas L. Doerr, being a qualified licensed Professional Engineer in the State of Missouri, do hereby certify the accuracy of the information in the CCR Groundwater Monitoring Alternative Source Demonstration Report for the Fly Ash Impoundment at the Sibley Generating Station. The Alternative Source Demonstration was prepared by me or under my direct supervision in accordance with generally accepted engineering practices and the local standard of care.



Douglas L. Doerr, P.E.
SCS Engineers

Table of Contents

Section	Page
CERTIFICATIONS	i
1 Regulatory Framework	1
2 Statistical Results	1
3 Alternative Source Demonstration	2
3.1 Upgradient Well Location.....	2
3.2 Box and Whiskers Plots.....	2
3.3 Time Series Plots.....	3
3.4 Piper Diagram Plots.....	3
3.5 Boron Stable Isotope Ratio Evaluation	4
4 Conclusion	4
5 References	5
6 General Comments	5

Appendices

- Appendix A Figure 1**
- Appendix B Box and Whiskers Plots**
- Appendix C Time Series Plots**
- Appendix D Piper Diagram and Laboratory Results**
- Appendix E Boron and Stable Isotope Plots and Laboratory Results**

1 REGULATORY FRAMEWORK

Certain owners or operators of Coal Combustion Residuals (CCR) units are required to complete groundwater monitoring activities to evaluate whether a release from the unit has occurred. Included in the activities is the completion of a statistical analysis of the groundwater quality data as prescribed in § 257.93(h) of the CCR Final Rule. If the initial analysis indicates a statistically significant increase (SSI) over background levels, the owner or operator may perform an alternate source demonstration (ASD). In accordance with § 257.94(e)(2), the owner or operator of the CCR unit may demonstrate that a source other than the CCR unit caused the SSI over background levels for a constituent, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. The owner or operator must complete the written demonstration within 90 days of detecting a SSI over background levels to include obtaining a certification from a qualified professional engineer verifying the accuracy of the information in the report. If a successful demonstration is completed within the 90-day period, the owner or operator of the CCR unit may continue with a detection monitoring program under § 257.94. If a successful demonstration is not completed within the 90-day period, the owner or operator of the CCR unit must initiate an assessment monitoring program as required under § 257.95. The owner or operator must also include the demonstration in the annual groundwater monitoring and corrective action report required by § 257.90(e), in addition to the certification by a qualified professional engineer.

2 STATISTICAL RESULTS

Statistical analysis of monitoring data from the groundwater monitoring system for the Fly Ash Impoundment at KCP&L Greater Missouri Operations Company's Sibley Generating Station has been completed in substantial compliance with the "Statistical Method Certification by a Qualified Professional Engineer" document dated October 12, 2017. Detection monitoring groundwater samples were collected on May 17, 2018. Review and validation of the results from the May 2018 Detection Monitoring Event was completed on June 15, 2018, which constitutes completion and finalization of detection monitoring laboratory analyses. A statistical analysis was then conducted to determine whether there was a statistically significant increase (SSI) over background values for each constituent listed in Appendix III to Part 257-Constituents for Detection Monitoring. Two rounds of verification sampling were conducted for certain constituents on June 27, 2018 and August 8, 2018.

If an SSI is preliminarily identified by the prediction limit analysis, verification retesting is performed in accordance with the certified statistical method and the resampling plan to verify the result is not due to an error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Up to two rounds of verification sampling and retesting may be conducted. Verification retesting with a "1 of 2" or "1 of 3" resampling plan is performed by collecting a verification sample(s) and comparing it to the calculated prediction limit. If the resulting concentration of any verification sample is not above the prediction limit, then an SSI is not confirmed.

Determinations of SSIs for the Fly Ash Impoundment at the Sibley Generating Station were completed September 12, 2018 and placed into the CCR Operating Record.

The completed statistical evaluation identified two Appendix III constituents above their respective prediction limits. The prediction limit for boron in monitoring well MW-804 is 5.133 mg/L. The detection monitoring sample was reported at 5.61 mg/L. The first verification re-sample was

collected on June 27, 2018 with a result of 7.06 mg/L. The second verification re-sample was collected on August 8, 2018 with a result of 7.0 mg/L.

Therefore, in accordance with the Statistical Method Certification, the detection monitoring sample for boron from monitoring well MW-804 exceeds its prediction limit and is a confirmed statistically significant increase (SSI) over background.

The prediction limit for chloride in upgradient monitoring well MW-801 is 104.1 mg/L. The detection monitoring sample was reported at 117 mg/L. The first verification re-sample was collected on June 27, 2018 with a result of 109 mg/L. The second verification re-sample was collected on August 8, 2018 with a result of 106 mg/L.

Therefore, in accordance with the Statistical Method Certification, the detection monitoring sample for chloride from upgradient monitoring well MW-801 exceeds its prediction limit and is a confirmed statistically significant increase (SSI) over background.

Determination: A statistical evaluation was completed for all Appendix III detection monitoring constituents in accordance with the certified statistical method. The statistical evaluation identified an SSI above the background prediction limit for boron in monitor well MW-804 and an SSI above the background prediction limit for chloride in upgradient monitor well MW-801.

3 ALTERNATIVE SOURCE DEMONSTRATION

An Alternative Source Demonstration (ASD) is a means to provide supporting lines of evidence that something other than a release from a regulated CCR unit caused an SSI. For the above-identified SSIs for the Fly Ash Impoundment at the Sibley Generating Station, there are multiple lines of supporting evidence to indicate the above SSIs were not caused by a release from the Fly Ash Impoundment. Select multiple lines of supporting evidence are described as follows.

3.1 UPGRADIENT WELL LOCATION

Figure 1 in Appendix A shows a potentiometric surface contour map indicating the direction of groundwater flow at and near the Fly Ash Impoundment at the time of sampling. As seen on the map, monitoring well MW-801 is located upgradient from the Fly Ash Impoundment indicating the SSI is not caused by a release from the Fly Ash Impoundment. This demonstrates that a source other than the Fly Ash Impoundment caused the SSI over background levels for chloride, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality.

3.2 BOX AND WHISKERS PLOTS

A commonly accepted method to demonstrate and visualize the distribution of data in a given data set is to construct box and whiskers plots. The basic box plotted graphically locates the median, 25th and 75th percentiles of the data set; the "whiskers" extend to the minimum and maximum values of the data set. The range between the ends of a box plot represents the Interquartile Range, which can be used as an estimate of spread or variability. The mean is denoted by a "+".

When comparing multiple wells or well groups, box plots for each well can be lined up on the same axes to roughly compare the variability in each well. This may be used as an exploratory screening for the test of homogeneity of variance across multiple wells.

The box and whiskers plot for chloride in upgradient monitoring well MW-801 was compared to box and whiskers plots for chloride in the other monitoring system wells. The comparison indicates the chloride concentration in upgradient well MW-801 is higher than the chloride concentrations in the downgradient wells. This demonstrates that a source other than the Fly Ash Impoundment caused the SSIs over background levels for chloride, or that the SSIs resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Box and whisker plots for chloride are provided in **Appendix B**.

3.3 TIME SERIES PLOTS

Time series plots provide a graphical method to view changes in data at a particular well (monitoring point) or wells over time. Time series plots display the variability in concentration levels over time and can be used to indicate possible outliers or data errors (i.e. “spikes”). More than one well can be compared on the same plot to look for differences between wells. Non-detect data is plotted as censored data at one-half of the laboratory reporting limit. Time series plots can also be used to examine the data for trends.

Chloride concentrations for MW-801 were plotted against chloride concentrations in the other monitoring system wells. The comparison indicates the chloride concentration in upgradient well MW-801 is higher than the chloride concentrations in the downgradient wells. This demonstrates that a source other than the Fly Ash Impoundment caused the SSIs over background levels for chloride, or that the SSIs resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Time series plots for chloride are provided in **Appendix C**.

3.4 PIPER DIAGRAM PLOTS

Piper diagrams are a form of tri-linear diagram, and a widely accepted method to provide a visual representation of the ion concentration of groundwater. Piper diagrams portray water compositions and facilitate the interpretation and presentation of chemical analysis. They may be used to visually compare the chemical composition of water quality across wells, and aid in determining whether the waters are similar or dis-similar, and can over time indicate whether the waters are mixing.

A piper diagram has two triangular plots on the right and left side of a 4-sided center field. The three major cations are plotted in the left triangle and anions in the right. Each of the three cation/anion variables, in milliequivalents, is divided by the sum of the three values, to produce a percent of total cation/anions. These percentages determine the location of the associated symbol. The data points in the center field are located by extending the points in the lower triangles to the point of intersection. In order for a piper diagram to be produced, the selected data file must contain the following constituents: Sodium (Na), Potassium (K), Calcium (Ca), Magnesium (Mg), Chloride (Cl), Sulfate (SO₄), Carbonate (CO₃), and Bicarbonate (HCO₃).

A piper diagram with plots for MW-804 was compared to piper diagram plots for three ash pore water samples (ASD-1, ASD-2, and ASD-3) collected in the Fly Ash Impoundment with a Geoprobe® screen-point 15 groundwater sampler. Sample locations are shown on **Figure 1** in **Appendix A**. Samples were collected on the same day for the ash pore water and the well. The analytical reports are provided in **Appendix D** along with the piper diagram. The piper diagram plots indicate the groundwater from MW-804 does not exhibit the same geochemical characteristics as the ash pore water. The groundwater

and the ash pore water plot in different hydrochemical facies indicating there are two types of water (groundwater and ash pore water). This helps demonstrate that a source other than the Fly Ash Impoundment caused the SSI over background levels for boron, or that the SSI resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality.

3.5 BORON STABLE ISOTOPE RATIO EVALUATION

The boron stable isotope ratio in coal and coal ash generally vary significantly from the boron stable isotope ratio found in naturally occurring groundwater. The National Bureau of Standards standard reference material 951 (NBS SRM-951), which is a boric acid, is used as the isotopic standard for boron. Boron has two stable isotopes, ^{10}B and ^{11}B . Isotopic ratios of samples are reported as per mil (‰) differences from NBS SRM-951. The delta value for $^{11}\text{B}/^{10}\text{B}$ is expressed as $\delta^{11}\text{B}$, ‰. Previous studies have found $\delta^{11}\text{B}$ values for coal ash and coal ash leachate samples between -40 ‰ and +6.6 ‰ and most natural groundwaters have $\delta^{11}\text{B}$ values between +10 ‰ and +30 ‰ (Refs. 1, 2, and 3).

A groundwater sample was collected from MW-804 for boron and $\delta^{11}\text{B}$ analysis on November 8, 2018. Additionally, ash pore water samples (ASD-1, ASD-2, and ASD-3) were collected with a Geoprobe® screen-point 15 groundwater sampler on the same day and for the same analysis. Sample locations are shown on **Figure 1** in **Appendix A**. The laboratory reports for the analysis are provided in **Appendix E**.

Boron concentration plotted against $\delta^{11}\text{B}$, ‰ for each of the samples are provided in Appendix E. The boron concentrations in ASD-1 (3.3 mg/L) and ASD-2 (3.56 mg/L) were less than the boron concentration in MW-804 (8.37 mg/L). The ash pore water from ASD-3 had the highest boron concentration at 18.8 mg/L. Although groundwater from MW-804 had a boron concentration less than one of the ash pore water samples, the $\delta^{11}\text{B}$ for the boron from MW-804 was +12.9 ‰ and significantly greater than the $\delta^{11}\text{B}$ for the ash pore water which ranged from -6.18 ‰ to -10.11 ‰. The positive $\delta^{11}\text{B}$ for groundwater from MW-804 demonstrates an alternative source of boron other than the Fly Ash Impoundment.

Below the boron vs $\delta^{11}\text{B}$ plot in **Appendix E**, is a figure (Ref. 4) showing $\delta^{11}\text{B}$ ranges for natural waters from various natural materials and waters impacted by anthropogenic sources. The figure further demonstrates based on $\delta^{11}\text{B}$ values for MW-804 that there is an alternative source of boron other than the Fly Ash Impoundment.

4 CONCLUSION

Our opinion is that a sufficient body of evidence is available and presented above to demonstrate that a source other than the Fly Ash Impoundment caused the SSIs over background levels, or that the SSIs resulted from error in sampling, analysis, statistical evaluation, or natural variation in groundwater quality. Based on the successful ASDs, the owner or operator of the Fly Ash Impoundment may continue with the detection monitoring program under § 257.94.

5 REFERENCES

1. **Buska, Paul M., Fitzpatrick, John and Watson, Lee R. and Kay, Robert T.** *Evaluation of Ground-Water and Boron Sources by Use of Boron Stable-Isotope Ratios, Tritium, and Selected Water Chemistry Constituents near Beverly Shores, Northwestern Indiana*, 2004. U.S. Geological Survey Scientific Investigations Report 2007-5166. 2007).
2. *A Twenty-Month Geochemical and Isotopic Investigation into Environmental Impacts of the 2008 TVA Coal Ash Spill, - May.* **Ruhl, Laura S. and Vengosh, Avner and Dwyer, Gary S. and Hsu-Kim, Heileen and Deonarine, Amrika.** Denver, CO, USA : s.n., 2011. 2011 World of Coal Ash (WOCA) Conference - May 9-12, 2011.
3. *Boron and Strontium Isotopic Characterization of Coal Combustion Residuals: Validation of Novel Environmental Tracers*, Paper No. 30616-208920. **Ruhl, Laura.** Charlotte, NC : s.n., 2012. 2012 Geological Society of America Annual Meeting and Exposition, 4-7 November.
4. **Ruhl, Laura.** *Geochemical and Isotopic Characterization of Coal Combustion Residuals: Implications for Potential Environmental Impacts.* Dissertation submitted in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Earth and Ocean Sciences in the Graduate School of Duke University, 2012.

6 GENERAL COMMENTS

This report has been prepared and reviewed under the direction of a qualified groundwater scientist and qualified professional engineer. Please note that SCS Engineers does not warrant the work of regulatory agencies or other third parties supplying information used in the assimilation of this report. This report is prepared in accordance with generally accepted environmental engineering and geological practices, within the constraints of the client's directives. It is intended for the exclusive use of KCP&L Greater Missouri Operations Company for specific application to the Sibley Generating Station. No warranties, express or implied, are intended or made.

The signature of the certifying registered geologist and professional engineer on this document represents that to the best of their knowledge, information, and belief in the exercise of his professional judgement in accordance with the standard of practice, it is his professional opinion that the aforementioned information is accurate as of the date of such signature. Any opinion or decisions by them are made on the basis of his experience, qualifications, and professional judgement and are not to be construed as warranties or guaranties. In addition, opinions relating to regulatory, environmental, geologic, geochemical and geotechnical conditions interpretations or other estimates are based on available data, and actual conditions may vary from those encountered at the times and locations where data are obtained, despite the use of due care.

Appendix A

Figure 1



- LEGEND:**
- 760 — GROUNDWATER POTENTIOMETRIC SURFACE ELEVATIONS (REPRESENTATIVE OF THIS UNIT)
 - 601 (734.55) GROUNDWATER MONITORING SYSTEM WELLS (GROUNDWATER ELEVATION)
 - ASD-2 GEOPROBE® PORE WATER SAMPLE LOCATION
 - FLY ASH IMPOUNDMENT UNIT BOUNDARY
 - ← GROUNDWATER FLOW DIRECTION

- NOTES:**
1. HORIZONTAL & VERTICAL DATUM: URS PLANS FOR CONSTRUCTION, KCP&L SIBLEY GENERATING STATION, DESIGN FILE 16530511.00001, DATED JANUARY 2010
 2. GOOGLE EARTH AERIAL IMAGE. APRIL 2018.
 3. BOUNDARY AND MONITORING WELL WELL LOCATIONS SHOWN ARE APPROXIMATE.




	REV.	DATE			
SHEET TITLE		POTENTIOMETRIC SURFACE MAP (MAY 2018)			
CLIENT		KCP&L GREATER MISSOURI OPERATIONS CO.			
PROJECT TITLE		FLY ASH IMPOUNDMENT CCR GROUNDWATER MONITORING SYSTEM ALTERNATIVE SOURCE DEMONSTRATION			
CLIENT		KCP&L GREATER MISSOURI OPERATIONS CO. SIBLEY GENERATING STATION SIBLEY, MISSOURI			
SCS ENGINEERS		8875 W. 110th St. Ste. 100 Overland Park, Kansas 66210 PH: (913) 681-0030 FAX: (913) 681-0012			
PROJ. NO.	DRAWN BY:	TITLE:	DATE:	SCALE:	BY:
277313167.18	TGW	JRR	12/07/18	1	JRR
DATE:	12/07/18				
FIGURE NO.	1				

Appendix B

Box and Whiskers Plots

Box & Whiskers Plot



Constituent: Chloride Analysis Run 12/6/2018 4:49 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Box & Whiskers Plot


Sibley Client: SCS Engineers Data: Sibley Printed 12/6/2018, 4:50 PM

<u>Constituent</u>	<u>Well</u>	<u>N</u>	<u>Mean</u>	<u>Std. Dev.</u>	<u>Std. Err.</u>	<u>Median</u>	<u>Min.</u>	<u>Max.</u>	<u>%NDs</u>
Chloride (mg/L)	801 (bg)	10	90.36	17.23	5.447	88.2	72.4	119	0
Chloride (mg/L)	802 (bg)	10	49.03	10.21	3.23	49.9	26.6	63.5	0
Chloride (mg/L)	803	10	15.47	0.9298	0.294	15.05	14.4	17.5	0
Chloride (mg/L)	804	10	15.68	1.264	0.3997	15.35	14.2	17.5	0
Chloride (mg/L)	805	10	10.72	0.9946	0.3145	10.85	9.51	12.8	0
Chloride (mg/L)	806R	10	26.6	2.46	0.7779	27.5	22.9	29.9	0

Appendix C

Time Series Plots

Time Series




Constituent: Chloride Analysis Run 12/6/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Appendix D

Piper Diagram and Laboratory Results

Piper Diagram

Cation-Anion Balance = 4.89%.



Analysis Run 12/7/2018 11:04 AM View: Pipers ASD

Sibley Client: SCS Engineers Data: Sibley

November 16, 2018

SCS Engineers - KS

Sample Delivery Group: L1042988
Samples Received: 11/09/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210




Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
MW-804 L1042988-01	5	
MW-805 L1042988-02	6	
MW-806R L1042988-03	7	
Qc: Quality Control Summary	8	
Wet Chemistry by Method 2320 B-2011	8	
Wet Chemistry by Method 9056A	9	
Metals (ICP) by Method 6010B	11	
Gl: Glossary of Terms	12	
Al: Accreditations & Locations	13	
Sc: Sample Chain of Custody	14	

SAMPLE SUMMARY



MW-804 L1042988-01 GW

Collected by: Jason Franks
 Collected date/time: 11/08/18 15:35
 Received date/time: 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 2320 B-2011	WG1196769	1	11/15/18 18:18	11/15/18 18:18	GB
Wet Chemistry by Method 9056A	WG1194539	1	11/13/18 03:09	11/13/18 03:09	ELN
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:37	ST

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-805 L1042988-02 GW

Collected by: Jason Franks
 Collected date/time: 11/08/18 14:55
 Received date/time: 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 2320 B-2011	WG1196769	1	11/15/18 18:25	11/15/18 18:25	GB
Wet Chemistry by Method 9056A	WG1194539	1	11/13/18 03:20	11/13/18 03:20	ELN
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:39	ST

MW-806R L1042988-03 GW

Collected by: Jason Franks
 Collected date/time: 11/08/18 14:10
 Received date/time: 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 2320 B-2011	WG1196769	1	11/15/18 18:33	11/15/18 18:33	GB
Wet Chemistry by Method 9056A	WG1194539	1	11/13/18 04:03	11/13/18 04:03	ELN
Wet Chemistry by Method 9056A	WG1194539	5	11/13/18 08:41	11/13/18 08:41	ELN
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:42	ST



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Alkalinity,Bicarbonate	561000		20000	1	11/15/2018 18:18	WG1196769
Alkalinity,Carbonate	ND		20000	1	11/15/2018 18:18	WG1196769

Sample Narrative:

L1042988-01 WG1196769: Endpoint pH 4.5 HEADSPACE

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	18300		1000	1	11/13/2018 03:09	WG1194539
Fluoride	139		100	1	11/13/2018 03:09	WG1194539
Sulfate	14100		5000	1	11/13/2018 03:09	WG1194539

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	158000		1000	1	11/14/2018 13:37	WG1194483
Magnesium	39800		1000	1	11/14/2018 13:37	WG1194483
Potassium	5760		1000	1	11/14/2018 13:37	WG1194483
Sodium	30100		1000	1	11/14/2018 13:37	WG1194483

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Alkalinity,Bicarbonate	250000		20000	1	11/15/2018 18:25	WG1196769
Alkalinity,Carbonate	ND		20000	1	11/15/2018 18:25	WG1196769

Sample Narrative:

L1042988-02 WG1196769: Endpoint pH 4.5 HEADSPACE

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	9120		1000	1	11/13/2018 03:20	WG1194539
Fluoride	137		100	1	11/13/2018 03:20	WG1194539
Sulfate	50100		5000	1	11/13/2018 03:20	WG1194539

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	97600		1000	1	11/14/2018 13:39	WG1194483
Magnesium	14000		1000	1	11/14/2018 13:39	WG1194483
Potassium	ND		1000	1	11/14/2018 13:39	WG1194483
Sodium	8850		1000	1	11/14/2018 13:39	WG1194483

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Alkalinity,Bicarbonate	287000		20000	1	11/15/2018 18:33	WG1196769
Alkalinity,Carbonate	ND		20000	1	11/15/2018 18:33	WG1196769

Sample Narrative:

L1042988-03 WG1196769: Endpoint pH 4.5 HEADSPACE

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	27200		1000	1	11/13/2018 04:03	WG1194539
Fluoride	150		100	1	11/13/2018 04:03	WG1194539
Sulfate	184000		25000	5	11/13/2018 08:41	WG1194539

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	153000		1000	1	11/14/2018 13:42	WG1194483
Magnesium	21400		1000	1	11/14/2018 13:42	WG1194483
Potassium	3460		1000	1	11/14/2018 13:42	WG1194483
Sodium	29000		1000	1	11/14/2018 13:42	WG1194483

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Method Blank (MB)

(MB) R3360673-1 11/15/18 16:00

Analyte	MB Result ug/l	<u>MB Qualifier</u>	MB MDL ug/l	MB RDL ug/l
Alkalinity,Bicarbonate	U		2710	20000
Alkalinity,Carbonate	U		2710	20000

Sample Narrative:

BLANK: Endpoint pH 4.5

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3359264-1 11/12/18 17:12

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1043056-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1043056-07 11/13/18 05:19 • (DUP) R3359264-6 11/13/18 05:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	16800	17900	1	6.23		15
Fluoride	ND	70.5	1	0.000		15
Sulfate	21200	21700	1	2.55		15

L1042988-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1042988-02 11/13/18 03:20 • (DUP) R3359264-3 11/13/18 03:31

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	9120	9540	1	4.50		15
Fluoride	137	196	1	16.9	P1	15
Sulfate	50100	50900	1	1.65		15

Laboratory Control Sample (LCS)

(LCS) R3359264-2 11/12/18 17:23

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Chloride	40000	39200	97.9	80.0-120	
Fluoride	8000	7910	98.8	80.0-120	
Sulfate	40000	40000	100	80.0-120	



L1043056-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1043056-07 11/13/18 05:19 • (MS) R3359264-7 11/13/18 05:41

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50000	16800	65400	97.1	1	80.0-120	
Fluoride	5000	ND	4980	98.6	1	80.0-120	
Sulfate	50000	21200	70100	97.8	1	80.0-120	

L1042988-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1042988-02 11/13/18 03:20 • (MS) R3359264-4 11/13/18 03:41 • (MSD) R3359264-5 11/13/18 03:52

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50000	9120	58000	58900	97.8	99.5	1	80.0-120			1.45	15
Fluoride	5000	137	5140	5250	99.4	102	1	80.0-120			2.11	15
Sulfate	50000	50100	98100	98600	96.0	97.0	1	80.0-120			0.474	15

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3359958-1 11/14/18 12:59

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Calcium	U		46.3	1000
Magnesium	U		11.1	1000
Potassium	111	↓	102	1000
Sodium	356	↓	98.5	1000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3359958-2 11/14/18 13:01 • (LCSD) R3359958-3 11/14/18 13:03

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Calcium	10000	10200	10200	102	102	80.0-120			0.00148	20
Magnesium	10000	10300	10300	103	103	80.0-120			0.366	20
Potassium	10000	9480	9510	94.8	95.1	80.0-120			0.377	20
Sodium	10000	9870	9830	98.7	98.3	80.0-120			0.417	20

L1043056-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1043056-10 11/14/18 13:06 • (MS) R3359958-5 11/14/18 13:11 • (MSD) R3359958-6 11/14/18 13:13

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Calcium	10000	30800	40000	40100	92.1	92.7	1	75.0-125			0.169	20
Magnesium	10000	6480	16400	16600	99.5	102	1	75.0-125			1.30	20
Potassium	10000	ND	9650	9670	94.0	94.2	1	75.0-125			0.146	20
Sodium	10000	19200	30300	30500	111	113	1	75.0-125			0.629	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

November 16, 2018

SCS Engineers - KS

Sample Delivery Group: L1042994
Samples Received: 11/09/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210










Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	4	
Sr: Sample Results	5	
ASD-1 L1042994-01	5	
ASD-2 L1042994-02	6	
ASD-3 L1042994-03	7	
Qc: Quality Control Summary	8	
Wet Chemistry by Method 2320 B-2011	8	
Wet Chemistry by Method 9056A	9	
Metals (ICP) by Method 6010B	11	
Gl: Glossary of Terms	12	
Al: Accreditations & Locations	13	
Sc: Sample Chain of Custody	14	

SAMPLE SUMMARY



ASD-1 L1042994-01 GW

Collected by Jason Franks
Collected date/time 11/08/18 11:20
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 2320 B-2011	WG1196769	1	11/15/18 18:47	11/15/18 18:47	GB
Wet Chemistry by Method 9056A	WG1194539	1	11/13/18 07:08	11/13/18 07:08	ELN
Wet Chemistry by Method 9056A	WG1194539	5	11/13/18 08:52	11/13/18 08:52	ELN
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:45	ST

1
Cp

2
Tc

3
Ss

4
Cn

ASD-2 L1042994-02 GW

Collected by Jason Franks
Collected date/time 11/08/18 12:20
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 2320 B-2011	WG1196769	1	11/16/18 12:53	11/16/18 12:53	GB
Wet Chemistry by Method 9056A	WG1194539	1	11/13/18 07:19	11/13/18 07:19	ELN
Wet Chemistry by Method 9056A	WG1194539	5	11/13/18 09:02	11/13/18 09:02	ELN
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:47	ST

5
Sr

6
Qc

7
Gl

8
Al

ASD-3 L1042994-03 GW

Collected by Jason Franks
Collected date/time 11/08/18 13:20
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 2320 B-2011	WG1196769	1	11/16/18 13:07	11/16/18 13:07	GB
Wet Chemistry by Method 9056A	WG1194539	1	11/13/18 07:29	11/13/18 07:29	ELN
Wet Chemistry by Method 9056A	WG1194539	5	11/13/18 09:13	11/13/18 09:13	ELN
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:50	ST

9
Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Alkalinity,Bicarbonate	ND		20000	1	11/15/2018 18:47	WG1196769
Alkalinity,Carbonate	104000		20000	1	11/15/2018 18:47	WG1196769

Sample Narrative:

L1042994-01 WG1196769: Endpoint pH 4.5 HEADSPACE

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	29300		1000	1	11/13/2018 07:08	WG1194539
Fluoride	1560		100	1	11/13/2018 07:08	WG1194539
Sulfate	303000		25000	5	11/13/2018 08:52	WG1194539

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	37100		1000	1	11/14/2018 13:45	WG1194483
Magnesium	ND		1000	1	11/14/2018 13:45	WG1194483
Potassium	38600		1000	1	11/14/2018 13:45	WG1194483
Sodium	178000		1000	1	11/14/2018 13:45	WG1194483

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Alkalinity,Bicarbonate	ND		20000	1	11/16/2018 12:53	WG1196769
Alkalinity,Carbonate	795000		20000	1	11/16/2018 12:53	WG1196769

Sample Narrative:

L1042994-02 WG1196769: Endpoint pH 4.5 HEADSPACE

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	43800		1000	1	11/13/2018 07:19	WG1194539
Fluoride	4420		100	1	11/13/2018 07:19	WG1194539
Sulfate	211000		25000	5	11/13/2018 09:02	WG1194539

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	124000		1000	1	11/14/2018 13:47	WG1194483
Magnesium	17000		1000	1	11/14/2018 13:47	WG1194483
Potassium	82400		1000	1	11/14/2018 13:47	WG1194483
Sodium	497000		1000	1	11/14/2018 13:47	WG1194483

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc



Wet Chemistry by Method 2320 B-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Alkalinity,Bicarbonate	ND		20000	1	11/16/2018 13:07	WG1196769
Alkalinity,Carbonate	592000		20000	1	11/16/2018 13:07	WG1196769

Sample Narrative:

L1042994-03 WG1196769: Endpoint pH 4.5 HEADSPACE

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	41500		1000	1	11/13/2018 07:29	WG1194539
Fluoride	8540		100	1	11/13/2018 07:29	WG1194539
Sulfate	336000		25000	5	11/13/2018 09:13	WG1194539

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	208000		1000	1	11/14/2018 13:50	WG1194483
Magnesium	43800		1000	1	11/14/2018 13:50	WG1194483
Potassium	42200		1000	1	11/14/2018 13:50	WG1194483
Sodium	365000		1000	1	11/14/2018 13:50	WG1194483

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3360673-1 11/15/18 16:00

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Alkalinity,Bicarbonate	U		2710	20000
Alkalinity,Carbonate	U		2710	20000

Sample Narrative:

BLANK: Endpoint pH 4.5

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3359264-1 11/12/18 17:12

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1043056-07 Original Sample (OS) • Duplicate (DUP)

(OS) L1043056-07 11/13/18 05:19 • (DUP) R3359264-6 11/13/18 05:30

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	16800	17900	1	6.23		15
Fluoride	ND	70.5	1	0.000		15
Sulfate	21200	21700	1	2.55		15

L1042988-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1042988-02 11/13/18 03:20 • (DUP) R3359264-3 11/13/18 03:31

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	9120	9540	1	4.50		15
Fluoride	137	196	1	16.9	P1	15
Sulfate	50100	50900	1	1.65		15

Laboratory Control Sample (LCS)

(LCS) R3359264-2 11/12/18 17:23

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Chloride	40000	39200	97.9	80.0-120	
Fluoride	8000	7910	98.8	80.0-120	
Sulfate	40000	40000	100	80.0-120	



L1043056-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1043056-07 11/13/18 05:19 • (MS) R3359264-7 11/13/18 05:41

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50000	16800	65400	97.1	1	80.0-120	
Fluoride	5000	ND	4980	98.6	1	80.0-120	
Sulfate	50000	21200	70100	97.8	1	80.0-120	

L1042988-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1042988-02 11/13/18 03:20 • (MS) R3359264-4 11/13/18 03:41 • (MSD) R3359264-5 11/13/18 03:52

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50000	9120	58000	58900	97.8	99.5	1	80.0-120			1.45	15
Fluoride	5000	137	5140	5250	99.4	102	1	80.0-120			2.11	15
Sulfate	50000	50100	98100	98600	96.0	97.0	1	80.0-120			0.474	15

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3359958-1 11/14/18 12:59

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Calcium	U		46.3	1000
Magnesium	U		11.1	1000
Potassium	111	↓	102	1000
Sodium	356	↓	98.5	1000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3359958-2 11/14/18 13:01 • (LCSD) R3359958-3 11/14/18 13:03

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Calcium	10000	10200	10200	102	102	80.0-120			0.00148	20
Magnesium	10000	10300	10300	103	103	80.0-120			0.366	20
Potassium	10000	9480	9510	94.8	95.1	80.0-120			0.377	20
Sodium	10000	9870	9830	98.7	98.3	80.0-120			0.417	20

L1043056-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1043056-10 11/14/18 13:06 • (MS) R3359958-5 11/14/18 13:11 • (MSD) R3359958-6 11/14/18 13:13

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Calcium	10000	30800	40000	40100	92.1	92.7	1	75.0-125			0.169	20
Magnesium	10000	6480	16400	16600	99.5	102	1	75.0-125			1.30	20
Potassium	10000	ND	9650	9670	94.0	94.2	1	75.0-125			0.146	20
Sodium	10000	19200	30300	30500	111	113	1	75.0-125			0.629	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS
8575 W. 110th Street
Overland Park, KS 66210

Billing Information:

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 1



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



L# L1042994

C187

Acctnum: AQUA0PKS

Template:

Prelogin:

TSR:

PB:

Shipped Via:

Remarks

Sample # (lab only)

-01
02
03

Report to:
Jason Franks

Email To:
Jfranks@scsengineers.com

Project Description:
KCP&L Sibley Generating Station

City/State Collected:
Sibley, MO

Phone: 913-681-0030
Fax: 913-681-0012

Client Project #

Lab Project #

Collected by (print):
Jason Franks

Site/Facility ID #

P.O. #

Collected by (signature):
[Signature]

Rush? (Lab MUST Be Notified)

Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day

Quote #

Date Results Needed

Immediately
Packed on Ice N Y

No. of
Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	ALKBI, ALKCA	125mlhdpe - NoPres	Ca, K, MgNa	250ml HDPE - HNO3	Anions (Cl SO4)	125 ml HDPE - NOPres
ASD-1	Grab	GW	-	11/8/18	1120	3	X	X	X			
ASD-2	↓	GW	-	↓	1220	3	X	X	X			
ASD-3	↓	GW	-	↓	1320	3	X	X	X			

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

RAD SCREEN: <0.5 mR/hr

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:

UPS FedEx Courier

Tracking # 451016617507

Sample Receipt Checklist

COC Seal Present/Intact: NP Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
IF Applicable
VOA Zero Headpace: Y N
Preservation Correct/Checked: Y N

Relinquished by (Signature): *[Signature]*

Date: 11/8/18 Time: 1647

Received by (Signature): *[Signature]*

Trip Blank Received: Yes/No
HCL/MeOH
TBR

Relinquished by (Signature):

Date: Time:

Received by (Signature):

Temp: 2.15°C Bottles Received: 9

Relinquished by (Signature):

Date: Time:

Received for lab by (Signature): *[Signature]*



Date: 11/9/18 Time: 845

If preservation required by Login: Date/Time

Hold: Condition: NCF / OK

Appendix E

Boron and Stable Isotope Plots and Laboratory Results



Report

L1836000



Page 1 (2)

17HVXQ17MHY

Date received **2018-11-22**
Issued **2018-12-07**

SCS Engineers
Jason R. Franks

8575 West 110 Street Suit 100
Overland Park, Kansas 66210
United States

Project **913-749-0716**

Analysis: IR

Your ID	MW-804				
Sampler	Jason R. Franks				
Sampled	2018-11-08				
LabID	U11535495				
Analysis	Results	Unit	Method	Issuer	Sign
Report in Excel*	yes		1	I	IR



Method specification	
1	Analysed according to see separate report in excel.

Approver	
IR	Iliia Rodioushkine

Issuer ¹	
I	Man.Inm.

* indicates unaccredited analysis.

This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory. The results apply only to the material that has been identified, received, and tested. Regarding the laboratory's liability in relation to assignment, please refer to our latest product catalogue or website <http://www.alsglobal.se>

The digitally signed PDF file represents the original report. Any printouts are to be considered as copies.

¹ The technical unit within ALS Scandinavia where the analysis was carried out, alternatively the subcontractor for the analysis.

REPORT OF ANALYSIS



Issued by: ALS Scandinavia AB, Aurorum 10, S-977 75 Luleå, Sweden
Client: SCS Engineers
Date of receipt: 2018-11-22
Date of analysis: 2018-12-03
Order number (our): L1836000
Your reference: Jason R. Franks
Our reference: Ilia Rodushkin

Sample ID	Lab ID	$\delta^{11}\text{B}$, ‰	2 SD
MW-804	U11535495	12.89	0.74
MW-804, r.2	U11535495	13.26	0.82

Comments

The analysis is carried out by MC-ICP-MS (MEPTUNE PLUS, ThermoScientific) and MC-ICP-MS (NEPTUNE PLUS) using internal standardization and external calibration with bracketing isotope SRMs

Analysis is carried out after ion exchange separation

Delta 11B values calculated to NIST SRM 951

SD calculated from two independent consecutive measurements

Signature

A handwritten signature in blue ink, appearing to read 'Ilia Rodushkin'.

Ilia Rodushkin
Associate Professor
LABORATORY MANAGER
ALS Scandinavia AB

Report

L1833729



Page 1 (2)

17HW78DG7V0

Date received **2018-11-22**
Issued **2018-12-07**

SCS Engineers
Jason R. Franks

8575 West 110 Street Suit 100
Overland Park, Kansas 66210
United States

Project **913-749-0716**

This report replaces any previous report with the same number.

Analysis: IR

Your ID	ASD-1				
Sampler	Jason R. Franks				
Sampled	2018-11-08				
LabID	U11535491				
Analysis	Results	Unit	Method	Issuer	Sign
Report in Excel *	yes		1	I	IR

Your ID	ASD-2				
Sampler	Jason R. Franks				
Sampled	2018-11-08				
LabID	U11535492				
Analysis	Results	Unit	Method	Issuer	Sign
Report in Excel *	yes		1	I	IR

Your ID	ASD-3				
Sampler	Jason R. Franks				
Sampled	2018-11-08				
LabID	U11535493				
Analysis	Results	Unit	Method	Issuer	Sign
Report in Excel *	yes		1	I	IR



Method specification	
1	Analysed according to see separate report in excel.

Approver	
IR	Iliia Rodioushkin

Issuer ¹	
I	Man.Inm.

* indicates unaccredited analysis.

This report may not be reproduced other than in full, except with the prior written approval of the issuing laboratory. The results apply only to the material that has been identified, received, and tested. Regarding the laboratory's liability in relation to assignment, please refer to our latest product catalogue or website <http://www.alsglobal.se>

The digitally signed PDF file represents the original report. Any printouts are to be considered as copies.

¹ The technical unit within ALS Scandinavia where the analysis was carried out, alternatively the subcontractor for the analysis.

REPORT OF ANALYSIS



Issued by: ALS Scandinavia AB, Aurorum 10, S-977 75 Luleå, Sweden
Client: SCS Engineers
Date of receipt: 2018-11-22
Date of analysis: 2018-12-03
Order number (our): L1833729
Your reference: Jason R. Franks
Our reference: Ilia Rodushkin

Sample ID	Lab ID	$\delta^{11}\text{B}$, ‰	2 SD
ASD-1	U11535491	-7.53	0.89
ASD-1, r.2	U11535491	-7.08	0.77
ASD-2	U11535492	-10.11	0.90
ASD-3	U11535493	-6.18	0.81

Comments

The analysis is carried out by MC-ICP-MS (MEPTUNE PLUS, ThermoScientific) and MC-ICP-MS (NEPTUNE PLUS) using internal standardization and external calibration with bracketing isotope SRMs

Analysis is carried out after ion exchange separation

Delta 11B values calculated to NIST SRM 951

SD calculated from two independent consecutive measurements

Signature

Ilia Rodushkin
Associate Professor
LABORATORY MANAGER
ALS Scandinavia AB

November 15, 2018

SCS Engineers - KS

Sample Delivery Group: L1042982
Samples Received: 11/09/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210

Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	¹Cp
Tc: Table of Contents	2	²Tc
Ss: Sample Summary	3	³Ss
Cn: Case Narrative	4	⁴Cn
Sr: Sample Results	5	⁵Sr
MW-804 L1042982-01	5	⁴Cn
Qc: Quality Control Summary	6	⁵Sr
Metals (ICP) by Method 6010B	6	⁶Qc
Gl: Glossary of Terms	7	⁷Gl
Al: Accreditations & Locations	8	⁸Al
Sc: Sample Chain of Custody	9	⁹Sc

SAMPLE SUMMARY



MW-804 L1042982-01 GW

Collected by Jason Franks
Collected date/time 11/08/18 15:35
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:32	ST

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	8370		200	1	11/14/2018 13:32	WG1194483

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3359958-1 11/14/18 12:59

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Boron	U		12.6	200

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3359958-2 11/14/18 13:01 • (LCSD) R3359958-3 11/14/18 13:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Boron	1000	1030	1040	103	104	80.0-120			0.658	20

L1043056-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1043056-10 11/14/18 13:06 • (MS) R3359958-5 11/14/18 13:11 • (MSD) R3359958-6 11/14/18 13:13

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Boron	1000	221	1240	1250	102	103	1	75.0-125			0.753	20

⁷Gl

⁸Al

⁹Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA



Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



November 15, 2018

SCS Engineers - KS

Sample Delivery Group: L1042995
Samples Received: 11/09/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210

Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	¹Cp
Tc: Table of Contents	2	²Tc
Ss: Sample Summary	3	³Ss
Cn: Case Narrative	4	⁴Cn
Sr: Sample Results	5	⁵Sr
ASD-1 L1042995-01	5	
ASD-2 L1042995-02	6	⁶Qc
ASD-3 L1042995-03	7	⁷Gl
Qc: Quality Control Summary	8	
Metals (ICP) by Method 6010B	8	⁸Al
Gl: Glossary of Terms	10	
Al: Accreditations & Locations	11	⁹Sc
Sc: Sample Chain of Custody	12	

SAMPLE SUMMARY



ASD-1 L1042995-01 GW

Collected by Jason Franks
Collected date/time 11/08/18 11:20
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 13:53	ST
Metals (ICP) by Method 6010B	WG1194495	1	11/10/18 10:52	11/10/18 15:56	WBD

1
Cp

2
Tc

3
Ss

ASD-2 L1042995-02 GW

Collected by Jason Franks
Collected date/time 11/08/18 12:20
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 14:00	ST
Metals (ICP) by Method 6010B	WG1194495	1	11/10/18 10:52	11/10/18 15:59	WBD

4
Cn

5
Sr

6
Qc

ASD-3 L1042995-03 GW

Collected by Jason Franks
Collected date/time 11/08/18 13:20
Received date/time 11/09/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1194483	1	11/13/18 13:25	11/14/18 14:03	ST
Metals (ICP) by Method 6010B	WG1194495	1	11/10/18 10:52	11/10/18 16:02	WBD

7
Gl

8
Al

9
Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Boron	3330		200	1	11/14/2018 13:53	WG194483
Boron,Dissolved	3160		200	1	11/10/2018 15:56	WG194495

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Boron	3560		200	1	11/14/2018 14:00	WG194483
Boron,Dissolved	2750		200	1	11/10/2018 15:59	WG194495

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Boron	18800		200	1	11/14/2018 14:03	WG194483
Boron,Dissolved	17600		200	1	11/10/2018 16:02	WG194495

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3359958-1 11/14/18 12:59

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Boron	U		12.6	200

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3359958-2 11/14/18 13:01 • (LCSD) R3359958-3 11/14/18 13:03

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Boron	1000	1030	1040	103	104	80.0-120			0.658	20

L1043056-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1043056-10 11/14/18 13:06 • (MS) R3359958-5 11/14/18 13:11 • (MSD) R3359958-6 11/14/18 13:13

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Boron	1000	221	1240	1250	102	103	1	75.0-125			0.753	20

⁷Gl

⁸Al

⁹Sc



Method Blank (MB)

(MB) R3358770-1 11/10/18 14:50

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Boron,Dissolved	U		12.6	200

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3358770-2 11/10/18 14:53 • (LCSD) R3358770-3 11/10/18 14:55

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Boron,Dissolved	1000	1000	989	100	98.9	80.0-120			1.14	20

⁷Gl

⁸Al

L1042719-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1042719-01 11/10/18 14:58 • (MS) R3358770-5 11/10/18 15:03 • (MSD) R3358770-6 11/10/18 15:06

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Boron,Dissolved	1000	ND	1130	1180	95.7	101	1	75.0-125			4.35	20

⁹Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Ai
- 9 Sc

Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

C.4 Supplemental Data, Groundwater Monitoring Alternative Source Demonstration Report May 2018 Groundwater Monitoring Event

Piper Diagram

Analysis Run 1/23/2019 12:14 PM View: Pipers ASD

Sibley Client: SCS Engineers Data: Sibley

Totals (ppm)	Na	K	Ca	Mg	Cl	SO4	HCO3	CO3
804 5/26/2016	27.8	5.99	167	39.8	15.5	2.5	596	10
804 8/23/2016	24.9	4.62	157	37	14.4	2.5	551	10
804 11/10/2016	26.2	4.71	155	39	14.2	2.5	525	10
804 11/8/2018	30.1	5.76	158	39.8	18.3	14.1	561	10
ASD-1* 11/8/2018	178	38.6	37.1	0.5	29.3	303	10	104
ASD-2* 11/8/2018	497	82.4	124	17	43.8	211	10	795
ASD-3* 11/8/2018	365	42.2	208	43.8	41.5	336	10	592

Addendum 1


2018 Groundwater Monitoring and Corrective Action Report Addendum 1

December 20, 2022
File No. 27213167.18

To: Evergy Metro, Inc.
Jared Morrison – Director, Water and Waste Programs

From: SCS Engineers
Douglas L. Doerr, P.E.
John R. Rockhold, P.G.

Subject: 2018 Annual Groundwater Monitoring and Corrective Action Report Addendum 1
Evergy Missouri West, Inc.
Fly Ash Impoundment
Sibley Generating Station – Sibley, Missouri



The Fly Ash Impoundment at the Sibley Generating Station is subject to the groundwater monitoring and corrective action requirements of the “Coal Combustion Residuals (CCR) Final Rule” (Rule); as described in CFR 40 257.90 through CFR 40 257.98. An Annual Groundwater Monitoring and Corrective Action (GWMCA) Report documenting activities completed in 2018 for the Fly Ash Impoundment was completed and placed in the facility’s operating record on January 30, 2019, as required by the Rule. The Annual GWMCA report was to fulfill the requirements specified in 40 CFR 257.90(e).

This Addendum has been prepared to supplement the operating record in recognition of comments received by Evergy from the U.S. Environmental Protection Agency (USEPA) on January 11, 2022. In addition to the information listed in 40 CFR 257.90(e), the USEPA indicated in their comments that the GWMCA Report contain the following:

- Results of laboratory analysis of groundwater or other environmental media samples for 40 CFR 257 Appendix III and Appendix IV constituents or other constituents, such as those supporting characterization of site conditions that may ultimately affect a remedy’
- Required statistical analysis performed on laboratory analysis results; and
- Calculated groundwater flow rate and direction.

This information is not specifically referred to in 40 CFR 257.90(e) for inclusion in the GWMCA Reports; however, it is routinely collected, determined and maintained in Evergy’s files and is being provided in the attachments to this addendum.

The attachments to this addendum are as follows:

- Attachment 1 – Laboratory Analytical Reports:
Includes laboratory data packages with supporting information such as case narrative, sample and method summary, analytical results, quality control, and chain-of-custody documentation. The laboratory data packages for the following sampling events are provided:



- May 2018 – Spring 2018 semiannual detection monitoring sampling event.
 - June 2018 – First verification sampling for the Spring 2018 detection monitoring sampling event.
 - August 2018 – Second verification sampling for the Spring 2018 detection monitoring sampling event.
 - November 2018 - Fall 2018 semiannual detection monitoring sampling event.
- Attachment 2 - Statistical Analyses:

Includes summary of statistical results, prediction limit plots, prediction limit background data, detection sample results, first and second verification re-sample results (when applicable), extra sample results for pH (collected as part of the approved sampling procedures), input parameters, and a Prediction Limit summary table. Statistical analyses completed in 2018 included the following:

 - Fall 2017 semiannual detection monitoring statistical analyses.
 - Spring 2018 semiannual detection monitoring statistical analyses.
 - Attachment 3 - Groundwater Potentiometric Surface Maps:

Includes groundwater potentiometric surface maps with the measured groundwater elevations at each well and the generalized groundwater flow direction and the calculated groundwater flow rate. Maps for the following sampling events are provided:

 - May 2018 - Spring 2018 semiannual detection monitoring sampling event.
 - November 2018 - Fall 2018 semiannual detection monitoring sampling event.

Jared Morrison
December 20, 2022

ATTACHMENT 1
Laboratory Analytical Reports

Jared Morrison
December 20, 2022

ATTACHMENT 1-1
May 2018 Sampling Event Laboratory Report

SCS Engineers - KS

Sample Delivery Group: L995367
Samples Received: 05/19/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
7311 West 130th Street, Ste. 100
Overland Park, KS 66213










Entire Report Reviewed By:



Jeff Carr
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by ESC is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	5	
Sr: Sample Results	6	
MW-701 L995367-01	6	
MW-702 L995367-02	7	
MW-703 L995367-03	8	
MW-704 L995367-04	9	
MW-801 L995367-05	10	
MW-802 L995367-06	11	
MW-803 L995367-07	12	
MW-804 L995367-08	13	
MW-805 L995367-09	14	
MW-806R L995367-10	15	
DUPLICATE 1 L995367-11	16	
Qc: Quality Control Summary	17	
Gravimetric Analysis by Method 2540 C-2011	17	
Wet Chemistry by Method 9056A	19	
Metals (ICP) by Method 6010B	22	
Gl: Glossary of Terms	23	
Al: Accreditations & Locations	24	
Sc: Sample Chain of Custody	25	

SAMPLE SUMMARY



MW-701 L995367-01 GW

Collected by
Whit Martin
Collected date/time
05/16/18 10:40
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114308	1	05/22/18 14:32	05/22/18 16:00	MMF
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 02:08	05/23/18 02:08	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 18:55	ST

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-702 L995367-02 GW

Collected by
Whit Martin
Collected date/time
05/16/18 11:15
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114308	1	05/22/18 14:32	05/22/18 16:00	MMF
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 02:24	05/23/18 02:24	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 18:58	ST

MW-703 L995367-03 GW

Collected by
Whit Martin
Collected date/time
05/16/18 11:50
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114308	1	05/22/18 14:32	05/22/18 16:00	MMF
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 02:39	05/23/18 02:39	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:00	ST

MW-704 L995367-04 GW

Collected by
Whit Martin
Collected date/time
05/16/18 12:20
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114308	1	05/22/18 14:32	05/22/18 16:00	MMF
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 02:55	05/23/18 02:55	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:08	ST

MW-801 L995367-05 GW

Collected by
Whit Martin
Collected date/time
05/16/18 13:10
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114308	1	05/22/18 14:32	05/22/18 16:00	MMF
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 03:41	05/23/18 03:41	MAJ
Wet Chemistry by Method 9056A	WG1114107	5	05/23/18 03:56	05/23/18 03:56	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:11	ST

MW-802 L995367-06 GW

Collected by
Whit Martin
Collected date/time
05/16/18 13:50
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114309	1	05/22/18 13:03	05/22/18 14:08	AJS
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 04:12	05/23/18 04:12	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 18:45	ST

SAMPLE SUMMARY



MW-803 L995367-07 GW

Collected by
Whit Martin
Collected date/time
05/16/18 11:40
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114309	1	05/22/18 13:03	05/22/18 14:08	AJS
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 05:13	05/23/18 05:13	MAJ
Wet Chemistry by Method 9056A	WG1115226	5	05/23/18 23:57	05/23/18 23:57	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:14	ST

1
Cp

2
Tc

3
Ss

4
Cn

MW-804 L995367-08 GW

Collected by
Whit Martin
Collected date/time
05/16/18 12:20
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114309	1	05/22/18 13:03	05/22/18 14:08	AJS
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 05:29	05/23/18 05:29	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:16	ST

5
Sr

6
Qc

7
Gl

8
Al

MW-805 L995367-09 GW

Collected by
Whit Martin
Collected date/time
05/16/18 13:45
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114309	1	05/22/18 13:03	05/22/18 14:08	AJS
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 05:44	05/23/18 05:44	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:19	ST

9
Sc

MW-806R L995367-10 GW

Collected by
Whit Martin
Collected date/time
05/16/18 13:10
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114309	1	05/22/18 13:03	05/22/18 14:08	AJS
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 05:59	05/23/18 05:59	MAJ
Wet Chemistry by Method 9056A	WG1115226	5	05/24/18 00:12	05/24/18 00:12	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:21	ST

DUPLICATE 1 L995367-11 GW

Collected by
Whit Martin
Collected date/time
05/16/18 00:00
Received date/time
05/19/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1114309	1	05/22/18 13:03	05/22/18 14:08	AJS
Wet Chemistry by Method 9056A	WG1114107	1	05/23/18 06:46	05/23/18 06:46	MAJ
Metals (ICP) by Method 6010B	WG1113972	1	05/24/18 07:15	05/24/18 19:24	ST



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Technical Service Representative

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	507000		10000	1	05/22/2018 16:00	WG1114308

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	8830		1000	1	05/23/2018 02:08	WG1114107
Fluoride	107		100	1	05/23/2018 02:08	WG1114107
Sulfate	15200		5000	1	05/23/2018 02:08	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/24/2018 18:55	WG1113972
Calcium	85300		1000	1	05/24/2018 18:55	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	521000		10000	1	05/22/2018 16:00	WG1114308

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	8660		1000	1	05/23/2018 02:24	WG1114107
Fluoride	134		100	1	05/23/2018 02:24	WG1114107
Sulfate	20000		5000	1	05/23/2018 02:24	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/24/2018 18:58	WG1113972
Calcium	87700		1000	1	05/24/2018 18:58	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	499000		10000	1	05/22/2018 16:00	WG1114308

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	18100		1000	1	05/23/2018 02:39	WG1114107
Fluoride	284		100	1	05/23/2018 02:39	WG1114107
Sulfate	ND		5000	1	05/23/2018 02:39	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	824		200	1	05/24/2018 19:00	WG1113972
Calcium	123000		1000	1	05/24/2018 19:00	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	361000		10000	1	05/22/2018 16:00	WG1114308

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	12800		1000	1	05/23/2018 02:55	WG1114107
Fluoride	142		100	1	05/23/2018 02:55	WG1114107
Sulfate	24600		5000	1	05/23/2018 02:55	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/24/2018 19:08	WG1113972
Calcium	91400		1000	1	05/24/2018 19:08	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	609000	J3	10000	1	05/22/2018 16:00	WG1114308

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	117000		5000	5	05/23/2018 03:56	WG1114107
Fluoride	187		100	1	05/23/2018 03:41	WG1114107
Sulfate	57700		5000	1	05/23/2018 03:41	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	310		200	1	05/24/2018 19:11	WG1113972
Calcium	146000		1000	1	05/24/2018 19:11	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	285000		10000	1	05/22/2018 14:08	WG1114309

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	49300		1000	1	05/23/2018 04:12	WG1114107
Fluoride	249		100	1	05/23/2018 04:12	WG1114107
Sulfate	33900		5000	1	05/23/2018 04:12	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/24/2018 18:45	WG1113972
Calcium	117000	<u>V</u>	1000	1	05/24/2018 18:45	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	301000		10000	1	05/22/2018 14:08	WG1114309

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	15900		1000	1	05/23/2018 05:13	WG1114107
Fluoride	301		100	1	05/23/2018 05:13	WG1114107
Sulfate	124000		25000	5	05/23/2018 23:57	WG1115226

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	2720		200	1	05/24/2018 19:14	WG1113972
Calcium	118000		1000	1	05/24/2018 19:14	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	393000		10000	1	05/22/2018 14:08	WG1114309

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	17500		1000	1	05/23/2018 05:29	WG1114107
Fluoride	222		100	1	05/23/2018 05:29	WG1114107
Sulfate	ND		5000	1	05/23/2018 05:29	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	5610		200	1	05/24/2018 19:16	WG1113972
Calcium	172000		1000	1	05/24/2018 19:16	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	491000		10000	1	05/22/2018 14:08	WG1114309

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	9880		1000	1	05/23/2018 05:44	WG1114107
Fluoride	203		100	1	05/23/2018 05:44	WG1114107
Sulfate	53700		5000	1	05/23/2018 05:44	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/24/2018 19:19	WG1113972
Calcium	98500		1000	1	05/24/2018 19:19	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	345000		10000	1	05/22/2018 14:08	WG1114309

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	27700		1000	1	05/23/2018 05:59	WG1114107
Fluoride	229		100	1	05/23/2018 05:59	WG1114107
Sulfate	157000		25000	5	05/24/2018 00:12	WG1115226

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	4640		200	1	05/24/2018 19:21	WG1113972
Calcium	145000		1000	1	05/24/2018 19:21	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	671000		10000	1	05/22/2018 14:08	WG1114309

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	49200		1000	1	05/23/2018 06:46	WG1114107
Fluoride	253		100	1	05/23/2018 06:46	WG1114107
Sulfate	33900		5000	1	05/23/2018 06:46	WG1114107

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	05/24/2018 19:24	WG1113972
Calcium	113000		1000	1	05/24/2018 19:24	WG1113972

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3312484-1 05/22/18 16:00

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

L995367-05 Original Sample (OS) • Duplicate (DUP)

(OS) L995367-05 05/22/18 16:00 • (DUP) R3312484-4 05/22/18 16:00

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	609000	670000	1	9.54	J3	5

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312484-2 05/22/18 16:00 • (LCSD) R3312484-3 05/22/18 16:00

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Dissolved Solids	8800000	8740000	8680000	99.3	98.6	85.0-115			0.689	5

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3312482-1 05/22/18 14:08

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

L994903-01 Original Sample (OS) • Duplicate (DUP)

(OS) L994903-01 05/22/18 14:08 • (DUP) R3312482-4 05/22/18 14:08

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	520000	520000	1	0.000		5

4 Cn

5 Sr

6 Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312482-2 05/22/18 14:08 • (LCSD) R3312482-3 05/22/18 14:08

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Dissolved Solids	8800000	8540000	8560000	97.0	97.3	85.0-115			0.234	5

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3312329-1 05/22/18 11:31

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	222	↓	51.9	1000
Fluoride	U		9.90	100
Sulfate	233	↓	77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L995364-04 Original Sample (OS) • Duplicate (DUP)

(OS) L995364-04 05/23/18 00:36 • (DUP) R3312329-4 05/23/18 00:51

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	3440	3380	1	1.76		15
Fluoride	348	338	1	2.91		15
Sulfate	17300	17300	1	0.123		15

L995367-06 Original Sample (OS) • Duplicate (DUP)

(OS) L995367-06 05/23/18 04:12 • (DUP) R3312329-6 05/23/18 04:27

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	49300	49500	1	0.302		15
Fluoride	249	242	1	2.85		15
Sulfate	33900	34000	1	0.0907		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312329-2 05/22/18 11:47 • (LCSD) R3312329-3 05/22/18 12:02

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	39800	39800	99.6	99.5	80.0-120			0.145	15
Fluoride	8000	7950	7960	99.3	99.5	80.0-120			0.200	15
Sulfate	40000	39900	40000	99.7	99.9	80.0-120			0.225	15



L995364-04 Original Sample (OS) • Matrix Spike (MS)

(OS) L995364-04 05/23/18 00:36 • (MS) R3312329-5 05/23/18 01:07

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50000	3440	53500	100	1	80.0-120	
Fluoride	5000	348	5250	98.0	1	80.0-120	
Sulfate	50000	17300	62900	91.1	1	80.0-120	

L995367-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L995367-06 05/23/18 04:12 • (MS) R3312329-7 05/23/18 04:42 • (MSD) R3312329-8 05/23/18 04:58

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50000	49300	98300	98100	97.9	97.5	1	80.0-120			0.211	15
Fluoride	5000	249	5070	5430	96.4	104	1	80.0-120			6.91	15
Sulfate	50000	33900	77900	81900	87.8	95.9	1	80.0-120			5.05	15

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3312622-1 05/23/18 22:55

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Sulfate	127	↓	77.4	5000

1 Cp

2 Tc

3 Ss

L995846-09 Original Sample (OS) • Duplicate (DUP)

(OS) L995846-09 05/24/18 02:16 • (DUP) R3312622-7 05/24/18 02:31

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	15200	15200	1	0.276		15

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312622-2 05/23/18 23:11 • (LCSD) R3312622-3 05/23/18 23:26

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Sulfate	40000	39800	39700	99.4	99.3	80.0-120			0.0843	15

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3312968-1 05/24/18 18:37

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Boron	U		12.6	200
Calcium	93.9	J	46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3312968-2 05/24/18 18:40 • (LCSD) R3312968-3 05/24/18 18:42

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Boron	1000	999	992	99.9	99.2	80.0-120			0.756	20
Calcium	10000	10200	10500	102	105	80.0-120			2.54	20

5 Sr

6 Qc

L995367-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L995367-06 05/24/18 18:45 • (MS) R3312968-5 05/24/18 18:50 • (MSD) R3312968-6 05/24/18 18:53

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Boron	1000	ND	1170	1140	102	99.4	1	75.0-125			1.91	20
Calcium	10000	117000	123000	123000	60.0	60.4	1	75.0-125	V	V	0.0364	20

7 Gl

8 Al

9 Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Ai
- 9 Sc

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
V	The sample concentration is too high to evaluate accurate spike recoveries.



ESC Lab Sciences is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by ESC Lab Sciences.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

ESC Lab Sciences has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. ESC Lab Sciences performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:
Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 2



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
Description: **KCP&L Sibley Generating Station**

City/State
Collected: **Sibley, MO**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213169.18

Lab Project #
AQUAOPKS-SIBLEY

Collected by (print):
Whit Martin

Site/Facility ID #

P.O. #

Collected by (signature):
Whit Martin

Rush? (Lab MUST Be Notified)

Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

Std

Immediately
Packed on Ice **N** **Y**

Anions (Cl, F, SO4) 125mlHDPE-NoPres

B, Ca - 6010 250mlHDPE-HNO3

TDS 250mlHDPE-NoPres

L # **L995367**
Tab **C236**

Acctnum: **AQUAOPKS**

Template: **T136007**

Prelogin: **P653005**

TSR: **206 - Jeff Carr**

PB:

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs													
MW-701	Grab	GW		5/16/18	1040	3	X	X	X										
MW-702	Grab	GW		5/16/18	1115	3	X	X	X										
MW-703	Grab	GW		5/16/18	1150	3	X	X	X										
MW-704	Grab	GW		5/16/18	1220	3	X	X	X										
MW-801	Grab	GW		5/16/18	1310	3	X	X	X										
MW-802	Grab	GW		5/16/18	1350	3	X	X	X										
MW-803	Grab	GW		5/16/18	1140	3	X	X	X										
MW-804	Grab	GW		5/16/18	1220	3	X	X	X										
MW-805	Grab	GW		5/16/18	1345	3	X	X	X										
MW-806R	Grab	GW		5/16/18	1310	3	X	X	X										

Remarks	Sample # (lab only)
	-01
	-02
	-03
	-04
	-05
	-06
	-07
	-08
	-09
	-10

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:
Samples returned via:
 UPS FedEx Courier

Tracking # **7215 4520 2601**

pH _____ Temp _____
Flow _____ Other _____

Sample Receipt Checklist
COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N

Relinquished by: (Signature) **Whit Martin**
Date: **5/18/18** Time: **1130**

Received by: (Signature) **Brandon K. Hays**
Received by: (Signature) **Phillip Newberry**

Trip Blank Received: Yes No
HCL / MeOH TBR
Temp: **5.1** °C
Bottles Received: **39**
Date: **5/19/18** Time: **0845**

If preservation required by Login: Date/Time
Hold:
Condition: **OK**

Jared Morrison
December 20, 2022

ATTACHMENT 1-2
June 2018 Sampling Event Laboratory Report

July 10, 2018

SCS Engineers - KS

Sample Delivery Group: L1005344
Samples Received: 06/28/2018
Project Number: 27213169.18
Description: KCP&LSibley Generating Station

Report To: Jason Franks
7311 West 130th Street, Ste. 100
Overland Park, KS 66213










Entire Report Reviewed By:



Jason Romer
Technical Service Representative

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	
Tc: Table of Contents	2	
Ss: Sample Summary	3	
Cn: Case Narrative	6	
Sr: Sample Results	7	
MW-510 L1005344-01	7	
MW-512 L1005344-02	8	
MW-601 L1005344-03	9	
MW-504 L1005344-04	10	
DUPLICATE 1 L1005344-05	11	
MW-506 L1005344-06	12	
MW-801 L1005344-07	13	
DUPLICATE 3 L1005344-08	14	
MW-505 L1005344-09	15	
MW-802 L1005344-10	16	
DUPLICATE 2 L1005344-11	17	
MW-804 L1005344-12	18	
DUPLICATE 5 L1005344-13	19	
MW-701 L1005344-14	20	
MW-702 L1005344-15	21	
MW-805 L1005344-16	22	
DUPLICATE 4 L1005344-17	23	
Qc: Quality Control Summary	24	
Gravimetric Analysis by Method 2540 C-2011	24	
Wet Chemistry by Method 9056A	25	
Metals (ICP) by Method 6010B	29	
Gl: Glossary of Terms	30	
Al: Accreditations & Locations	31	
Sc: Sample Chain of Custody	32	

SAMPLE SUMMARY



MW-510 L1005344-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 06:19	07/04/18 06:19	MCG

Collected by Jason Franks	Collected date/time 06/27/18 13:50	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-512 L1005344-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1135360	1	07/09/18 16:15	07/09/18 16:15	DR

Collected by Jason Franks	Collected date/time 06/27/18 13:25	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

MW-601 L1005344-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 06:55	07/04/18 06:55	MCG
Wet Chemistry by Method 9056A	WG1135360	1	07/09/18 16:30	07/09/18 16:30	DR

Collected by Jason Franks	Collected date/time 06/27/18 12:55	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

MW-504 L1005344-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 07:14	07/04/18 07:14	MCG
Wet Chemistry by Method 9056A	WG1135360	1	07/09/18 17:16	07/09/18 17:16	DR

Collected by Jason Franks	Collected date/time 06/27/18 11:05	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

DUPLICATE 1 L1005344-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 09:03	07/04/18 09:03	MCG
Wet Chemistry by Method 9056A	WG1135360	1	07/09/18 18:18	07/09/18 18:18	DR

Collected by Jason Franks	Collected date/time 06/27/18 11:05	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

MW-506 L1005344-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133124	1	07/04/18 09:21	07/04/18 09:21	MCG

Collected by Jason Franks	Collected date/time 06/27/18 12:05	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

MW-801 L1005344-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133125	5	07/03/18 20:51	07/03/18 20:51	DR

Collected by Jason Franks	Collected date/time 06/27/18 12:01	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

DUPLICATE 3 L1005344-08 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1133125	1	07/03/18 21:05	07/03/18 21:05	DR

Collected by Jason Franks	Collected date/time 06/27/18 00:00	Received date/time 06/28/18 08:45
------------------------------	---------------------------------------	--------------------------------------

SAMPLE SUMMARY



MW-505 L1005344-09 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1131931	1	06/29/18 15:19	06/30/18 11:27	TRB

Collected by Jason Franks
 Collected date/time 06/27/18 11:35
 Received date/time 06/28/18 08:45

1
Cp

2
Tc

3
Ss

MW-802 L1005344-10 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1131931	1	06/29/18 15:19	06/30/18 09:10	TRB

Collected by Jason Franks
 Collected date/time 06/27/18 11:30
 Received date/time 06/28/18 08:45

4
Cn

5
Sr

DUPLICATE 2 L1005344-11 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1131931	1	06/29/18 15:19	06/30/18 11:30	TRB

Collected by Jason Franks
 Collected date/time 06/27/18 00:00
 Received date/time 06/28/18 08:45

6
Qc

7
Gl

MW-804 L1005344-12 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1131931	1	06/29/18 15:19	06/30/18 09:23	TRB

Collected by Jason Franks
 Collected date/time 06/27/18 12:55
 Received date/time 06/28/18 08:45

8
Al

9
Sc

DUPLICATE 5 L1005344-13 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1131931	1	06/29/18 15:19	06/30/18 12:31	TRB

Collected by Jason Franks
 Collected date/time 06/27/18 00:00
 Received date/time 06/28/18 08:45

MW-701 L1005344-14 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1132955	1	07/04/18 09:51	07/04/18 12:10	MCG

Collected by Jason Franks
 Collected date/time 06/27/18 10:05
 Received date/time 06/28/18 08:45

MW-702 L1005344-15 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1132955	1	07/04/18 09:51	07/04/18 12:10	MCG

Collected by Jason Franks
 Collected date/time 06/27/18 10:50
 Received date/time 06/28/18 08:45

MW-805 L1005344-16 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1132955	1	07/04/18 09:51	07/04/18 12:10	MCG

Collected by Jason Franks
 Collected date/time 06/27/18 13:35
 Received date/time 06/28/18 08:45

SAMPLE SUMMARY



DUPLICATE 4 L1005344-17 GW

Collected by Jason Franks
 Collected date/time 06/27/18 00:00
 Received date/time 06/28/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1132955	1	07/04/18 09:51	07/04/18 12:10	MCG

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All radiochemical sample results for solids are reported on a dry weight basis with the exception of tritium, carbon-14 and radon, unless wet weight was requested by the client. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jason Romer
Technical Service Representative

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Fluoride	282		100	1	07/04/2018 06:19	WG1133124

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	30300		5000	1	07/09/2018 16:15	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	2820		1000	1	07/04/2018 06:55	WG1133124
Sulfate	10300		5000	1	07/09/2018 16:30	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Fluoride	135		100	1	07/04/2018 07:14	WG1133124
Sulfate	31800		5000	1	07/09/2018 17:16	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Fluoride	121		100	1	07/04/2018 09:03	WG1133124
Sulfate	31900		5000	1	07/09/2018 18:18	WG1135360

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	5800		1000	1	07/04/2018 09:21	WG1133124

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	109000		5000	5	07/03/2018 20:51	WG1133125

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	6070		1000	1	07/03/2018 21:05	WG1133125

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	25800		1000	1	06/30/2018 11:27	WG1131931

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	65500		1000	1	06/30/2018 09:10	WG1131931

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Calcium	66200		1000	1	06/30/2018 11:30	WG1131931

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	7060		200	1	06/30/2018 09:23	WG1131931

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	7580		200	1	06/30/2018 12:31	WG1131931

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	297000		10000	1	07/04/2018 12:10	WG1132955

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	297000		10000	1	07/04/2018 12:10	WG1132955

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	349000		10000	1	07/04/2018 12:10	WG1132955

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	294000		10000	1	07/04/2018 12:10	WG1132955

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3323687-1 07/04/18 12:10

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1005172-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1005172-01 07/04/18 12:10 • (DUP) R3323687-4 07/04/18 12:10

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	163000	158000	1	3.12		5

L1005704-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1005704-04 07/04/18 12:10 • (DUP) R3323687-5 07/04/18 12:10

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	296000	295000	1	0.338		5

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323687-2 07/04/18 12:10 • (LCSD) R3323687-3 07/04/18 12:10

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Dissolved Solids	8800000	8390000	7990000	95.3	90.8	85.0-115			4.88	5



Method Blank (MB)

(MB) R3323295-1 07/03/18 19:25

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	U		51.9	1000
Fluoride	11.2	J	9.90	100

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1005331-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1005331-02 07/04/18 00:34 • (DUP) R3323295-4 07/04/18 01:28

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	7350	7180	1	2.32		15
Fluoride	320	363	1	12.5		15

L1005344-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1005344-04 07/04/18 07:14 • (DUP) R3323295-9 07/04/18 07:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	ND	217	1	0.000		15
Fluoride	135	140	1	3.72		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323295-2 07/03/18 19:43 • (LCSD) R3323295-3 07/03/18 20:01

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	38500	38500	96.2	96.3	80.0-120			0.0733	15
Fluoride	8000	7860	7850	98.2	98.2	80.0-120			0.0636	15

L1005331-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005331-02 07/04/18 00:34 • (MS) R3323295-5 07/04/18 01:47 • (MSD) R3323295-6 07/04/18 02:05

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50000	7350	61800	59800	109	105	1	80.0-120			3.15	15
Fluoride	5000	320	5400	5580	102	105	1	80.0-120			3.13	15



[L1005344-01,03,04,05,06](#)

L1005335-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005335-05 07/04/18 03:54 • (MS) R3323295-7 07/04/18 05:06 • (MSD) R3323295-8 07/04/18 05:25

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Fluoride	5000	1330	6520	7080	104	115	1	80.0-120			8.29	15

1 Cp

2 Tc

3 Ss

L1005344-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-04 07/04/18 07:14 • (MS) R3323295-10 07/04/18 07:50 • (MSD) R3323295-11 07/04/18 08:44

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	ND	54500	52400	108	104	1	80.0-120			3.91	15
Fluoride	5000	135	5160	5310	101	104	1	80.0-120			2.83	15

4 Cn

5 Sr

6 Qc

L1005344-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-06 07/04/18 09:21 • (MS) R3323295-12 07/04/18 09:39 • (MSD) R3323295-13 07/04/18 09:57

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	5800	59800	59100	108	107	1	80.0-120			1.18	15
Fluoride	5000	318	5210	5510	97.9	104	1	80.0-120			5.50	15

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3323293-1 07/03/18 12:05

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	U		51.9	1000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1005344-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1005344-08 07/03/18 21:05 • (DUP) R3323293-4 07/03/18 21:21

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	6070	6060	1	0.211		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3323293-2 07/03/18 12:21 • (LCSD) R3323293-3 07/03/18 12:36

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	38300	38200	95.7	95.5	80.0-120			0.181	15

L1005344-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-08 07/03/18 21:05 • (MS) R3323293-5 07/03/18 21:36 • (MSD) R3323293-6 07/03/18 21:52

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50000	6070	57300	61700	102	111	1	80.0-120			7.42	15



Method Blank (MB)

(MB) R3324204-1 07/09/18 12:23

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Sulfate	U		77.4	5000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1005344-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1005344-04 07/09/18 17:16 • (DUP) R3324204-4 07/09/18 17:32

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Sulfate	31800	31900	1	0.119		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3324204-9 07/09/18 22:18 • (LCSD) R3324204-3 07/09/18 12:54

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Sulfate	40000	39100	38900	97.8	97.3	80.0-120			0.522	15

L1005344-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-04 07/09/18 17:16 • (MS) R3324204-5 07/09/18 17:47 • (MSD) R3324204-6 07/09/18 18:03

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Sulfate	50000	31800	78500	78300	93.3	93.0	1	80.0-120			0.204	15



Method Blank (MB)

(MB) R3322172-1 06/30/18 09:01

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Boron	U		12.6	200
Calcium	U		46.3	1000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3322172-2 06/30/18 09:04 • (LCSD) R3322172-3 06/30/18 09:07

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Boron	1000	985	982	98.5	98.2	80.0-120			0.320	20
Calcium	10000	10000	9950	100	99.5	80.0-120			0.751	20

L1005344-10 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-10 06/30/18 09:10 • (MS) R3322172-5 06/30/18 09:17 • (MSD) R3322172-6 06/30/18 09:20

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Boron	1000	ND	1050	1050	95.3	95.7	1	75.0-125			0.350	20
Calcium	10000	65500	74100	74200	85.8	86.4	1	75.0-125			0.0873	20

L1005344-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1005344-12 06/30/18 09:23 • (MS) R3322172-7 06/30/18 09:26 • (MSD) R3322172-8 06/30/18 09:29

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Boron	1000	7060	7860	7940	80.4	87.8	1	75.0-125			0.945	20
Calcium	10000	153000	160000	161000	71.5	77.6	1	75.0-125	V		0.376	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
V	The sample concentration is too high to evaluate accurate spike recoveries.

SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:

Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
Description: **KCP&L Sibley Generating Station**

City/State
Collected:

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213169.18

Lab Project #
AQUAOPKS-SIBLEY

Collected by (print):
JASON R. FRANKS

Site/Facility ID #

P.O. #

Collected by (signature):
J.R. Franks

Rush? (Lab MUST Be Notified)

- Same Day Five Day
 Next Day 5 Day (Rad Only)
 Two Day 10 Day (Rad Only)
 Three Day

Quote #

Date Results Needed

Std

No.
of

Immediately
Packed on Ice N Y

L# **1005344**
A005

Acctnum: **AQUAOPKS**

Template: **T117427**

Prelogin: **P659505**

TSR: **206 - Jeff Carr**

PB:

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs	Boron - 6010 250mlHDPE-HNO3	Calcium - 6010 250mlHDPE-HNO3	Chloride 125mlHDPE-NoPres	Chloride, SO4 125mlHDPE-NoPres	Fluoride 125mlHDPE-NoPres	Fluoride, SO4 125mlHDPE-NoPres	SO4 125mlHDPE-NoPres	TDS 250mlHDPE-NoPres	Remarks	Sample # (lab only)
MW-510	GRAB	GW	-	6/27/18	1350	1					X					01
MW-512		GW	-		1325	1							X			02
MW-601		GW	-		1255	1			X							03
MW-504		GW	-		1105	1						X				04
DUPLICATE 1		GW	-		1105	1						X				05
MW 504 MS/MSD		GW	-		1105	1						X				
MW-506		GW	-		1205	1			X							06
MW-801		GW	-		1201	1			X							07
DUPLICATE 3		GW	-		-	1			X							08
506 MS/MSD		GW	-		1205	1			X							

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking # **4361 6933 8612**

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact:	<input checked="" type="checkbox"/> NP	<input type="checkbox"/> Y	<input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/>	<input type="checkbox"/> Y	<input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/> Y	<input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/>	<input type="checkbox"/> Y	<input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/>	<input type="checkbox"/> Y	<input type="checkbox"/> N
If Applicable			
VOA Zero Headspace:	<input checked="" type="checkbox"/>	<input type="checkbox"/> Y	<input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/>	<input type="checkbox"/> Y	<input type="checkbox"/> N

Relinquished by: (Signature)
J.R. Franks

Date: **6/27/18** Time: **1532**

Received by: (Signature)
Jay Martin

Trip Blank Received: Yes (No) HCL / MeOH TBR

Relinquished by: (Signature)

Date: _____ Time: _____

Received by: (Signature)

Temp: **3.7** °C Bottles Received: **22**

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date: _____ Time: _____

Received for lab by: (Signature)
Jay Martin

Date: **6/28/18** Time: **845**

Hold: _____ Condition: **NCF / OK**

SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:
Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 2 of 3



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpk.com;

Project
Description: **KCP&L Sibley Generating Station**

City/State
Collected: **Sibley, MO**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213169.18

Lab Project #
AQUAOPKS-SIBLEY

Collected by (print):
JASON R. FRANKS

Site/Facility ID #

P.O. #

Collected by (signature):
Jason R. Franks

Rush? (Lab MUST Be Notified)

Quote #

___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Date Results Needed

Std

No.
of

Immediately
Packed on Ice N ___ Y ___

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs	Boron - 6010 250mlHDPE-HNO3	Calcium - 6010 250mlHDPE-HNO3	Chloride 125mlHDPE-NoPres	Chloride, SO4 125mlHDPE-NoPres	Fluoride 125mlHDPE-NoPres	Fluoride, SO4 125mlHDPE-NoPres	SO4 125mlHDPE-NoPres	TDS 250mlHDPE-NoPres	Remarks	Sample # (lab only)
MW-505	SEAS	GW	-	6/27/18	1135	1		X								-89
MW-802		GW	-		1130	1		X								-6
DUPLICATE 2		GW	-		-	1		X								-11
MW-802 MS/MSD		GW	-		1135	1		X								-
MW-804		GW	-		1255	1	X									-12
DUPLICATE 5		GW	-		-	1	X									-13
MW-804 MS/MSD		GW	-		1300	1	X									-
MW-701		GW	-		1005	1								X		-14
MW-702		GW	-		1050	1								X		-15
MW-805		GW	-		1335	1								X		-16

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
___ UPS ___ FedEx ___ Courier

Tracking # **4361 9933 8672**

pH ___ Temp ___

Flow ___ Other ___

Sample Receipt Checklist:

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
if Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N

Relinquished by: (Signature)
Jason R. Franks

Date: **6/27/18**
Time: **1532**

Received by: (Signature)
[Signature]

Trip Blank Received: Yes/No
HCL / MeOH
TBR

Relinquished by: (Signature)

Date:
Time:

Received by: (Signature)

Temp: °C
3.7 Bottles Received: **22**

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:
Time:

Received for lab by: (Signature)
[Signature]

Date: **6/28/18**
Time: **845**

Hold:
Condition:
NCF / OK

Jared Morrison
December 20, 2022

ATTACHMENT 1-3
August 2018 Sampling Event Laboratory Report

August 16, 2018

SCS Engineers - KS

Sample Delivery Group: L1016255
Samples Received: 08/09/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	2 Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	3 Ss
MW-504 L1016255-01	5	
MW-512 L1016255-02	6	4 Cn
DUPLICATE 1 L1016255-03	7	5 Sr
MW-801 L1016255-04	8	
DUPLICATE 2 L1016255-05	9	6 Qc
MW-804 L1016255-06	10	
DUPLICATE 3 L1016255-07	11	7 Gl
Qc: Quality Control Summary	12	8 Al
Wet Chemistry by Method 9056A	12	
Metals (ICP) by Method 6010B	15	9 Sc
Gl: Glossary of Terms	16	
Al: Accreditations & Locations	17	
Sc: Sample Chain of Custody	18	

SAMPLE SUMMARY



MW-504 L1016255-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1150933	1	08/11/18 13:35	08/11/18 13:35	DR

Collected by Whit Martin
 Collected date/time 08/08/18 11:20
 Received date/time 08/09/18 08:45

1 Cp

2 Tc

MW-512 L1016255-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1150933	1	08/11/18 14:52	08/11/18 14:52	DR

Collected by Whit Martin
 Collected date/time 08/08/18 12:00
 Received date/time 08/09/18 08:45

3 Ss

4 Cn

5 Sr

DUPLICATE 1 L1016255-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1150933	1	08/11/18 15:08	08/11/18 15:08	DR

Collected by Whit Martin
 Collected date/time 08/08/18 00:00
 Received date/time 08/09/18 08:45

6 Qc

7 Gl

8 Al

MW-801 L1016255-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1151269	5	08/13/18 21:59	08/13/18 21:59	ELN

Collected by Whit Martin
 Collected date/time 08/08/18 12:40
 Received date/time 08/09/18 08:45

9 Sc

DUPLICATE 2 L1016255-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Wet Chemistry by Method 9056A	WG1150933	5	08/11/18 16:10	08/11/18 16:10	DR

Collected by Whit Martin
 Collected date/time 08/08/18 00:00
 Received date/time 08/09/18 08:45

MW-804 L1016255-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1149499	1	08/11/18 08:58	08/14/18 16:59	ST

Collected by Whit Martin
 Collected date/time 08/08/18 13:10
 Received date/time 08/09/18 08:45

DUPLICATE 3 L1016255-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Metals (ICP) by Method 6010B	WG1149499	1	08/11/18 08:58	08/14/18 18:11	ST

Collected by Whit Martin
 Collected date/time 08/08/18 00:00
 Received date/time 08/09/18 08:45



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	32300		5000	1	08/11/2018 13:35	WG1150933

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	30900		5000	1	08/11/2018 14:52	WG1150933

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Sulfate	31400		5000	1	08/11/2018 15:08	WG1150933

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	106000		5000	5	08/13/2018 21:59	WG1151269

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	108000		5000	5	08/11/2018 16:10	WG1150933

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	7000		200	1	08/14/2018 16:59	WG1149499

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	710		200	1	08/14/2018 18:11	WG1149499

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3332885-1 08/11/18 08:45

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	60.5	↓	51.9	1000
Sulfate	U		77.4	5000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

L1016155-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1016155-01 08/11/18 13:04 • (DUP) R3332885-4 08/11/18 13:20

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	13700	13800	1	0.412		15

L1016342-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1016342-01 08/11/18 16:25 • (DUP) R3332885-9 08/11/18 16:40

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	13100	13100	1	0.287		15
Sulfate	28900	28800	1	0.192		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3332885-2 08/11/18 09:13 • (LCSD) R3332885-3 08/11/18 09:28

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	39100	39000	97.7	97.6	80.0-120			0.110	15
Sulfate	40000	39600	39400	99.1	98.6	80.0-120			0.504	15

L1016255-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1016255-01 08/11/18 13:35 • (MS) R3332885-5 08/11/18 14:22 • (MSD) R3332885-6 08/11/18 14:37

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50000	ND	50200	50400	98.5	98.9	1	80.0-120			0.353	15
Sulfate	50000	32300	79000	79200	93.4	93.7	1	80.0-120			0.222	15



L1016255-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1016255-04 08/11/18 15:23 • (MS) R3332885-7 08/11/18 15:39 • (MSD) R3332885-8 08/11/18 15:54

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Sulfate	50000	53300	99800	99700	92.9	92.6	1	80.0-120			0.112	15

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Method Blank (MB)

(MB) R3333310-1 08/13/18 12:24

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Chloride	U		51.9	1000

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1015843-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1015843-01 08/13/18 18:23 • (DUP) R3333310-4 08/13/18 18:38

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	15300	15300	1	0.251		15

L1015986-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1015986-01 08/13/18 20:11 • (DUP) R3333310-7 08/13/18 20:57

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Chloride	9440	9270	1	1.81		15

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3333310-2 08/13/18 12:40 • (LCSD) R3333310-3 08/13/18 12:55

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
Chloride	40000	38500	38700	96.1	96.8	80.0-120			0.670	15

L1015843-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1015843-01 08/13/18 18:23 • (MS) R3333310-5 08/13/18 18:54 • (MSD) R3333310-6 08/13/18 19:09

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Chloride	50000	15300	65200	65300	99.8	100	1	80.0-120			0.176	15



Method Blank (MB)

(MB) R3333613-1 08/14/18 16:51

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Boron	U		12.6	200

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3333613-2 08/14/18 16:54 • (LCSD) R3333613-3 08/14/18 16:57

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Boron	1000	1020	1010	102	101	80.0-120			1.25	20

L1016255-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1016255-06 08/14/18 16:59 • (MS) R3333613-5 08/14/18 17:05 • (MSD) R3333613-6 08/14/18 17:07

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Boron	1000	7000	7840	7830	83.6	83.2	1	75.0-125			0.0467	20

⁷ Gl

⁸ Al

⁹ Sc



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier Description

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS

7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Billing Information:

Accounts Payable
7311 West 130th Street, Ste. 100
Overland Park, KS 66213

Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 1 of 1

Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project
Description: KCP&L Sibley Generating Station

City/State
Collected: Sibley, MO

Phone: 913-681-0030
Fax: 913-681-0012

Client Project #
27213169.18

Lab Project #
AQUAOPKS-SIBLEY

Collected by (print):
Whit Martin

Site/Facility ID #

P.O. #

Collected by (signature):
Whit Martin

Rush? (Lab MUST Be Notified)

Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day

Quote #

Date Results Needed

Std

Immediately
Packed on Ice N Y

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cnts	Boron 250mlHDPE-HNO3	CHLORIDE 125mlHDPE-NoPres	SO4 125mlHDPE-NoPres									
MW-504	Grab	GW		8/8/18	1120	1			X									
MW-512	Grab	GW			1200	1			X									
DUPLICATE 1	Grab	GW			-	1			X									
504 MS / MSD #1	Grab	GW			1125	1			X									
MW-801	Grab	GW			1240	1		X										
DUPLICATE 2	Grab	GW			-	1		X										
801 MS / MSD	Grab	GW			1245	1		X										
MW-804	Grab	GW			1310	1	X											
DUPLICATE 3	Grab	GW			-	1	X											
804 MS / MSD	Grab	GW			1315	1	X											



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



L# 21016255
F068

Acctnum: AQUAOPKS

Template: T136014

Prelgin: P666113

TSR: 206 - Jeff Carr

PB:

Shipped Via:

Remarks Sample # (lab only)

-01
02
03
01
04
05
04
06
07
06

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
 UPS FedEx Courier

Tracking # 4510 1051 3233

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact: Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
20.5 MR/HR

Relinquished by: (Signature)

Whit Martin

Date:

8/8/18

Time:

1650

Received by: (Signature)

[Signature]

Trip Blank Received: Yes / (No)

HCL / MeOH
TBR

Temp: 2.33 °C

Bottles Received: 10

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

[Signature]

Date: 8/9/18

Time: 845

Hold:

Condition:
NCF / OK

Jared Morrison
December 20, 2022

ATTACHMENT 1-4
November 2018 Sampling Event Laboratory Report

December 03, 2018

SCS Engineers - KS

Sample Delivery Group: L1045462
Samples Received: 11/17/2018
Project Number: 27213169.18
Description: KCP&L Sibley Generating Station

Report To: Jason Franks
8575 W. 110th Street
Overland Park, KS 66210

Entire Report Reviewed By:



Jeff Carr
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace National is performed per guidance provided in laboratory standard operating procedures: 060302, 060303, and 060304.



Cp: Cover Page	1	1 Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	2 Tc
Cn: Case Narrative	5	
Sr: Sample Results	6	3 Ss
MW-701 L1045462-01	6	
MW-702 L1045462-02	7	4 Cn
MW-703 L1045462-03	8	5 Sr
MW-704 L1045462-04	9	
MW-801 L1045462-05	10	6 Qc
MW-802 L1045462-06	11	
MW-803 L1045462-07	12	7 Gl
MW-804 L1045462-08	13	8 Al
MW-805 L1045462-09	14	
MW-806R L1045462-10	15	9 Sc
DUPLICATE 2 L1045462-11	16	
Qc: Quality Control Summary	17	
Gravimetric Analysis by Method 2540 C-2011	17	
Wet Chemistry by Method 9056A	20	
Metals (ICP) by Method 6010B	22	
Gl: Glossary of Terms	24	
Al: Accreditations & Locations	25	
Sc: Sample Chain of Custody	26	

SAMPLE SUMMARY



MW-701 L1045462-01 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 12:05
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199016	1	11/21/18 08:10	11/21/18 08:52	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 18:04	11/23/18 18:04	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 20:50	ST

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-702 L1045462-02 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 12:50
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199016	1	11/21/18 08:10	11/21/18 08:52	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 18:20	11/23/18 18:20	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 20:58	ST

MW-703 L1045462-03 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 13:30
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199016	1	11/21/18 08:10	11/21/18 08:52	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 18:35	11/23/18 18:35	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:00	ST

MW-704 L1045462-04 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 14:00
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199016	1	11/21/18 08:10	11/21/18 08:52	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 18:50	11/23/18 18:50	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:03	ST

MW-801 L1045462-05 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 15:25
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199016	1	11/21/18 08:10	11/21/18 08:52	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 19:06	11/23/18 19:06	MAJ
Wet Chemistry by Method 9056A	WG1199283	5	11/23/18 19:21	11/23/18 19:21	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:06	ST

MW-802 L1045462-06 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 16:10
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199018	1	11/20/18 14:08	11/20/18 14:36	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 19:37	11/23/18 19:37	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:08	ST

SAMPLE SUMMARY



MW-803 L1045462-07 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 16:10
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199018	1	11/20/18 14:08	11/20/18 14:36	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 19:52	11/23/18 19:52	MAJ
Wet Chemistry by Method 9056A	WG1199283	5	11/26/18 21:49	11/26/18 21:49	ELN
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:11	ST

1
Cp

2
Tc

3
Ss

4
Cn

MW-804 L1045462-08 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 15:30
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199020	1	11/21/18 11:15	11/21/18 11:47	JD
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 20:38	11/23/18 20:38	MAJ
Metals (ICP) by Method 6010B	WG1199219	1	11/21/18 13:25	11/21/18 22:07	JDG

5
Sr

6
Qc

7
Gl

MW-805 L1045462-09 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 15:15
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199018	1	11/20/18 14:08	11/20/18 14:36	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 21:40	11/23/18 21:40	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:14	ST

8
Al

9
Sc

MW-806R L1045462-10 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 14:40
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199018	1	11/20/18 14:08	11/20/18 14:36	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 21:56	11/23/18 21:56	MAJ
Wet Chemistry by Method 9056A	WG1199283	5	11/26/18 22:04	11/26/18 22:04	ELN
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:16	ST

DUPLICATE 2 L1045462-11 GW

Collected by
G. Penaflo
Collected date/time
11/15/18 00:00
Received date/time
11/17/18 08:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst
Gravimetric Analysis by Method 2540 C-2011	WG1199018	1	11/20/18 14:08	11/20/18 14:36	AJS
Wet Chemistry by Method 9056A	WG1199283	1	11/23/18 22:11	11/23/18 22:11	MAJ
Metals (ICP) by Method 6010B	WG1199229	1	11/20/18 15:43	11/21/18 21:19	ST



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Jeff Carr
Project Manager

Project Narrative

This report has been revised. The metals and TDS results for samples MW-601 (L1045463-06) and MW-804 (L1045462-08) have been switched as a result of the MS and MSD containers for these samples being mislabeled in login.

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	296000		10000	1	11/21/2018 08:52	WG1199016

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	8090		1000	1	11/23/2018 18:04	WG1199283
Fluoride	122		100	1	11/23/2018 18:04	WG1199283
Sulfate	13100		5000	1	11/23/2018 18:04	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/21/2018 20:50	WG1199229
Calcium	86400		1000	1	11/21/2018 20:50	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	292000		10000	1	11/21/2018 08:52	WG1199016

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	8870		1000	1	11/23/2018 18:20	WG1199283
Fluoride	119		100	1	11/23/2018 18:20	WG1199283
Sulfate	20000		5000	1	11/23/2018 18:20	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/21/2018 20:58	WG1199229
Calcium	88000		1000	1	11/21/2018 20:58	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	546000		10000	1	11/21/2018 08:52	WG1199016

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	20300		1000	1	11/23/2018 18:35	WG1199283
Fluoride	307		100	1	11/23/2018 18:35	WG1199283
Sulfate	ND		5000	1	11/23/2018 18:35	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	752		200	1	11/21/2018 21:00	WG1199229
Calcium	138000		1000	1	11/21/2018 21:00	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	319000		10000	1	11/21/2018 08:52	WG1199016

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	12800		1000	1	11/23/2018 18:50	WG1199283
Fluoride	162		100	1	11/23/2018 18:50	WG1199283
Sulfate	22700		5000	1	11/23/2018 18:50	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/21/2018 21:03	WG1199229
Calcium	91400		1000	1	11/21/2018 21:03	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	586000		10000	1	11/21/2018 08:52	WG1199016

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	115000		5000	5	11/23/2018 19:21	WG1199283
Fluoride	172		100	1	11/23/2018 19:06	WG1199283
Sulfate	53400		5000	1	11/23/2018 19:06	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	285		200	1	11/21/2018 21:06	WG1199229
Calcium	143000		1000	1	11/21/2018 21:06	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	412000		10000	1	11/20/2018 14:36	WG1199018

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	52300		1000	1	11/23/2018 19:37	WG1199283
Fluoride	222		100	1	11/23/2018 19:37	WG1199283
Sulfate	34000		5000	1	11/23/2018 19:37	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/21/2018 21:08	WG1199229
Calcium	101000		1000	1	11/21/2018 21:08	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	480000		10000	1	11/20/2018 14:36	WG1199018

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	17200		1000	1	11/23/2018 19:52	WG1199283
Fluoride	278		100	1	11/23/2018 19:52	WG1199283
Sulfate	116000		25000	5	11/26/2018 21:49	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	2900		200	1	11/21/2018 21:11	WG1199229
Calcium	114000		1000	1	11/21/2018 21:11	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	625000		13300	1	11/21/2018 11:47	WG1199020

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	3900		1000	1	11/23/2018 20:38	WG1199283
Fluoride	260		100	1	11/23/2018 20:38	WG1199283
Sulfate	25800		5000	1	11/23/2018 20:38	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	8070	V	200	1	11/21/2018 22:07	WG1199219
Calcium	155000	V	1000	1	11/21/2018 22:07	WG1199219

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	339000		10000	1	11/20/2018 14:36	WG1199018

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	9450		1000	1	11/23/2018 21:40	WG1199283
Fluoride	196		100	1	11/23/2018 21:40	WG1199283
Sulfate	53200		5000	1	11/23/2018 21:40	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	ND		200	1	11/21/2018 21:14	WG1199229
Calcium	98500		1000	1	11/21/2018 21:14	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	699000		13300	1	11/20/2018 14:36	WG1199018

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	29000		1000	1	11/23/2018 21:56	WG1199283
Fluoride	202		100	1	11/23/2018 21:56	WG1199283
Sulfate	236000		25000	5	11/26/2018 22:04	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	5560		200	1	11/21/2018 21:16	WG1199229
Calcium	168000		1000	1	11/21/2018 21:16	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	617000		13300	1	11/20/2018 14:36	WG1199018

1 Cp

2 Tc

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	19200		1000	1	11/23/2018 22:11	WG1199283
Fluoride	202		100	1	11/23/2018 22:11	WG1199283
Sulfate	20400		5000	1	11/23/2018 22:11	WG1199283

3 Ss

4 Cn

5 Sr

Metals (ICP) by Method 6010B

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Boron	8940		200	1	11/21/2018 21:19	WG1199229
Calcium	156000		1000	1	11/21/2018 21:19	WG1199229

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3362911-1 11/21/18 08:52

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Dissolved Solids	U		2820	10000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

L1045462-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1045462-01 11/21/18 08:52 • (DUP) R3362911-3 11/21/18 08:52

Analyte	Original Result ug/l	DUP Result ug/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	296000	296000	1	0.000		5

Laboratory Control Sample (LCS)

(LCS) R3362911-2 11/21/18 08:52

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800000	8580000	97.5	85.0-115	

⁷ Gl

⁸ Al

⁹ Sc



Method Blank (MB)

(MB) R3362742-1 11/20/18 14:36

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
Dissolved Solids	U		2820	10000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

L1045462-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1045462-06 11/20/18 14:36 • (DUP) R3362742-3 11/20/18 14:36

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Dissolved Solids	412000	421000	1	2.16		5

Laboratory Control Sample (LCS)

(LCS) R3362742-2 11/20/18 14:36

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Dissolved Solids	8800000	8330000	94.7	85.0-115	

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3362743-4 11/21/18 11:47

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Dissolved Solids	U		2820	10000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

L1045463-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1045463-05 11/21/18 11:47 • (DUP) R3362743-3 11/21/18 11:47

Analyte	Original Result ug/l	DUP Result ug/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	452000	453000	1	0.221		5

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS)

(LCS) R3362743-2 11/21/18 11:47

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800000	8610000	97.8	85.0-115	



Method Blank (MB)

(MB) R3363048-1 11/23/18 10:04

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Chloride	U		51.9	1000
Fluoride	U		9.90	100
Sulfate	U		77.4	5000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1045445-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1045445-03 11/23/18 15:30 • (DUP) R3363048-3 11/23/18 15:45

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	6800	6790	1	0.128		15
Fluoride	156	157	1	0.447		15
Sulfate	14600	14600	1	0.392		15

L1045462-08 Original Sample (OS) • Duplicate (DUP)

(OS) L1045462-08 11/23/18 20:38 • (DUP) R3363048-6 11/23/18 20:54

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	ug/l	ug/l		%		%
Chloride	3900	3820	1	2.09		15
Fluoride	260	255	1	1.79		15
Sulfate	25800	25800	1	0.276		15

Laboratory Control Sample (LCS)

(LCS) R3363048-2 11/23/18 10:19

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	ug/l	ug/l	%	%	
Chloride	40000	39800	99.4	80.0-120	
Fluoride	8000	8110	101	80.0-120	
Sulfate	40000	40800	102	80.0-120	



L1045445-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1045445-03 11/23/18 15:30 • (MS) R3363048-4 11/23/18 16:01 • (MSD) R3363048-5 11/23/18 16:16

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	6800	56800	56300	99.9	98.9	1	80.0-120			0.905	15
Fluoride	5000	156	5310	5260	103	102	1	80.0-120			0.952	15
Sulfate	50000	14600	63900	63300	98.7	97.5	1	80.0-120			0.934	15

1 Cp

2 Tc

3 Ss

4 Cn

L1045462-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1045462-08 11/23/18 20:38 • (MS) R3363048-7 11/23/18 21:09 • (MSD) R3363048-8 11/23/18 21:25

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50000	3900	52600	54100	97.4	100	1	80.0-120			2.78	15
Fluoride	5000	260	4870	5390	92.2	103	1	80.0-120			10.1	15
Sulfate	50000	25800	72200	73500	92.7	95.3	1	80.0-120			1.77	15

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Method Blank (MB)

(MB) R3362279-6 11/22/18 00:49

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Boron	U		12.6	200
Calcium	61.4	<u>J</u>	46.3	1000

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3362279-1 11/21/18 22:02 • (LCSD) R3362279-2 11/21/18 22:05

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Boron	1000	946	976	94.6	97.6	80.0-120			3.14	20
Calcium	10000	9840	9880	98.4	98.8	80.0-120			0.404	20

L1045462-08 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1045462-08 11/21/18 22:07 • (MS) R3362279-10 11/21/18 22:13 • (MSD) R3362279-11 11/21/18 22:15

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Boron	1000	8070	8790	8820	72.0	75.2	1	75.0-125	<u>V</u>		0.364	20
Calcium	10000	155000	160000	160000	50.6	53.5	1	75.0-125	<u>V</u>	<u>V</u>	0.180	20



Method Blank (MB)

(MB) R3362229-1 11/21/18 20:32

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	ug/l		ug/l	ug/l
Boron	U		12.6	200
Calcium	57.4	J	46.3	1000

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3362229-2 11/21/18 20:35 • (LCSD) R3362229-3 11/21/18 20:37

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	%	%	%			%	%
Boron	1000	982	960	98.2	96.0	80.0-120			2.29	20
Calcium	10000	9770	9750	97.7	97.5	80.0-120			0.267	20

L1045463-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1045463-06 11/21/18 20:40 • (MS) R3362229-10 11/21/18 20:45 • (MSD) R3362229-11 11/21/18 20:47

Analyte	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
	ug/l	ug/l	ug/l	ug/l	%	%		%			%	%
Boron	1000	ND	1130	1110	99.9	98.2	1	75.0-125			1.51	20
Calcium	10000	105000	113000	113000	85.4	87.9	1	75.0-125			0.219	20



Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
V	The sample concentration is too high to evaluate accurate spike recoveries.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
 * Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana ¹	LA180010	Texas	T 104704245-17-14
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

SCS Engineers - KS

8575 W. 110th Street
Overland Park, KS 66210

Billing Information:
Accounts Payable
8575 W. 110th Street
Overland Park, KS 66210

Report to:
Jason Franks

Email To: jfranks@scsengineers.com;
jay.martin@kcpl.com;

Project Description: **KCP&L Sibley Generating Station**

Phone: **913-681-0030**
Fax: **913-681-0012**

Client Project #
27213169.18

City/State Collected:
Lab Project #
AQUAOPKS-SIBLEY

Collected by (print):
G. Penafior
Collected by (signature):
[Signature]
Immediately Packed on Ice N Y X

Site/Facility ID #

P.O. #

Rush? (Lab MUST Be Notified)
Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day

Quote #
Date Results Needed
5 TD

No. of Cntrs

Analysis / Container / Preservative

Anions (Cl, F, SO4) 125mHDPE-NoPres

B, Ca - 6010 250mHDPE-HNO3

TDS 250mHDPE-NoPres



12065 Lebanon Rd
Mount Juliet, TN 37122
Phone: 615-758-5858
Phone: 800-767-5859
Fax: 615-758-5859



L# **1045462**

H105

Acctnum: **AQUAOPKS**
Template: **T136014**
Prelogin: **P680734**
TSR: **206 - Jeff Carr**

PB:
Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	Analysis	Container	Preservative	Remarks	Sample # (lab only)
MW-701	Comp	GW		11/15/18	1205	3	X	X	X		01
MW-702		GW		11/15/18	1250	3	X	X	X		02
MW-703		GW			1330	3	X	X	X		03
MW-704		GW			1400	3	X	X	X		04
MW-801		GW			1515	3	X	X	X		05
MW-802		GW			1610	3	X	X	X		06
MW-803		GW			1610	3	X	X	X		07
MW-804		GW			1530	3	X	X	X		08
MW-805		GW			1515	3	X	X	X		09
MW-806R		GW			1440	3	X	X	X		10

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
UPS FedEx Courier SWA

Tracking #

pH Temp
Flow Other

Sample Receipt Checklist	
COC Seal Present/Intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
If Applicable	
VOA Zero Headspace:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N

RAD SCREEN: <0.5 mF

Relinquished by: (Signature)
[Signature]
Date: 11/16/18
Time: 1547

Date: 11/16/18
Time: 1547

Received by: (Signature)
[Signature]
Received by: (Signature)
[Signature]
Received for lab by: (Signature)
[Signature]

Trip Blank Received: Yes/No
HCL/MeOH TBR
Temp: 1.4
1.2 1.6 5.5
3.1 + 0.1 = 3.2 13
Bottles Received: 39
Date: 11/17/18
Time: 0845

if preservation required by Login: Date/Time
Hold:
Condition:
NCF 10K

Jared Morrison
December 20, 2022

ATTACHMENT 2
Statistical Analyses

Jared Morrison
December 20, 2022

ATTACHMENT 2-1
Fall 2017 Semiannual Detection Monitoring Statistical Analyses

MEMORANDUM

January 22, 2018

To: **Sibley Generating Station**
33200 E Johnson Road
Sibley, Missouri 64088
KCP&L Greater Missouri Operations Company



From: **SCS Engineers**

RE: **Revision to January 15, 2018 Memorandum**
Determination of Statistically Significant Increases - CCR Fly Ash Impoundment

Statistical analysis of monitoring data from the groundwater monitoring system for the CCR Fly Ash Impoundment at the Sibley Generating Station has been completed in substantial compliance with the "Statistical Method Certification By A Qualified Professional Engineer" dated October 12, 2017. Groundwater samples were collected and analyzed by October 17, 2017. A statistical analysis was conducted to determine whether there is a statistically significant increase over background values for each constituent listed in Appendix III to Part 257-Constituents for Detection Monitoring.

The completed statistical evaluation identified one Appendix III constituent above its prediction limit. The prediction limit for chloride in monitoring well MW-801 is 104 mg/L. The detection monitoring sample was reported at 119 mg/L. The first verification re-sample was collected on November 16, 2017 with a result of 125 mg/L. The second verification re-sample was collected on December 28, 2017 with a result of 136 mg/L. Therefore, in accordance with the Statistical Method Certification, the detection monitoring sample for chloride from monitoring well MW-801 exceeds its prediction limit and is a confirmed statistically significant increase (SSI) over background.

Attached to this memorandum are the following backup information:

Attachment 1: Sanitas™ Output:

Statistical evaluation output from Sanitas™ for the prediction limit analysis. This includes prediction limit plots, prediction limit background data, detection sample result, 1st verification re-sample result (when applicable), 2nd verification re-sample result (when applicable), extra sample result for quality control (if applicable), and a Prediction Limit summary table. Output documentation includes the analytical data used for the statistical analyses.

Attachment 2: Sanitas™ Configuration Settings:

Screen shots of the applicable Sanitas™ configuration settings for the statistical prediction limit analysis. This includes data configuration, output configuration, prediction limit configuration and other tests configuration.

Revision Number	Revision Date	Attachment Revised	Summary of Revisions
1	1/22/2018	Cover letter	Revision table added. No changes to text regarding statistical analyses. Attachment 1 description was revised to match the revisions made in the attachment.
1	1/22/2018	1	<p>Sanitas™ Output was revised to report boron in mg/L instead of ug/L.</p> <p>Some samples previously identified as verification re-samples are now more appropriately identified as “extra samples”. These samples were taken as part of the quality control process, and were not required as part of verification re-sampling.</p> <p>Removal of an invalid sample collected from MW-806R. Following sample collection, it was discovered that another consultant developed MW-806R previously in the same day. Once this was realized, the remaining analysis was canceled because the sample was invalid.</p>


Sibley Generating Station
Determination of Statistically Significant Increases
CCR Fly Ash Impoundment
January 22, 2018

ATTACHMENT 1

Sanitas™ Output

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.362, Std. Dev.=0.0455, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.937, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Boron Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.0118. Individual comparison alpha = 0.00591 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2.8, Std. Dev.=0.104, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.911, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Boron Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=3.9, Std. Dev.=0.622, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.826, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Boron Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	0.438	
2/17/2016	0.382	
5/26/2016	0.377	
8/23/2016	0.315	
11/10/2016	0.361	
2/9/2017	0.321	
5/3/2017	0.396	
8/1/2017	0.307	
10/4/2017		0.318

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	0.221	
2/17/2016	<0.2	
5/26/2016	<0.2	
8/23/2016	<0.2	
11/10/2016	<0.2	
2/9/2017	<0.2	
5/3/2017	<0.2	
8/1/2017	<0.2	
10/4/2017		<0.2

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	3.01	
2/17/2016	2.85	
5/26/2016	2.71	
8/23/2016	2.86	
11/10/2016	2.79	
2/9/2017	2.79	
5/3/2017	2.73	
8/1/2017	2.69	
10/4/2017		2.79

Prediction Limit


Constituent: Boron (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	4.63	
2/17/2016	3.81	
5/26/2016	3.76	
8/23/2016	3.62	
11/10/2016	3.33	
2/9/2017	3.58	
5/3/2017	3.4	
8/1/2017	5.08	
10/4/2017		3.64

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. All background values (n = 8) were censored; limit is most recent reporting limit. Well-constituent pair annual alpha = 0.0118. Individual comparison alpha = 0.00591 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intradwell Parametric




Background Data Summary: Mean=4.87, Std. Dev.=0.229, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.921, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Boron Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intradwell Parametric




Background Data Summary: Mean=140, Std. Dev.=13.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.975, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Calcium Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intradwell Parametric



Background Data Summary: Mean=75, Std. Dev.=13, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.937, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Calcium Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	<0.2	
2/17/2016	<0.2	
5/26/2016	<0.2	
8/23/2016	<0.2	
11/10/2016	<0.2	
2/9/2017	<0.2	
5/3/2017	<0.2	
8/1/2017	<0.2	
10/4/2017		<0.2

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	5.1	
7/19/2016	4.81	
8/23/2016	5.25	
11/11/2016	4.77	
2/9/2017	4.64	
3/22/2017	5.02	
5/3/2017	4.76	
8/1/2017	4.61	
10/4/2017		4.77

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801	
12/16/2015	159		
2/17/2016	150		
5/26/2016	147		
8/23/2016	137		
11/10/2016	143		
2/9/2017	115		
5/3/2017	127		
8/1/2017	138		
10/4/2017		148	
11/16/2017		156	extra sample

Prediction Limit


Constituent: Calcium (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802	
12/16/2015	86.6		
2/17/2016	91.4		
5/26/2016	68.9		
8/23/2016	82.2		
11/10/2016	49.6		
2/9/2017	71.4		
5/3/2017	71		
8/1/2017	78.9		
10/4/2017		72	
11/17/2017		80.3	extra sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=118, Std. Dev.=9.72, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.914, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Calcium Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=156, Std. Dev.=19.1, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.911, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Calcium Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=97.6, Std. Dev.=6.71, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.862, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Calcium Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=133, Std. Dev.=9.54, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.964, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Calcium Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803	
12/15/2015	131		
2/17/2016	127		
5/26/2016	120		
8/23/2016	120		
11/10/2016	121		
2/9/2017	105		
5/3/2017	103		
8/1/2017	117		
10/4/2017		122	
11/16/2017		123	extra sample

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804	
12/15/2015	193		
2/17/2016	158		
5/26/2016	167		
8/23/2016	157		
11/10/2016	155		
2/9/2017	132		
5/3/2017	134		
8/1/2017	153		
10/4/2017		155	
11/16/2017		155	extra sample

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805	
12/15/2015	104		
2/17/2016	99.5		
5/26/2016	98.5		
8/23/2016	105		
11/10/2016	98.9		
2/9/2017	88.8		
5/3/2017	86.2		
8/1/2017	100		
10/4/2017		104	
11/16/2017		104	extra sample

Prediction Limit


Constituent: Calcium (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R	
6/2/2016	135		
7/19/2016	131		
8/23/2016	141		
11/11/2016	137		
2/9/2017	123		
3/22/2017	126		
5/3/2017	121		
8/1/2017	149		
10/4/2017		148	
11/17/2017		151	extra sample

Exceeds Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=83.5, Std. Dev.=10.4, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.899, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Chloride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=49.7, Std. Dev.=11.3, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.923, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Chloride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=15.2, Std. Dev.=0.623, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.87, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Chloride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=15.4, Std. Dev.=1.23, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.862, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Chloride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801	
12/16/2015	73.6		
2/17/2016	72.4		
5/26/2016	88.2		
8/23/2016	73.8		
11/10/2016	88.2		
2/9/2017	78.6		
5/3/2017	101		
8/1/2017	91.8		
10/4/2017		119	
11/16/2017		125	1st verification re-sample
12/28/2017		136	2nd verification re-sample

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802	
12/16/2015	63.5		
2/17/2016	55		
5/26/2016	50.5		
8/23/2016	46.3		
11/10/2016	26.6		
2/9/2017	58.6		
5/3/2017	53.9		
8/1/2017	43.5		
10/4/2017		43.1	
11/17/2017		46.7	extra sample

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803	
12/15/2015	14.9		
2/17/2016	14.8		
5/26/2016	14.4		
8/23/2016	14.9		
11/10/2016	15		
2/9/2017	15.1		
5/3/2017	15.9		
8/1/2017	16.3		
10/4/2017		17.5	
11/16/2017		16.1	1st verification re-sample


Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804	
12/15/2015	17.5		
2/17/2016	14.6		
5/26/2016	15.5		
8/23/2016	14.4		
11/10/2016	14.2		
2/9/2017	15.2		
5/3/2017	15		
8/1/2017	17.1		
10/4/2017		15.8	
11/16/2017		14.7	extra sample


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=10.6, Std. Dev.=0.725, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.899, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Chloride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=26.1, Std. Dev.=2.39, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.87, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Chloride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=590, Std. Dev.=45.2, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.973, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Dissolved Solids Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=378, Std. Dev.=48.3, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.885, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Dissolved Solids Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	805	805	
12/15/2015	9.51		
2/17/2016	9.86		
5/26/2016	9.85		
8/23/2016	10.9		
11/10/2016	10.9		
2/9/2017	11.2		
5/3/2017	11.5		
8/1/2017	10.8		
10/4/2017		12.8	
11/16/2017		11.3	1st verification re-sample

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R	
6/2/2016	28.6		
7/19/2016	28.4		
8/23/2016	22.9		
11/11/2016	22.9		
2/9/2017	24.6		
3/22/2017	28.1		
5/3/2017	25.6		
8/1/2017	27.3		
10/4/2017		29.9	
11/17/2017		26.3	extra sample

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	601	
2/17/2016	589	
5/26/2016	669	
8/23/2016	544	
11/10/2016	602	
2/9/2017	564	
5/3/2017	622	
8/1/2017	527	
10/4/2017		677

Prediction Limit


Constituent: Dissolved Solids (mg/l) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	385	
2/17/2016	413	
5/26/2016	375	
8/23/2016	372	
11/10/2016	277	
2/9/2017	432	
5/3/2017	416	
8/1/2017	357	
10/4/2017		384

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=556, Std. Dev.=31.4, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.949, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Dissolved Solids Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=610, Std. Dev.=32.5, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.944, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Dissolved Solids Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=372, Std. Dev.=22.7, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.893, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Dissolved Solids Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=614, Std. Dev.=32.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.964, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Dissolved Solids Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	564	
2/17/2016	558	
5/26/2016	598	
8/23/2016	538	
11/10/2016	543	
2/9/2017	594	
5/3/2017	552	
8/1/2017	500	
10/4/2017		532

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	673	
2/17/2016	588	
5/26/2016	631	
8/23/2016	613	
11/10/2016	606	
2/9/2017	561	
5/3/2017	609	
8/1/2017	602	
10/4/2017		594

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	356	
2/17/2016	366	
5/26/2016	358	
8/23/2016	360	
11/10/2016	381	
2/9/2017	417	
5/3/2017	388	
8/1/2017	347	
10/4/2017		375

Prediction Limit


Constituent: Dissolved Solids (mg/l) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	677	
7/19/2016	624	
8/23/2016	605	
11/11/2016	589	
2/9/2017	633	
3/22/2017	568	
5/3/2017	620	
8/1/2017	599	
10/4/2017		621

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.16, Std. Dev.=0.0216, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.905, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Fluoride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.196, Std. Dev.=0.0468, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.974, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Fluoride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.274, Std. Dev.=0.0185, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.917, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Fluoride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.174, Std. Dev.=0.0317, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.979, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Fluoride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	0.182	
2/17/2016	0.165	
5/26/2016	0.149	
8/23/2016	0.159	
11/10/2016	0.182	
2/9/2017	0.117	
5/3/2017	0.15	
8/1/2017	0.174	
10/4/2017		0.104

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	0.268	
2/17/2016	0.233	
5/26/2016	0.222	
8/23/2016	0.202	
11/10/2016	0.183	
2/9/2017	0.113	
5/3/2017	0.173	
8/1/2017	0.174	
10/4/2017		<0.1

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley


	803	803
12/15/2015	0.276	
2/17/2016	0.245	
5/26/2016	0.29	
8/23/2016	0.295	
11/10/2016	0.29	
2/9/2017	0.262	
5/3/2017	0.254	
8/1/2017	0.281	
10/4/2017		0.23

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	0.219	
2/17/2016	0.183	
5/26/2016	0.164	
8/23/2016	0.168	
11/10/2016	0.148	
2/9/2017	0.119	
5/3/2017	0.182	
8/1/2017	0.206	
10/4/2017		0.118


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.171, Std. Dev.=0.0163, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.96, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Fluoride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.224, Std. Dev.=0.0235, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.897, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Fluoride Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley


Within Limits Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=7.05, Std. Dev.=0.555, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.913, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: pH Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limits Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=6.9, Std. Dev.=0.673, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.883, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: pH Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	0.148	
2/17/2016	0.155	
5/26/2016	0.191	
8/23/2016	0.172	
11/10/2016	0.17	
2/9/2017	0.178	
5/3/2017	0.161	
8/1/2017	0.194	
10/4/2017		0.121

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	0.252	
7/19/2016	0.242	
8/23/2016	0.253	
11/11/2016	0.197	
2/9/2017	0.205	
3/22/2017	0.224	
5/3/2017	0.195	
8/1/2017	0.223	
10/4/2017		0.129

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	801	801	
12/16/2015	7.39		
2/17/2016	6.7		
5/26/2016	8.06		
8/23/2016	7.37		
11/10/2016	6.56		
2/9/2017	6.7		
5/3/2017	6.42		
8/1/2017	7.23		
10/4/2017		6.46	
11/16/2017		7.14	extra sample
12/28/2017		6.53	extra sample


Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	802	802	
12/16/2015	7.53		
2/17/2016	6.58		
5/26/2016	8.16		
8/23/2016	7.2		
11/10/2016	6.39		
2/9/2017	6.25		
5/3/2017	6.37		
8/1/2017	6.73		
10/4/2017		6.3	
11/17/2017		6.85	extra sample

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=7.18, Std. Dev.=0.188, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.945, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: pH Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=7.07, Std. Dev.=0.191, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.88, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: pH Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=7.39, Std. Dev.=0.301, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.915, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: pH Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limits

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=7.81, Std. Dev.=0.767, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.917, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: pH Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	803	803	
12/15/2015	7.36		
2/17/2016	7.03		
5/26/2016	7.51		
8/23/2016	7.2		
11/10/2016	6.96		
2/9/2017	7.23		
5/3/2017	7		
8/1/2017	7.15		
10/4/2017		7.02	
11/16/2017		7.27	extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	804	804	
12/15/2015	7.32		
2/17/2016	7.2		
5/26/2016	7.22		
8/23/2016	6.96		
11/10/2016	6.83		
2/9/2017	7.2		
5/3/2017	6.83		
8/1/2017	6.97		
10/4/2017		6.95	
11/16/2017		6.84	extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805	
12/15/2015	7.74		
2/17/2016	7.46		
5/26/2016	7.62		
8/23/2016	7.14		
11/10/2016	7.15		
2/9/2017	7.79		
5/3/2017	7		
8/1/2017	7.24		
10/4/2017		7.15	
11/16/2017		7.04	extra sample


Prediction Limit

Constituent: pH (S.U.) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	806R	806R	
6/2/2016	7.98		
7/19/2016	7.33		
8/23/2016	6.95		
11/11/2016	9.32		
2/9/2017	7.88		
3/22/2017	7.75		
5/3/2017	7		
8/1/2017	8.23		
10/4/2017		6.92	
11/17/2017		7.71	extra sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=66.2, Std. Dev.=9.76, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.793, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Sulfate Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=44.1, Std. Dev.=19.8, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.763, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Sulfate Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=143, Std. Dev.=18.9, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.872, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Sulfate Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. All background values (n = 8) were censored; limit is most recent reporting limit. Well-constituent pair annual alpha = 0.0118. Individual comparison alpha = 0.00591 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Sulfate Analysis Run 1/17/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	88.1	
2/17/2016	60.5	
5/26/2016	65.2	
8/23/2016	58.6	
11/10/2016	66.5	
2/9/2017	66.6	
5/3/2017	67.2	
8/1/2017	56.5	
10/4/2017		57.5

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	33.3	
2/17/2016	35.5	
5/26/2016	26.1	
8/23/2016	41.2	
11/10/2016	38	
2/9/2017	88.9	
5/3/2017	35.2	
8/1/2017	54.2	
10/4/2017		69.4

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	175	
2/17/2016	162	
5/26/2016	135	
8/23/2016	130	
11/10/2016	135	
2/9/2017	157	
5/3/2017	127	
8/1/2017	124	
10/4/2017		116

Prediction Limit


Constituent: Sulfate (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	<5	
2/17/2016	<5	
5/26/2016	<5	
8/23/2016	<5	
11/10/2016	<5	
2/9/2017	<5	
5/3/2017	<5	
8/1/2017	<5	
10/4/2017		<5

Within Limit

Prediction Limit
 Intrawell Parametric




Background Data Summary (based on cube transformation): Mean=149015, Std. Dev.=68909, n=8, 12.5% NDs. Insufficient data to test for seasonality; data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.846, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Sulfate Analysis Run 1/17/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
 Intrawell Parametric



Background Data Summary: Mean=156, Std. Dev.=18.3, n=8. Insufficient data to test for seasonality; data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.893, critical = 0.749. Kappa = 1.98 (c=7, w=6, 1 of 3, event alpha = 0.0513). Report alpha = 0.00125.

Constituent: Sulfate Analysis Run 1/17/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	60.9	
2/17/2016	50.7	
5/26/2016	<5	
8/23/2016	51.7	
11/10/2016	54.7	
2/9/2017	59.8	
5/3/2017	54.4	
8/1/2017	54.2	
10/4/2017		56

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 1/17/2018 4:58 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	182	
7/19/2016	139	
8/23/2016	146	
11/11/2016	134	
2/9/2017	165	
3/22/2017	150	
5/3/2017	149	
8/1/2017	181	
10/4/2017		148

Prediction Limit

Sibley Client: SCS Engineers Data: Sibley Printed 1/17/2018, 4:58 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Boron (mg/L)	801	0.452	n/a	10/4/2017	0.318	No	8	0	No	0.00125	Param Intra 1 of 3
Boron (mg/L)	802	0.221	n/a	10/4/2017	0.1ND	No	8	87.5	n/a	0.00591	NP Intra (NDs) 1 of 3
Boron (mg/L)	803	3.01	n/a	10/4/2017	2.79	No	8	0	No	0.00125	Param Intra 1 of 3
Boron (mg/L)	804	5.13	n/a	10/4/2017	3.64	No	8	0	No	0.00125	Param Intra 1 of 3
Boron (mg/L)	805	0.2	n/a	10/4/2017	0.1ND	No	8	100	n/a	0.00591	NP Intra (NDs) 1 of 3
Boron (mg/L)	806R	5.32	n/a	10/4/2017	4.77	No	8	0	No	0.00125	Param Intra 1 of 3
Calcium (mg/L)	801	167	n/a	11/16/2017	156	No	8	0	No	0.00125	Param Intra 1 of 3
Calcium (mg/L)	802	101	n/a	11/17/2017	80.3	No	8	0	No	0.00125	Param Intra 1 of 3
Calcium (mg/L)	803	137	n/a	11/16/2017	123	No	8	0	No	0.00125	Param Intra 1 of 3
Calcium (mg/L)	804	194	n/a	11/16/2017	155	No	8	0	No	0.00125	Param Intra 1 of 3
Calcium (mg/L)	805	111	n/a	11/16/2017	104	No	8	0	No	0.00125	Param Intra 1 of 3
Calcium (mg/L)	806R	152	n/a	11/17/2017	151	No	8	0	No	0.00125	Param Intra 1 of 3
Chloride (mg/L)	801	104	n/a	12/28/2017	136	Yes	8	0	No	0.00125	Param Intra 1 of 3
Chloride (mg/L)	802	72.2	n/a	11/17/2017	46.7	No	8	0	No	0.00125	Param Intra 1 of 3
Chloride (mg/L)	803	16.4	n/a	11/16/2017	16.1	No	8	0	No	0.00125	Param Intra 1 of 3
Chloride (mg/L)	804	17.9	n/a	11/16/2017	14.7	No	8	0	No	0.00125	Param Intra 1 of 3
Chloride (mg/L)	805	12	n/a	11/16/2017	11.3	No	8	0	No	0.00125	Param Intra 1 of 3
Chloride (mg/L)	806R	30.8	n/a	11/17/2017	26.3	No	8	0	No	0.00125	Param Intra 1 of 3
Dissolved Solids (mg/l)	801	679	n/a	10/4/2017	677	No	8	0	No	0.00125	Param Intra 1 of 3
Dissolved Solids (mg/l)	802	474	n/a	10/4/2017	384	No	8	0	No	0.00125	Param Intra 1 of 3
Dissolved Solids (mg/l)	803	618	n/a	10/4/2017	532	No	8	0	No	0.00125	Param Intra 1 of 3
Dissolved Solids (mg/l)	804	675	n/a	10/4/2017	594	No	8	0	No	0.00125	Param Intra 1 of 3
Dissolved Solids (mg/l)	805	417	n/a	10/4/2017	375	No	8	0	No	0.00125	Param Intra 1 of 3
Dissolved Solids (mg/l)	806R	679	n/a	10/4/2017	621	No	8	0	No	0.00125	Param Intra 1 of 3
Fluoride (mg/L)	801	0.202	n/a	10/4/2017	0.104	No	8	0	No	0.00125	Param Intra 1 of 3
Fluoride (mg/L)	802	0.289	n/a	10/4/2017	0.05ND	No	8	0	No	0.00125	Param Intra 1 of 3
Fluoride (mg/L)	803	0.311	n/a	10/4/2017	0.23	No	8	0	No	0.00125	Param Intra 1 of 3
Fluoride (mg/L)	804	0.236	n/a	10/4/2017	0.118	No	8	0	No	0.00125	Param Intra 1 of 3
Fluoride (mg/L)	805	0.203	n/a	10/4/2017	0.121	No	8	0	No	0.00125	Param Intra 1 of 3
Fluoride (mg/L)	806R	0.27	n/a	10/4/2017	0.129	No	8	0	No	0.00125	Param Intra 1 of 3
pH (S.U.)	801	8.15	5.96	12/28/2017	6.53	No	8	0	No	0.000627	Param Intra 1 of 3
pH (S.U.)	802	8.23	5.57	11/17/2017	6.85	No	8	0	No	0.000627	Param Intra 1 of 3
pH (S.U.)	803	7.55	6.81	11/16/2017	7.27	No	8	0	No	0.000627	Param Intra 1 of 3
pH (S.U.)	804	7.44	6.69	11/16/2017	6.84	No	8	0	No	0.000627	Param Intra 1 of 3
pH (S.U.)	805	7.99	6.8	11/16/2017	7.04	No	8	0	No	0.000627	Param Intra 1 of 3
pH (S.U.)	806R	9.32	6.29	11/17/2017	7.71	No	8	0	No	0.000627	Param Intra 1 of 3
Sulfate (mg/L)	801	85.5	n/a	10/4/2017	57.5	No	8	0	No	0.00125	Param Intra 1 of 3
Sulfate (mg/L)	802	83.3	n/a	10/4/2017	69.4	No	8	0	No	0.00125	Param Intra 1 of 3
Sulfate (mg/L)	803	180	n/a	10/4/2017	116	No	8	0	No	0.00125	Param Intra 1 of 3
Sulfate (mg/L)	804	5	n/a	10/4/2017	2.5ND	No	8	100	n/a	0.00591	NP Intra (NDs) 1 of 3
Sulfate (mg/L)	805	65.8	n/a	10/4/2017	56	No	8	12.5	x*3	0.00125	Param Intra 1 of 3
Sulfate (mg/L)	806R	192	n/a	10/4/2017	148	No	8	0	No	0.00125	Param Intra 1 of 3

Sibley Generating Station
Determination of Statistically Significant Increases
CCR Fly Ash Impoundment
January 22, 2018

ATTACHMENT 2

Sanitas™ Configuration Settings

Options

- Data
- Output
- Trend Test
- Control Cht
- Prediction Lim
- Tolerance Lim
- Conf/Tol Int
- ANOVA
- Welchs
- Other Tests

Exclude data flags:


Data Reading Options

- Individual Observations
- Mean of Each: Month
- Median of Each: Season

Non-Detect / Trace Handling...

Setup Seasons...

Automatically Process Resamples...

- OK
- Cancel
- Save Settings As...
- Load Saved Settings...
- Defaults...
- Edit INI File
- 

Options

Data Output Trend Test Control Cht Prediction Lim Tolerance Lim Conf/Tol Int ANOVA Welchs Other Tests


- Black and White Output
- Four Plots Per Page
 - Always Combine Data Pages...
 - Include Tick Marks on Data Page
 - Use Constituent Name for Graph Title
- Draw Border Around Text Reports and Data Pages
- Enlarge/Reduce Fonts (Graphs):
- Enlarge/Reduce Fonts (Data/Text Reports):
- Wide Margins (on reports without explicit setting)
- Use CAS# (Not Const. Name)
- Truncate File Names to Characters
- Include Limit Lines when found in Database...
- Show Deselected Data on Time Series
- Show Deselected Data on all Data Pages
-

- Prompt to Overwrite/Append Summary Tables
- Round Limits to Sig. Digits (when not set in data file)
- User-Set Scale
- Indicate Background Data
- Show Exact Dates
- Thick Plot Lines
- Zoom Factor:

- Output Decimal Precision
- Less Precision
 - Normal Precision
 - More Precision

- Store Print Jobs in Multiple Constituent Mode

Printer:



Options

Data

Output

Trend Test

Control Cht

Prediction Lim

Tolerance Lim

Conf/Tol Int

ANOVA

Welchs

Other Tests

Test for Normality using Shapiro-Wilk/Francia at Alpha = 0.01

Use Non-Parametric Test when Non-Detects Percent > 50

Use Aitchison's Adjustment when Non-Detects Percent > 15

Optional Further Refinement: Use Aitchison's when NDs % > 50

Use Poisson Prediction Limit when Non-Detects Percent > 90

Transformation

Use Ladder of Powers

Natural Log or No Transformation

Never Transform

Use Specific Transformation:

Natural Log

Use Best W Statistic

Plot Transformed Values

Deseasonalize (Intra- and InterWell)

If Seasonality Is Detected

If Seasonality Is Detected Or Insufficient to Test

Always (When Sufficient Data) Never

Always Use Non-Parametric

Facility α

Statistical Evaluations per Year: 2

Constituents Analyzed: 7

Downgradient (Compliance) Wells: 6

Sampling Plan

Comparing Individual Observations

1 of 1 1 of 2 1 of 3 1 of 4

2 of 4 ("Modified California")

IntraWell Other

Stop if Background Trend Detected at Alpha = 0.05

Plot Background Data

Override Standard Deviation:

Override DF: Override Kappa:

Automatically Remove Background Outliers

2-Tailed Test Mode...

Show Deselected Data Lighter

Non-Parametric Limit = Highest Background Value

Non-Parametric Limit when 100% Non-Detects:

Highest/Second Highest Background Value

Most Recent PQL if available, or MDL

Most Recent Background Value (subst. method)

OK

Cancel

Save Settings As...

Load Saved Settings...

Defaults...

Edit INI File



Options

Data Output Trend Test Control Cht Prediction Lim Tolerance Lim Conf/Tol Int ANOVA Welchs Other Tests

Rank Von Neumann, Wilcoxon Rank Sum / Mann-Whitney

Use Modified Alpha... 2-Tailed Test Mode...

Outlier Tests

- EPA 1989 Outlier Screening (fixed alpha of 0.05)
- Dixon's at $\alpha = 0.05$ or if $n > 22$ Rosner's at $\alpha = 0.01$ Use EPA Screening to establish Suspected Outliers
- Tukey's Outlier Screening, with IQR Multiplier = 3.0 Use Ladder of Powers to achieve Best W Stat
- Test For Normality using Shapiro-Wilk/Francia at Alpha = 0.1
 - Stop if Non-Normal
 - Continue with Parametric Test if Non-Normal
 - Tukey's if Non-Normal, with IQR Multiplier = 3.0 Use Ladder of Powers to achieve Best W Stat
- No Outlier If Less Than 3.0 Times Median
- Apply Rules found in Ohio Guidance Document 0715
- Combine Background Wells on the Outlier Report...

Piper, Stiff Diagram

- Combine Wells Label Constituents
- Combine Dates Label Axes
- Use Default Constituent Names Note Cation-Anion Balance (Piper only)
- Use Constituent Definition File

OK

Cancel

Save Settings As...

Load Saved Settings...

Defaults...

Edit INI File



Jared Morrison
December 20, 2022

ATTACHMENT 2-2
Spring 2018 Semiannual Detection Monitoring Statistical Analyses

MEMORANDUM

September 12, 2018

To: **Sibley Generating Station**
33200 E Johnson Road
Sibley, Missouri 64088
KCP&L Greater Missouri Operations Company



From: **SCS Engineers**

RE: **Determination of Statistically Significant Increases - CCR Fly Ash Impoundment Spring 2018 Semiannual Detection Monitoring 40 CFR 257.94**

Statistical analysis of monitoring data from the groundwater monitoring system for the CCR Fly Ash Impoundment at the Sibley Generating Station has been completed in substantial compliance with the "Statistical Method Certification by A Qualified Professional Engineer" dated October 12, 2017. Groundwater samples were collected and analyzed by October 17, 2017. Detection monitoring groundwater samples were collected on May 16, 2018. Review and validation of the results from the May 2018 Detection Monitoring Event was completed on June 15, 2018, which constitutes completion and finalization of detection monitoring laboratory analyses. A statistical analysis was then conducted to determine whether there was a statistically significant increase (SSI) over background values for each constituent listed in Appendix III to Part 257-Constituents for Detection Monitoring. Two rounds of verification sampling were conducted for certain constituents on June 27, 2018 and August 8, 2018.

The completed statistical evaluation identified two Appendix III constituents above their respective prediction limits. The prediction limit for boron in monitoring well MW-804 is 5.133 mg/L. The detection monitoring sample was reported at 5.61 mg/L. The first verification re-sample was collected on June 27, 2018 with a result of 7.06 mg/L. The second verification re-sample was collected on August 8, 2018 with a result of 7.0 mg/L.

Therefore, in accordance with the Statistical Method Certification, the detection monitoring sample for boron from monitoring well MW-804 exceeds its prediction limit and is a confirmed statistically significant increase (SSI) over background.

The prediction limit for chloride in upgradient monitoring well MW-801 is 104.1 mg/L. The detection monitoring sample was reported at 117 mg/L. The first verification re-sample was collected on June 27, 2018 with a result of 109 mg/L. The second verification re-sample was collected on August 8, 2018 with a result of 106 mg/L.

Therefore, in accordance with the Statistical Method Certification, the detection monitoring sample for chloride from upgradient monitoring well MW-801 exceeds its prediction limit and is a confirmed statistically significant increase (SSI) over background.


Sibley Generating Station
Determination of Statistically Significant Increases
CCR Fly Ash Impoundment
September 12, 2018

ATTACHMENT 1

Sanitas™ Output

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.3621, Std. Dev.=0.04547, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9368, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Boron Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. Limit is highest of 8 background values. 87.5% NDs. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=2.804, Std. Dev.=0.1038, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9108, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Boron Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Exceeds Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=3.901, Std. Dev.=0.6221, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8265, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Boron Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	0.438	
2/17/2016	0.382	
5/26/2016	0.377	
8/23/2016	0.315	
11/10/2016	0.361	
2/9/2017	0.321	
5/3/2017	0.396	
8/1/2017	0.307	
5/16/2018		0.31

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	0.221	
2/17/2016	<0.2	
5/26/2016	<0.2	
8/23/2016	<0.2	
11/10/2016	<0.2	
2/9/2017	<0.2	
5/3/2017	<0.2	
8/1/2017	<0.2	
5/16/2018		<0.2

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	3.01	
2/17/2016	2.85	
5/26/2016	2.71	
8/23/2016	2.86	
11/10/2016	2.79	
2/9/2017	2.79	
5/3/2017	2.73	
8/1/2017	2.69	
5/16/2018		2.72

Prediction Limit


Constituent: Boron (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	4.63	
2/17/2016	3.81	
5/26/2016	3.76	
8/23/2016	3.62	
11/10/2016	3.33	
2/9/2017	3.58	
5/3/2017	3.4	
8/1/2017	5.08	
5/16/2018		5.61
6/27/2018		7.06 1st verification re-sample
8/8/2018		7 2nd verification re-sample

Within Limit

Prediction Limit
Intrawell Non-parametric




Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. All background values (n = 8) were censored; limit is most recent reporting limit. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Boron Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=4.87, Std. Dev.=0.2287, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9205, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Boron Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=139.5, Std. Dev.=13.75, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.975, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=75, Std. Dev.=12.99, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9366, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	<0.2	
2/17/2016	<0.2	
5/26/2016	<0.2	
8/23/2016	<0.2	
11/10/2016	<0.2	
2/9/2017	<0.2	
5/3/2017	<0.2	
8/1/2017	<0.2	
5/16/2018		<0.2

Prediction Limit

Constituent: Boron (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	5.1	
7/19/2016	4.81	
8/23/2016	5.25	
11/11/2016	4.77	
2/9/2017	4.64	
3/22/2017	5.02	
5/3/2017	4.76	
8/1/2017	4.61	
5/16/2018		4.64

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	159	
2/17/2016	150	
5/26/2016	147	
8/23/2016	137	
11/10/2016	143	
2/9/2017	115	
5/3/2017	127	
8/1/2017	138	
5/16/2018		146

Prediction Limit


Constituent: Calcium (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802	
12/16/2015	86.6		
2/17/2016	91.4		
5/26/2016	68.9		
8/23/2016	82.2		
11/10/2016	49.6		
2/9/2017	71.4		
5/3/2017	71		
8/1/2017	78.9		
5/16/2018		117	
6/27/2018		65.5	1st verification re-sample

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=118, Std. Dev.=9.725, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9144, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=156.1, Std. Dev.=19.14, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9111, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=97.61, Std. Dev.=6.708, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8624, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=132.9, Std. Dev.=9.538, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9644, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Calcium Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	131	
2/17/2016	127	
5/26/2016	120	
8/23/2016	120	
11/10/2016	121	
2/9/2017	105	
5/3/2017	103	
8/1/2017	117	
5/16/2018		118

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	193	
2/17/2016	158	
5/26/2016	167	
8/23/2016	157	
11/10/2016	155	
2/9/2017	132	
5/3/2017	134	
8/1/2017	153	
5/16/2018		172

Prediction Limit

Constituent: Calcium (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	104	
2/17/2016	99.5	
5/26/2016	98.5	
8/23/2016	105	
11/10/2016	98.9	
2/9/2017	88.8	
5/3/2017	86.2	
8/1/2017	100	
5/16/2018		98.5

Prediction Limit


Constituent: Calcium (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	135	
7/19/2016	131	
8/23/2016	141	
11/11/2016	137	
2/9/2017	123	
3/22/2017	126	
5/3/2017	121	
8/1/2017	149	
5/16/2018		145

Exceeds Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=83.45, Std. Dev.=10.41, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.899, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Chloride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=49.74, Std. Dev.=11.34, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9231, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Chloride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=15.16, Std. Dev.=0.6232, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8705, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Chloride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=15.44, Std. Dev.=1.229, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8619, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Chloride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801	
12/16/2015	73.6		
2/17/2016	72.4		
5/26/2016	88.2		
8/23/2016	73.8		
11/10/2016	88.2		
2/9/2017	78.6		
5/3/2017	101		
8/1/2017	91.8		
5/16/2018		117	
6/27/2018		109	1st verification re-sample
8/8/2018		106	2nd verification re-sample

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	63.5	
2/17/2016	55	
5/26/2016	50.5	
8/23/2016	46.3	
11/10/2016	26.6	
2/9/2017	58.6	
5/3/2017	53.9	
8/1/2017	43.5	
5/16/2018		49.3

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	14.9	
2/17/2016	14.8	
5/26/2016	14.4	
8/23/2016	14.9	
11/10/2016	15	
2/9/2017	15.1	
5/3/2017	15.9	
8/1/2017	16.3	
5/16/2018		15.9

Prediction Limit


Constituent: Chloride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	17.5	
2/17/2016	14.6	
5/26/2016	15.5	
8/23/2016	14.4	
11/10/2016	14.2	
2/9/2017	15.2	
5/3/2017	15	
8/1/2017	17.1	
5/16/2018		17.5

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=10.57, Std. Dev.=0.7249, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8989, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Chloride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=26.05, Std. Dev.=2.389, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8702, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Chloride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=589.8, Std. Dev.=45.18, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9729, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Dissolved Solids Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=378.4, Std. Dev.=48.28, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.885, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Dissolved Solids Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	9.51	
2/17/2016	9.86	
5/26/2016	9.85	
8/23/2016	10.9	
11/10/2016	10.9	
2/9/2017	11.2	
5/3/2017	11.5	
8/1/2017	10.8	
5/16/2018		9.88

Prediction Limit

Constituent: Chloride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	28.6	
7/19/2016	28.4	
8/23/2016	22.9	
11/11/2016	22.9	
2/9/2017	24.6	
3/22/2017	28.1	
5/3/2017	25.6	
8/1/2017	27.3	
5/16/2018		27.7

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	601	
2/17/2016	589	
5/26/2016	669	
8/23/2016	544	
11/10/2016	602	
2/9/2017	564	
5/3/2017	622	
8/1/2017	527	
5/16/2018		609

Prediction Limit


Constituent: Dissolved Solids (mg/l) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	385	
2/17/2016	413	
5/26/2016	375	
8/23/2016	372	
11/10/2016	277	
2/9/2017	432	
5/3/2017	416	
8/1/2017	357	
5/16/2018		285

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=555.9, Std. Dev.=31.44, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9486, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Dissolved Solids Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=610.4, Std. Dev.=32.48, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9436, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Dissolved Solids Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit Intrawell Parametric




Background Data Summary: Mean=371.6, Std. Dev.=22.73, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8928, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Dissolved Solids Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit Intrawell Parametric



Background Data Summary: Mean=614.4, Std. Dev.=32.76, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9638, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Dissolved Solids Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	564	
2/17/2016	558	
5/26/2016	598	
8/23/2016	538	
11/10/2016	543	
2/9/2017	594	
5/3/2017	552	
8/1/2017	500	
5/16/2018		301

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	673	
2/17/2016	588	
5/26/2016	631	
8/23/2016	613	
11/10/2016	606	
2/9/2017	561	
5/3/2017	609	
8/1/2017	602	
5/16/2018		393

Prediction Limit

Constituent: Dissolved Solids (mg/l) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	805	805	
12/15/2015	356		
2/17/2016	366		
5/26/2016	358		
8/23/2016	360		
11/10/2016	381		
2/9/2017	417		
5/3/2017	388		
8/1/2017	347		
5/16/2018		491	
6/27/2018	349		1st verification re-sample

Prediction Limit


Constituent: Dissolved Solids (mg/l) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	677	
7/19/2016	624	
8/23/2016	605	
11/11/2016	589	
2/9/2017	633	
3/22/2017	568	
5/3/2017	620	
8/1/2017	599	
5/16/2018		345

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.1598, Std. Dev.=0.02158, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9046, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Fluoride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.196, Std. Dev.=0.04681, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9741, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Fluoride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=0.2741, Std. Dev.=0.01848, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9165, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Fluoride Analysis Run 8/16/2018 4:56 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.1736, Std. Dev.=0.03169, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9792, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Fluoride Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	0.182	
2/17/2016	0.165	
5/26/2016	0.149	
8/23/2016	0.159	
11/10/2016	0.182	
2/9/2017	0.117	
5/3/2017	0.15	
8/1/2017	0.174	
5/16/2018		0.187

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	0.268	
2/17/2016	0.233	
5/26/2016	0.222	
8/23/2016	0.202	
11/10/2016	0.183	
2/9/2017	0.113	
5/3/2017	0.173	
8/1/2017	0.174	
5/16/2018		0.249

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	0.276	
2/17/2016	0.245	
5/26/2016	0.29	
8/23/2016	0.295	
11/10/2016	0.29	
2/9/2017	0.262	
5/3/2017	0.254	
8/1/2017	0.281	
5/16/2018		0.301


Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	0.219	
2/17/2016	0.183	
5/26/2016	0.164	
8/23/2016	0.168	
11/10/2016	0.148	
2/9/2017	0.119	
5/3/2017	0.182	
8/1/2017	0.206	
5/16/2018		0.222


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.1711, Std. Dev.=0.01632, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9597, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Fluoride Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley


Within Limit Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=0.2239, Std. Dev.=0.02355, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8972, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Fluoride Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley


Within Limits Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=7.054, Std. Dev.=0.5545, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9128, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limits Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=6.901, Std. Dev.=0.6729, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8827, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	0.148	
2/17/2016	0.155	
5/26/2016	0.191	
8/23/2016	0.172	
11/10/2016	0.17	
2/9/2017	0.178	
5/3/2017	0.161	
8/1/2017	0.194	
5/16/2018		0.203

Prediction Limit

Constituent: Fluoride (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	0.252	
7/19/2016	0.242	
8/23/2016	0.253	
11/11/2016	0.197	
2/9/2017	0.205	
3/22/2017	0.224	
5/3/2017	0.195	
8/1/2017	0.223	
5/16/2018		0.229

Prediction Limit

Constituent: pH (S.U.) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	801	801	
12/16/2015	7.39		
2/17/2016	6.7		
5/26/2016	8.06		
8/23/2016	7.37		
11/10/2016	6.56		
2/9/2017	6.7		
5/3/2017	6.42		
8/1/2017	7.23		
5/16/2018		7	
6/27/2018		6.9	extra sample
8/8/2018		6.49	extra sample


Prediction Limit

Constituent: pH (S.U.) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	802	802	
12/16/2015	7.53		
2/17/2016	6.58		
5/26/2016	8.16		
8/23/2016	7.2		
11/10/2016	6.39		
2/9/2017	6.25		
5/3/2017	6.37		
8/1/2017	6.73		
5/16/2018		6.89	extra sample
6/27/2018		6.68	extra sample

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=7.18, Std. Dev.=0.1884, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9447, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=7.066, Std. Dev.=0.1912, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8802, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Within Limits

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=7.393, Std. Dev.=0.3012, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.915, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Within Limits

Prediction Limit
Intrawell Parametric



Background Data Summary: Mean=7.805, Std. Dev.=0.7672, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.9174, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: pH Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: pH (S.U.) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	7.36	
2/17/2016	7.03	
5/26/2016	7.51	
8/23/2016	7.2	
11/10/2016	6.96	
2/9/2017	7.23	
5/3/2017	7	
8/1/2017	7.15	
5/16/2018		7.04

Prediction Limit

Constituent: pH (S.U.) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	804	804	
12/15/2015	7.32		
2/17/2016	7.2		
5/26/2016	7.22		
8/23/2016	6.96		
11/10/2016	6.83		
2/9/2017	7.2		
5/3/2017	6.83		
8/1/2017	6.97		
5/16/2018		6.83	
6/27/2018		7.23	extra sample
8/8/2018		6.85	extra sample

Prediction Limit

Constituent: pH (S.U.) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	7.74	
2/17/2016	7.46	
5/26/2016	7.62	
8/23/2016	7.14	
11/10/2016	7.15	
2/9/2017	7.79	
5/3/2017	7	
8/1/2017	7.24	
5/16/2018		7.06
6/27/2018		7.78 extra sample


Prediction Limit

Constituent: pH (S.U.) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	7.98	
7/19/2016	7.33	
8/23/2016	6.95	
11/11/2016	9.32	
2/9/2017	7.88	
3/22/2017	7.75	
5/3/2017	7	
8/1/2017	8.23	
5/16/2018		7.26

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=66.15, Std. Dev.=9.755, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7928, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Sulfate Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=44.05, Std. Dev.=19.82, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.7634, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Sulfate Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Parametric




Background Data Summary: Mean=143.1, Std. Dev.=18.88, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8721, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Sulfate Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
Intrawell Non-parametric



Non-parametric test used in lieu of parametric prediction limit because censored data exceeded 50%. All background values (n = 8) were censored; limit is most recent reporting limit. Well-constituent pair annual alpha = 0.01179. Individual comparison alpha = 0.005912 (1 of 3). Insufficient data to test for seasonality: data were not deseasonalized.

Constituent: Sulfate Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	801	801
12/16/2015	88.1	
2/17/2016	60.5	
5/26/2016	65.2	
8/23/2016	58.6	
11/10/2016	66.5	
2/9/2017	66.6	
5/3/2017	67.2	
8/1/2017	56.5	
5/16/2018		57.7

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	802	802
12/16/2015	33.3	
2/17/2016	35.5	
5/26/2016	26.1	
8/23/2016	41.2	
11/10/2016	38	
2/9/2017	88.9	
5/3/2017	35.2	
8/1/2017	54.2	
5/16/2018		33.9

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	803	803
12/15/2015	175	
2/17/2016	162	
5/26/2016	135	
8/23/2016	130	
11/10/2016	135	
2/9/2017	157	
5/3/2017	127	
8/1/2017	124	
5/16/2018		124


Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	804	804
12/15/2015	<5	
2/17/2016	<5	
5/26/2016	<5	
8/23/2016	<5	
11/10/2016	<5	
2/9/2017	<5	
5/3/2017	<5	
8/1/2017	<5	
5/16/2018		<5

Within Limit

Prediction Limit
 Intrawell Parametric




Background Data Summary (based on cube transformation): Mean=149015, Std. Dev.=68909, n=8, 12.5% NDs. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.8456, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Sulfate Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Within Limit

Prediction Limit
 Intrawell Parametric



Background Data Summary: Mean=155.8, Std. Dev.=18.28, n=8. Insufficient data to test for seasonality: data were not deseasonalized. Normality test: Shapiro Wilk @alpha = 0.01, calculated = 0.893, critical = 0.749. Kappa = 1.979 (c=7, w=6, 1 of 3, event alpha = 0.05132). Report alpha = 0.001254.

Constituent: Sulfate Analysis Run 8/16/2018 4:57 PM View: Ash Pond III
 Sibley Client: SCS Engineers Data: Sibley

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III
Sibley Client: SCS Engineers Data: Sibley

	805	805
12/15/2015	60.9	
2/17/2016	50.7	
5/26/2016	<5	
8/23/2016	51.7	
11/10/2016	54.7	
2/9/2017	59.8	
5/3/2017	54.4	
8/1/2017	54.2	
5/16/2018		53.7

Prediction Limit

Constituent: Sulfate (mg/L) Analysis Run 8/16/2018 5:00 PM View: Ash Pond III

Sibley Client: SCS Engineers Data: Sibley

	806R	806R
6/2/2016	182	
7/19/2016	139	
8/23/2016	146	
11/11/2016	134	
2/9/2017	165	
3/22/2017	150	
5/3/2017	149	
8/1/2017	181	
5/16/2018		157

Prediction Limit

Sibley Client: SCS Engineers Data: Sibley Printed 8/16/2018, 5:00 PM

<u>Constituent</u>	<u>Well</u>	<u>Upper Lim.</u>	<u>Lower Lim.</u>	<u>Date</u>	<u>Observ.</u>	<u>Sig.</u>	<u>Bg N</u>	<u>%NDs</u>	<u>Transform</u>	<u>Alpha</u>	<u>Method</u>
Boron (mg/L)	801	0.4521	n/a	5/16/2018	0.31	No	8	0	No	0.001254	Param Intra 1 of 3
Boron (mg/L)	802	0.221	n/a	5/16/2018	0.1ND	No	8	87.5	n/a	0.005912	NP Intra (NDs) 1 of 3
Boron (mg/L)	803	3.009	n/a	5/16/2018	2.72	No	8	0	No	0.001254	Param Intra 1 of 3
Boron (mg/L)	804	5.133	n/a	8/8/2018	7	Yes	8	0	No	0.001254	Param Intra 1 of 3
Boron (mg/L)	805	0.2	n/a	5/16/2018	0.1ND	No	8	100	n/a	0.005912	NP Intra (NDs) 1 of 3
Boron (mg/L)	806R	5.323	n/a	5/16/2018	4.64	No	8	0	No	0.001254	Param Intra 1 of 3
Calcium (mg/L)	801	166.7	n/a	5/16/2018	146	No	8	0	No	0.001254	Param Intra 1 of 3
Calcium (mg/L)	802	100.7	n/a	6/27/2018	65.5	No	8	0	No	0.001254	Param Intra 1 of 3
Calcium (mg/L)	803	137.2	n/a	5/16/2018	118	No	8	0	No	0.001254	Param Intra 1 of 3
Calcium (mg/L)	804	194	n/a	5/16/2018	172	No	8	0	No	0.001254	Param Intra 1 of 3
Calcium (mg/L)	805	110.9	n/a	5/16/2018	98.5	No	8	0	No	0.001254	Param Intra 1 of 3
Calcium (mg/L)	806R	151.8	n/a	5/16/2018	145	No	8	0	No	0.001254	Param Intra 1 of 3
Chloride (mg/L)	801	104.1	n/a	8/8/2018	106	Yes	8	0	No	0.001254	Param Intra 1 of 3
Chloride (mg/L)	802	72.18	n/a	5/16/2018	49.3	No	8	0	No	0.001254	Param Intra 1 of 3
Chloride (mg/L)	803	16.4	n/a	5/16/2018	15.9	No	8	0	No	0.001254	Param Intra 1 of 3
Chloride (mg/L)	804	17.87	n/a	5/16/2018	17.5	No	8	0	No	0.001254	Param Intra 1 of 3
Chloride (mg/L)	805	12	n/a	5/16/2018	9.88	No	8	0	No	0.001254	Param Intra 1 of 3
Chloride (mg/L)	806R	30.78	n/a	5/16/2018	27.7	No	8	0	No	0.001254	Param Intra 1 of 3
Dissolved Solids (mg/l)	801	679.2	n/a	5/16/2018	609	No	8	0	No	0.001254	Param Intra 1 of 3
Dissolved Solids (mg/l)	802	473.9	n/a	5/16/2018	285	No	8	0	No	0.001254	Param Intra 1 of 3
Dissolved Solids (mg/l)	803	618.1	n/a	5/16/2018	301	No	8	0	No	0.001254	Param Intra 1 of 3
Dissolved Solids (mg/l)	804	674.7	n/a	5/16/2018	393	No	8	0	No	0.001254	Param Intra 1 of 3
Dissolved Solids (mg/l)	805	416.6	n/a	6/27/2018	349	No	8	0	No	0.001254	Param Intra 1 of 3
Dissolved Solids (mg/l)	806R	679.2	n/a	5/16/2018	345	No	8	0	No	0.001254	Param Intra 1 of 3
Fluoride (mg/L)	801	0.2025	n/a	5/16/2018	0.187	No	8	0	No	0.001254	Param Intra 1 of 3
Fluoride (mg/L)	802	0.2886	n/a	5/16/2018	0.249	No	8	0	No	0.001254	Param Intra 1 of 3
Fluoride (mg/L)	803	0.3107	n/a	5/16/2018	0.301	No	8	0	No	0.001254	Param Intra 1 of 3
Fluoride (mg/L)	804	0.2364	n/a	5/16/2018	0.222	No	8	0	No	0.001254	Param Intra 1 of 3
Fluoride (mg/L)	805	0.2034	n/a	5/16/2018	0.203	No	8	0	No	0.001254	Param Intra 1 of 3
Fluoride (mg/L)	806R	0.2705	n/a	5/16/2018	0.229	No	8	0	No	0.001254	Param Intra 1 of 3
pH (S.U.)	801	8.151	5.956	8/8/2018	6.49	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	802	8.233	5.569	6/27/2018	6.68	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	803	7.553	6.807	5/16/2018	7.04	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	804	7.445	6.688	8/8/2018	6.85	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	805	7.989	6.796	6/27/2018	7.78	No	8	0	No	0.000...	Param Intra 1 of 3
pH (S.U.)	806R	9.323	6.287	5/16/2018	7.26	No	8	0	No	0.000...	Param Intra 1 of 3
Sulfate (mg/L)	801	85.46	n/a	5/16/2018	57.7	No	8	0	No	0.001254	Param Intra 1 of 3
Sulfate (mg/L)	802	83.27	n/a	5/16/2018	33.9	No	8	0	No	0.001254	Param Intra 1 of 3
Sulfate (mg/L)	803	180.5	n/a	5/16/2018	124	No	8	0	No	0.001254	Param Intra 1 of 3
Sulfate (mg/L)	804	5	n/a	5/16/2018	2.5ND	No	8	100	n/a	0.005912	NP Intra (NDs) 1 of 3
Sulfate (mg/L)	805	65.84	n/a	5/16/2018	53.7	No	8	12.5	x*3	0.001254	Param Intra 1 of 3
Sulfate (mg/L)	806R	191.9	n/a	5/16/2018	157	No	8	0	No	0.001254	Param Intra 1 of 3

Sibley Generating Station
Determination of Statistically Significant Increases
CCR Fly Ash Impoundment
September 12, 2018

ATTACHMENT 2

Sanitas™ Configuration Settings

Exclude data flags:

Data Reading Options

- Individual Observations
- Mean of Each: Month
- Median of Each: Season

Automatically Process Resamples...

- Black and White Output
- Four Plots Per Page
 - Always Combine Data Pages...
 - Include Tick Marks on Data Page
 - Use Constituent Name for Graph Title
- Draw Border Around Text Reports and Data Pages
- Enlarge/Reduce Fonts (Graphs):
- Enlarge/Reduce Fonts (Data/Text Reports):
- Wide Margins (on reports without explicit setting)
- Use CAS# (Not Const. Name)
- Truncate File Names to Characters
- Include Limit Lines when found in Database...
- Show Deselected Data on Time Series ▾
- Show Deselected Data on all Data Pages ▾

- Prompt to Overwrite/Append Summary Tables
- Round Limits to Sig. Digits (when not set in data file)
- User-Set Scale
- Indicate Background Data
- Show Exact Dates
- Thick Plot Lines

Zoom Factor: ▾

- Output Decimal Precision
- Less Precision
 - Normal Precision
 - More Precision

Store Print Jobs in Multiple Constituent Mode

Printer: ▾

Test for Normality using Shapiro-Wilk/Francia at Alpha = 0.01

Use Non-Parametric Test when Non-Detects Percent > 50

Use Aitchison's Adjustment when Non-Detects Percent > 15

Optional Further Refinement: Use Aitchison's when NDs % > 50

Use Poisson Prediction Limit when Non-Detects Percent > 90

Transformation

Use Ladder of Powers

Natural Log or No Transformation

Never Transform

Use Specific Transformation: Natural Log

Use Best W Statistic

Plot Transformed Values

Deseasonalize (Intra- and InterWell)

If Seasonality Is Detected

If Seasonality Is Detected Or Insufficient to Test

Always (When Sufficient Data) Never

Always Use Non-Parametric

Facility

Statistical Evaluations per Year:

Constituents Analyzed:

Downgradient (Compliance) Wells:

Sampling Plan

Comparing Individual Observations

1 of 1 1 of 2 1 of 3 1 of 4

2 of 4 ("Modified California")

IntraWell Other

Stop if Background Trend Detected at Alpha = 0.05

Plot Background Data

Override Standard Deviation:

Override DF: Override Kappa:

Automatically Remove Background Outliers

2-Tailed Test Mode...

Show Deselected Data Lighter

Non-Parametric Limit = Highest Background Value

Non-Parametric Limit when 100% Non-Detects:

Highest/Second Highest Background Value

Most Recent PQL if available, or MDL

Most Recent Background Value (subst. method)

Rank Von Neumann, Wilcoxon Rank Sum / Mann-Whitney

- Use Modified Alpha...
- 2-Tailed Test Mode...

Outlier Tests

- EPA 1989 Outlier Screening (fixed alpha of 0.05)
- Dixon's at $\alpha=$ or if n > Rosner's at $\alpha=$ Use EPA Screening to establish Suspected Outliers
- Tukey's Outlier Screening, with IQR Multiplier = Use Ladder of Powers to achieve Best W Stat
- Test For Normality using Shapiro-Wilk/Francia at Alpha =
 - Stop if Non-Normal
 - Continue with Parametric Test if Non-Normal
 - Tukey's if Non-Normal, with IQR Multiplier = Use Ladder of Powers to achieve Best W Stat
- No Outlier If Less Than Times Median
- Apply Rules found in Ohio Guidance Document 0715
- Combine Background Wells on the Outlier Report...

Piper, Stiff Diagram

- Combine Wells Label Constituents
- Combine Dates Label Axes
- Use Default Constituent Names Note Cation-Anion Balance (Piper only)
- Use Constituent Definition File

Jared Morrison
December 20, 2022


ATTACHMENT 3
Groundwater Potentiometric Surface Maps



Image courtesy of USGS Earthstar Geographics SIO © 2017 Microsoft Corporation

- LEGEND:**
- 760 — GROUNDWATER POTENTIOMETRIC SURFACE ELEVATIONS (REPRESENTATIVE OF THIS UNIT)
 - 801 GROUNDWATER MONITORING SYSTEM WELL (GROUNDWATER ELEVATION)
 - CCR LANDFILL UNIT BOUNDARY
 - ← 156 FT/YR GROUNDWATER FLOW DIRECTION AND CALCULATED GROUNDWATER FLOW RATE (FEET/YEAR)

- NOTES:**
1. HORIZONTAL & VERTICAL DATUM: URS PLANS FOR CONSTRUCTION, KCP&L SIBLEY GENERATING STATION, DESIGN FILE 16530511.00001, DATED JANUARY 2010
 2. GOOGLE EARTH AERIAL IMAGE. MARCH 2015.
 3. BOUNDARY AND MONITORING WELL LOCATIONS SHOWN ARE APPROXIMATE.
 4. WATER LEVEL MEASUREMENTS COMPLETED ON MAY 17, 2018.



	REV.	DATE			
SHEET TITLE		POTENTIOMETRIC SURFACE MAP (MAY 2018)			
PROJECT TITLE		FLY ASH IMPOUNDMENT			
CLIENT		EVERGY MISSOURI WEST, INC. SIBLEY GENERATING STATION SIBLEY, MISSOURI			
ENGINEER		SCS ENGINEERS 7311 W. 130th St. Ste. 100 Overland Park, Kansas 66213 PH: (913) 681-0030 FAX: (913) 681-0012			
DESIGNER	DRAWN BY	CHECKED BY	DATE	SCALE	PROJECT
27713167.18	RCW	JRF	12/15/22	1"=200'	JRF
CADD FILE:		18-MAY_2018.DWG			
DATE:		12/15/22			
FIGURE NO.		1			


N:\KCP\Projects\Groundwater\DWG\Sibley2018\GW\16-NOV_GW.dwg Dec 15, 2022 - 11:21am Layout Name: Fig 2C By: swyly



Image courtesy of USGS Earthstar Geographics SIO © 2017 Microsoft Corporation

- LEGEND:**
- 760 — GROUNDWATER SURFACE ELEVATIONS (REPRESENTATIVE OF THIS UNIT)
 - 801 GROUNDWATER MONITORING SYSTEM WELL (GROUNDWATER ELEVATION)
 - CCR UNIT BOUNDARY
 - ← 293 FT/YR GROUNDWATER FLOW DIRECTION AND CALCULATED GROUNDWATER FLOW RATE (FEET/YEAR)

- NOTES:**
1. HORIZONTAL & VERTICAL DATUM: URS PLANS FOR CONSTRUCTION, KCP&L SIBLEY GENERATING STATION, DESIGN FILE 16530511.00001, DATED JANUARY 2010
 2. GOOGLE EARTH AERIAL IMAGE. MARCH 2015.
 3. BOUNDARY AND MONITORING WELL LOCATIONS SHOWN ARE APPROXIMATE.
 4. WATER LEVEL MEASUREMENTS COMPLETED ON NOVEMBER 15, 2018.



	REV.	DATE	
SHEET TITLE	POTENTIOMETRIC SURFACE MAP (NOVEMBER 2018)		
PROJECT TITLE	CCR FLY ASH IMPOUNDMENT		
CLIENT	EVERGY MISSOURI WEST, INC. SIBLEY GENERATING STATION SIBLEY, MISSOURI		
ENGINEER	SCS ENGINEERS 8875 W. 110th St. Ste. 100 Overland Park, Kansas 66210 PH: (913) 681-0630 FAX: (913) 681-0012		
DRAWN BY	CHK BY	TGW BY	O/A RW BY
277.13/67.18	TGW	JRF	JRF
CADD FILE: 16-NOV_PSDWG			
DATE: 12/15/22			
FIGURE NO. 2			